

Product Specification

No. 089 TOP KOGYO CO., LTD.

Product No. 01

Product name
HYPER WRENCH ZERO
HI-32 FIF

Description		
	Machinist tools	
Size per product		
Width	63 mm	
Depth	216 mm	
Height	13 mm	
Weight	255 g	
Capacity	1530 g	
Quantity per case		
6 piece(s)		
Minimum lot for o	rder	
1 piece(s)		
Retail price in Japa	an (yen) *excluding tax	
5,1	5,100 JPY	

	ATA
Mate	erials
Cr-V	
Sellir	ng point
	ER WRENCH ZERO has a backlash less knurl which divided into two parts. It doesn't have backlash, and the jaw opens wide. don't need to adjust the size as you use it so, you can use it as a spanner.
It ca	n be used as vernier caliper as well.
It ca	n be used as vernier caliper as well.
Colo	n be used as vernier caliper as well.
Colo	n be used as vernier caliper as well.



Product Specification

No. 089 TOP KOGYO CO., LTD.

Product No. 02

Product name
ECO WIDE ADJUSTABLE WRENCH
THE HYEO TOUR CONTRACTOR OF THE PARTY OF THE

Description		
	Machinist tools	
Size per product		
Width	59 mm	
Depth	210 mm	
Height	12 mm	
Weight	200 g	
Capacity	1200 g	
Quantity per case		
6 piece(s)		
Minimum lot for o	rder	
	1 piece(s)	
Retail price in Japa	an (yen) *excluding tax	
3,0	50 JPY	

NIIG	NIIGATA	
Mate	erials	
Cr-V	Cr-V	
Sellin	ng point	
	n work in a narrow space with no projection on the jaw. made it 20% more compact and lighter than a conventional Adjustable Wrench.	
	underjaw is bigger; due to reinforced underjaw strength, it's possible to flip the head and tighten it from another side.	
Colo	or and the second secon	
SILV	/ER	
Lead	d time	
	We can make shipments soon. • Lead time is different depends on your order.	



Product Specification

No. 089 TOP KOGYO CO., LTD.

Product No. 03

Product name
ADJUSTABLE WRENCH
THY 230 (HEAVY / 2) SURY

Description	
	Machinist tools
Size per product	
Width	70 mm
Depth	258 mm
Height	147.5 mm
Weight	390 g
Capacity	2340 g
Quantity per case	
	6 piece(s)
Minimum lot for o	rder
	1 piece(s)
Retail price in Japa	an (yen) *excluding tax
4,100 JPY	

Materials Cr-V Selling point It became wider open width, and it can be reduced backlash by adapting the square thread. Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time We can make shipments soon. Lead time is different depends on your order.	Place of production/processing	
Selling point It became wider open width, and it can be reduced backlash by adapting the square thread. Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time Lead time Lead time is different depends on your	NIIGATA	
Selling point It became wider open width, and it can be reduced backlash by adapting the square thread. Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time Lead time is different depends on your	Materials	
It became wider open width, and it can be reduced backlash by adapting the square thread. Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time Lead time Lead time is different depends on your	Cr-V	
It became wider open width, and it can be reduced backlash by adapting the square thread. Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time Lead time Lead time is different depends on your		
It became wider open width, and it can be reduced backlash by adapting the square thread. Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time Lead time Lead time is different depends on your	Selling point	
Its head is sharper than our conventional adjustable wrench so, it could use in a narrow space. Color SILVER Lead time Lead time is different depends on your		
Color SILVER Lead time We can make shipments soon. Lead time is different depends on your	It became wider open width, and it can be	e reduced backlash by adapting the square thread.
Color SILVER Lead time We can make shipments soon. Lead time is different depends on your	Its head is sharper than our conventional	adiustable wrench so, it could use in a narrow space.
SILVER Lead time We can make shipments soon. Lead time is different depends on your	•	
SILVER Lead time We can make shipments soon. Lead time is different depends on your		
SILVER Lead time We can make shipments soon. Lead time is different depends on your		
SILVER Lead time We can make shipments soon. Lead time is different depends on your	Colon	
Lead time We can make shipments soon. Lead time is different depends on your	Color	
Lead time We can make shipments soon. Lead time is different depends on your	STI VER	
We can make shipments soon. Lead time is different depends on your	31E V E I V	
We can make shipments soon. Lead time is different depends on your	Lead time	
We can make shipments soon.		
We can make shipments soon.		Load time is different depends on your
order.	We can make shipments soon.	
		order.



Product Specification

No. 089 TOP KOGYO CO., LTD.

Product No. 04

Product name		
INTERNA	L SNAP RING	PLIERS
	6 1	

Description		
	Machinist tools	
Size per product		
Width	50 mm	
Depth	180 mm	
Height	9.3 mm	
Weight	125 g	
Capacity	750 g	
Quantity per case		
6 piece(s)		
Minimum lot for o	rder	
	1 piece(s)	
Retail price in Japa	an (yen) *excluding tax	
3,400 JPY		

NIIG	SATA
Mate	erials
SCM ²	440
Sellin	ng point
	forged snap ring, so it has excellent toughness and rigidity.
It is t	the best for attaching and detaching snap ring.
Also,	, it won't slip because its tips shape the cylinder and have serration.
Colo	or
YELL	LOW
1	
Lead	d time



Product Specification

No. 089 TOP KOGYO CO., LTD.

Product No. 05

Product name
Froduct name
DOUBLE-SIZED RATCHET WRENCH

Description	
	Machinist tools
Size per product	
Width	41 mm
Depth	312 mm
Height	50 mm
Weight	430 g
Capacity	860 g
Quantity per case	
	2 piece(s)
Minimum lot for o	rder
	1 piece(s)
Retail price in Japa	an (yen) *excluding tax
6,1	00 JPY

NIIGATA		
Materials		
Cr-V		
Selling point		
The main body and nails are forged products with outstanding strength and a rust-resistant cation coating.		
The head is filled with holes during processing to maintain a smooth ratchet drive.		
It has a hole for the safety cord and a convenient podger on the tip.		
Color		
BLACK		
Lead time		
We can make shipments soon.	Lead time is different depends on your order.	



Product Specification

No. 089 **TOP KOGYO CO., LTD.**

Product No. 06

STAINLESS CUTTING PLIER

Description	
	Machinist tools
Size per product	
Width	48 mm
Depth	115 mm
Height	10 mm
Weight	45 g
Capacity	270 g
Quantity per case	
	6 piece(s)
Minimum lot for o	rder
	1 piece(s)
Retail price in Japan (yen) *excluding tax	
4,0	50 JPY

NIIC		
INIIG	NIIGATA	
Mate	Materials	
DSR:	DSR1K6	
Sellin	ng point	
The I	made of stainless steel; it resists rust and wears. best for precision work such as making hobbies and accessories, and assembling electronic components. n also use for medical equipment.	
Colo)r'	
Colo WHI		
WHI		



Product Specification

No. 089 **TOP KOGYO CO., LTD.**

Product No. 07

Product name
SPEED WRENCH
CONTRACT CAMERO CALLES TRACTACION CONTRACTOR

Description	
	Machinist tools
Size per product	
Width	42 mm
Depth	210 mm
Height	10 mm
Weight	200 g
Capacity	1200 g
Quantity per case	
	6 piece(s)
Minimum lot for o	rder
	1 piece(s)
Retail price in Japa	an (yen) *excluding tax
3,1	00 JPY

Place of production/processing NIIGATA Materials Cr-V

Selling point

It fits various shapes and can turn pipes and broken nuts.

Also, repetitive work is possible with springs so, it best for attaching and detaching piping and electrical material's bolts, nuts, and pipes. It is also convenient for removing rusted bolts at construction sites.

Color	۰

SILVER

Lead time

We can make shipments soon.

Lead time is different depends on your order.



Product Specification

No. 089 **TOP KOGYO CO., LTD.**

Product No. 08

Product name
4-SIZE PLATE RATCHET WRENCH
O PRW O TOP O STAINLESS O PAT. ZA O

Place of production/processing

We can make shipments soon.

Description	
	Machinist tools
Size per product	
Width	24 mm
Depth	165 mm
Height	15 mm
Weight	150 g
Capacity	900 g
Quantity per case	
	6 piece(s)
Minimum lot for o	rder
	1 piece(s)
Retail price in Japa	an (yen) *excluding tax
4,5	00 JPY

. tace of production, processing	
NIIGATA	
Materials	
SUS420J2(BODY PLATE) /Cr-V(SOCKET)	
Selling point	
In pursuit of weight reduction and making handy grip and reinforced plastic is used for the main body. Also, the main body plate is	
made of stainless steel with high strength and durability. The ratchet part has the strength to be fully tightened, and one can use 4	
sizes.	
Color	
SILVER	
Lead time	

• Lead time is different depends on your order.



Product Specification

No. 089 TOP KOGYO CO., LTD.

Product No. 09

Product name
COMPACT SOCKET BIT

Description			
Machinist tools			
Size per product			
Width	23.5 mm		
Depth	45 mm		
Height	88 mm		
Weight	95 g		
Capacity	570 g		
Quantity per case			
6 piece(s)			
Minimum lot for order			
1 piece(s)			
Retail price in Japan (yen) *excluding tax			
1,170 JPY			

NIIGATA	
Materials	
SCM435	
Selling point	
i TOF 5 Original Shape that is 2070 Hibre light	ter absorbs shock. The hex surface socket doesn't damage the corners of bolts and nuts.
	ion the quick rotation of double nuts and the prevention of nuts from falling.
	ion the quick rotation of double nuts and the prevention of nuts from falling.
Also, this deep socket takes into considerati	ion the quick rotation of double nuts and the prevention of nuts from falling.
Also, this deep socket takes into considerati	ion the quick rotation of double nuts and the prevention of nuts from falling.



Product Specification

No. 089 **TOP KOGYO CO., LTD.**

Product No. 10

Product name
SOCKET BIT ADAPTER

Description			
Machinist tools			
Size per product			
Width	16 mm		
Depth	34 mm		
Height	61 mm		
Weight	50 g		
Capacity	300 g		
Quantity per case			
6 piece(s)			
Minimum lot for order			
1 piece(s)			
Retail price in Japan (yen) *excluding tax			
1,090 JPY			

Place of production/processing

NIIGATA

Materials

SCM435

Selling point

TOP's original shape realizes ease of use, strength, and weight reduction.

A ball is attached to connect the socket safely for the socket wrench, and the hex bit is press-fitted, providing a strong bit. The hex bit is 6.35 mm and can be quickly attached to an impact driver.

Color

SILVER

Lead time

We can make shipments soon.

Lead time is different depends on your order.