


図2 メキシコ市の発症週別の新規感染者数



(出所) 保健省国家感染症監視システム (SINAVE)

表 主要州別COVID-19対応病床の利用率推移

州	一般病床											人工呼吸器付病床										
	10/10	10/17	10/24	11/1	11/8	11/9	11/10	11/11	11/12	11/13	11/14	10/10	10/17	10/24	11/1	11/8	11/9	11/10	11/11	11/12	11/13	11/14
チワワ	45%	62%	72%	86%	84%	N.A.	80%	N.A.	78%	N.A.	71%	47%	62%	61%	65%	57%	N.A.	47%	N.A.	51%	N.A.	48%
コアウイラ	36%	40%	54%	69%	67%	N.A.	73%	N.A.	69%	N.A.	68%	20%	32%	44%	40%	37%	N.A.	38%	N.A.	32%	N.A.	37%
ヌエボレオン	50%	59%	63%	58%	59%	N.A.	63%	N.A.	64%	N.A.	65%	44%	43%	46%	47%	45%	N.A.	47%	N.A.	45%	N.A.	50%
サカテカス	19%	28%	36%	41%	39%	N.A.	45%	N.A.	65%	N.A.	62%	24%	26%	33%	37%	46%	N.A.	46%	N.A.	37%	N.A.	37%
メキシコ市	41%	45%	46%	50%	49%	N.A.	55%	N.A.	57%	N.A.	57%	37%	41%	43%	44%	44%	N.A.	50%	N.A.	53%	N.A.	51%
アグアスカリエンテス	21%	25%	30%	38%	55%	N.A.	52%	N.A.	49%	N.A.	47%	40%	47%	44%	51%	55%	N.A.	63%	N.A.	64%	N.A.	61%
メキシコ州	37%	36%	38%	41%	39%	N.A.	40%	N.A.	44%	N.A.	45%	27%	27%	29%	29%	30%	N.A.	30%	N.A.	31%	N.A.	33%
グアナファト	18%	21%	22%	25%	30%	N.A.	33%	N.A.	36%	N.A.	41%	7%	10%	11%	11%	12%	N.A.	11%	N.A.	13%	N.A.	15%
ケレタロ	17%	23%	28%	27%	31%	N.A.	33%	N.A.	35%	N.A.	33%	26%	26%	31%	30%	33%	N.A.	35%	N.A.	37%	N.A.	38%
バハカリフォルニア	21%	20%	25%	27%	30%	N.A.	30%	N.A.	28%	N.A.	28%	28%	27%	34%	28%	28%	N.A.	34%	N.A.	36%	N.A.	42%
サンルイスポトシ	18%	18%	22%	19%	20%	N.A.	24%	N.A.	24%	N.A.	24%	24%	26%	28%	26%	28%	N.A.	29%	N.A.	29%	N.A.	28%
ハリスコ	21%	21%	24%	23%	22%	N.A.	22%	N.A.	22%	N.A.	23%	20%	18%	18%	21%	20%	N.A.	20%	N.A.	21%	N.A.	19%
タマウリパス	19%	16%	16%	15%	15%	N.A.	17%	N.A.	19%	N.A.	18%	16%	19%	13%	15%	14%	N.A.	18%	N.A.	15%	N.A.	13%
全国平均	27%	29%	31%	32%	33%	34%	35%	35%	35%	35%	35%	23%	25%	26%	26%	26%	27%	27%	26%	28%	27%	28%

(出所) 保健省発表データから作成