Specifications and Standards for Foods, Food Additives, etc. Under the Food Sanitation Act (Abstract) 2010

April 2011



CONTENTS

PREFACE	1
I. FOOD	5
1. Specifications and Standards for Food in General and for Individual Food Categories	5
2. Maximum Residue Limits for Agricultural Chemicals (Pesticides), Feed Additives and V	eterinary/
Drugs in Food	6
3. Provisional Regulatory Limitations of Contaminants in Food	6
4. Genetically modified foods	6
5. Foods for Specified Health Uses and Foods with Nutrient Function Claims	7
6. Food Labeling	8
6-1. Establishment of Consumer Affairs Agency	10
6-2. Labeling of Food Consumption Date Limits	10
6-3. Labeling of Genetically Modified Foods / Foods that can cause food allergy	11
6-4. Food for Specified Health Uses (FOSHU) / Food with Nutrient Function Claims (FN	FC)13
7. Discontinuation of "Pilot Sample System" for Import Clearance of Food	14
II. MILK AND MILK PRODUCTS	15
III. FOOD ADDITIVES	17
1. Designated Food Additives	17
2. Standards for Manufacturing Food Additives	18
3. Standards for Use of Food Additives in General	19
4. Food Additives with Standards for the Use, and Food Additives with No Standard for the	e Use 19
5. Existing Food Additives	20
6. List of source substances of natural flavoring agents	20
7. Substances which are generally provided as food and which are used as additives ("Ordin	nary foods
used as additives")	20
8. Methods for labeling additives in food	21
IV. Apparatus and Containers / Packages	23
V. TOYS	24
VI CLEANING AGENTS (DETERGENTS)	26

(Tables)

1.	r οοα		Z 1
	Table F01	Specifications and Standards for Food in General	27
	Table F02	Specifications and Standards for Individual Food Categories	29
	Table F03	Maximum Residue Limits for Agricultural Chemicals (Pesticides), Feed Additiv	es and
		Veterinary Drugs in Food	38
	Table F04	Provisional Regulatory Limitations of Contaminants in Food	39
	Table F05	Genetically Modified Foods	40
II	. Milk and	Milk Products	42
	Table M01	Raw Milk	42
	Table M02	Liquid Milk for drinking and Milk Beverage	43
	Table M03	Milk Products	45
	Table M04	Yogurts and Fermented Milk Drinks	49
	Table M05	Products Storable at Room Temperature	49
Π	I. Food ad	ditives	50
	Table FA01	Designated Food Additives	50
	Table FA02	Food Additives with Standards of Use	111
	Table FA03	Food Additives with No Standards of Use	148
	Table FA04	Existing Food Additives	153
	Table FA05	List of substances of Natural Flavoring Agents	163
	Table FA06	Substances which are generally provided as Food and used as Food Additives	167
IJ	7. Apparat	us and Containers/ Packages	169
	Table AP01	Standards on Material in General	169
	Table AP02	Specifications and Standards by Material	170
	Table AP03	Specifications and Standards by Use	176
	Table AP04	Standards of Manufacturing	179
	Table AP05	Specifications and Standards for Milk and Milk products	180

PREFACE

This publication has been prepared to present an outline of specifications and standards for foods, milk and milk products, food additives, apparatus and container / packages, which are regulated under the Food Sanitation Act and relevant legislations. However, this publication has been produced with a focus mainly on user-friendliness: reference should be made to the original legislation, in order to confirm compliance therewith.

Herein presents a summary of the current situation in Japan, as of December 31, 2010, of specifications and standards set out in the "Food Sanitation Act", "Ordinance for Enforcement of the Food Sanitation Act", "Ministerial Ordinance Concerning Compositional Standards, etc. for Milk and Milk Products", relevant legislations (e.g., the Health Promotion Act), notices and announcements issued by the Ministry of Health, Labour and Welfare (MHLW), as well as legislations issued by the Consumer Affairs Agency (CAA) regarding food labeling. The Food Sanitation Act also applies *mutatis mutandis* to toys infants may put into their mouths, as well as cleaning agents (detergents) intended for use in washing vegetables, fruits, or tableware.

With regards to food labeling, the Consumer Affairs Agency was established on September 1, 2009, to hold overall jurisdiction over food labeling, which was formally under the jurisdiction of the MHLW, as far as regulations for the labeling are concerned. Likewise, with regards to the JAS Law which used to be under the jurisdiction of the Ministry of Agriculture, Forestry and Fisheries, the overall jurisdiction was transferred to the Consumer Affairs Agency as far as the regulations for the labeling are concerned. The Consumer Affairs Agency was to hold overall jurisdiction over food labeling, including measures to be undertaken to ensure compliance with Codex standards.

In the context of this publication's theme, i.e., "specifications and standards for foods, food additives, etc.," the Ministry of Health and Welfare Notification No. 370, 1959 (latest revision: MHLW Notification No. 336, 2010) under the title of "Specifications and Standards for Food and Food Additives etc." is an important piece of legislation. Therein are set out all the specifications and standards for the following: foods; food additives; apparatus and containers/ packages; toys; and cleaning agents (detergents).

As to the labeling of foods or additives, Article 21 (Standards for Labeling) of the "Ordinance for Enforcement of the Food Sanitation Act" (Ordinance of the Ministry of Health and Welfare No. 23, 1948: Latest Revision No.74, 2010) provides the basic requirements. With regards to the labeling of milk and milk products, Article 7 of the "Ministerial Ordinance Concerning Compositional Standards, etc. for Milk and Milk Products" sets out the basic requirements.

With regards to the labeling of food additives, in association with the transfer of jurisdiction to the Consumer Affairs Agency, the previous notice was replaced with a new one, "Labeling for Food Additives based on the Food Sanitation Act" (CAA Food Labeling Div. Notification No. 377, 2010), which incorporates certain amendments made to the previous one. The previous notice issued by MHLW under the same title (MHLW Environmental Health Buresu Notification No.56, 1996) was repealed.

With regards to the specifications and regulations for, as well as the labeling of, foods, in addition to the "Food Sanitation Act", we have the "Health Promotion Act" under the MHLW jurisdiction (the Consumer Affairs Agency holds jurisdiction as far as the labeling is concerned), the "Law Concerning Standardization and Proper Labeling of Agricultural and Forestry Products (JAS Law)" under the jurisdiction of the Ministry of Agriculture, Forestry and Fisheries (the Consumer Affairs Agency holds jurisdiction as far as the labeling is concerned), and the "Agricultural Chemicals Regulation Law". Assessment of the safety of foods in general is governed by the "Food Safety Basic Act" under the jurisdiction of the Cabinet Office, under which the Food Safety Commission was established to assess the safety of food additives and genetically modified foods. In this publication, reference is made to certain articles of these legislations, which are relevant to the "Food Sanitation Act".

As for the international harmonization of the specifications and standards for foods being applied in Japan, we have been extensively involved in the activities of the Codex Committee (Japan became a member in 1966). The Department of Food Safety of the Ministry of Health, Labour and Welfare, the Food Safety and Consumer Policy Division of the Ministry of Agriculture and the Food Labeling Division of the Consumer Affairs Agency invite exchange of information from representatives of stakeholders.

The proceedings of regulatory amendments in the past two years (January 1, 2009 to December 31, 2010), relevant to the theme of this publication, i.e., the specifications and standards for, and the labeling of, foods, food additives, etc. are summarized below:

- (1) Revision of laws and regulations concerning food labeling:
 - The Consumer Affairs Agency was established on September 1, 2009, to hold overall jurisdiction over food labeling as far as the regulations for the labeling are concerned. In this connection, the following three laws concerning the Consumer Affairs Agency were enacted and the Food Sanitation Act was partially amended.
 - Consumer Affairs Agency and Consumer Commission Establishment Act (Act No.48, 2009:)
 - Act on Improvement of the Related Acts Concerning Enforcement of the Consumer Affairs Agency and Consumer Commission Establishment Act (Act No.49, 2009)
 - · Consumer Safety Act (Act No.50, 2009)
- (2) Revision of the Ordinance for Enforcement of the Food Sanitation Act
 - New food additives approved (added to Appended "Table 1" of the Ordinance)

- 2009: Five flavors (Isovaleraldehyde, Valeraldehyde, 2,3-Dimethylpirazine, 2,5-Dimethylpirazine, 2,6-Dimethylpirazine), and one preservative (Nisin)
- 2010: Fourteen flavors (Isopentylamine, 2-Ethylpyrazin, 2-Ethyl-5-methylpyrazin, 5,6,7,8-Tetrahydroquinoxalin, Piperidine, Pyrrolidine, Phenethylamine, 3-Methyl-2-butanol, 2-Methylbutylaldehide, Butylamine, Propionaldehyde, 2-Pentanol, 6-Methylquinoline and 2-Methylpyrazine), one preservative (Calcium Sorbate), one flavoring-enhancing agent (monoammonium L-Glutamate), one emulsifier (Sodium stearoyl lactylate), and one processing aid (Magnesium silicate).

"Sodium starch phosphate" was eliminated from the list of designated additives.

- Partial revision of the Ordinance for Enforcement of the Food Sanitation Act, associated with the establishment of the Consumer Affairs Agency.
- Amendment to the specifications of raw materials for toys (regulation of phthalates was upgraded) (2010)
- Establishment of the maximum permissible level of cadmium contents in grains and pulses (2010)
- Taurine was added to the "List of the substances designated as having no potential to cause damage to human health." (2009)
- (3) Discontinuation of "Pilot Sample System" for import clearance
- (4) Other
 - The maximum residue limit of many pesticides in agricultural products has been set.
 - 130 varieties of genetically modified foods (crops) have been approved, but the number of approved genetically modified food additives has remained 14 for the last few years.

Legislations

[Those under the jurisdiction of the Ministry of Health, Labour and Welfare]

- 1) Food Sanitation Act (Act No.233, 1947): Latest Revision on June 5, 2009, Act No. 49)
- 2) Order for Enforcement of the Food Sanitation Act (Cabinet Order No.29, 1953): Latest Revision on August 14, 2009, Cabinet Order No.217)
- 3) Ordinance for Enforcement of the Food Sanitation Act (Ordinance of the Ministry of Health and Welfare No. 23, 1948): Latest Revision on May 28, 2010, MHLW Ministerial Ordinance No. 74
- 4) Ministerial Ordinance on Milk and Milk products Concerning Compositional Standards, etc. (Ministry of Health and Welfare Ordinance No.52, 1951): Latest Revision on October 30, 2007, MHLW Ministerial Ordinance No. 132)
- 5) "Specifications and Standards for Food and Food Additives, etc."

- (Ministry of Health and Welfare Notification No. 370, 1959): Latest Revision on September 6, 2010, MHLW Notification No. 336)
- 6) "Japan's Specifications and Standards for Food Additives" (Eighth Edition) Published by the Ministry of Health, Labour and Welfare in 2007.

[Those under the jurisdiction of the Cabinet Office]

7) Food Safety Basic Act (Act No. 48, 2003)

[Those under the jurisdiction of the Ministry of Agriculture, Forestry and Fisheries]

- 8) Law Concerning Standardization and Proper Labeling of Agricultural and Forestry Products (commonly referred to as JAS Law: Law No. 175, 1950)
- 9) Agricultural Chemicals Regulation Law (Law No. 82, 1948)
- Law Concerning Safety Assurance and Quality Improvement of Feeds (Law No.35, 1953)

[Those under the jurisdiction of the Consumer Affairs Agency]

- 11) Consumer Affairs Agency and Consumer Commission Establishment Act (promulgated on June 5, 2009, Act No.48, enforced on September 1, 2009)
- 12) Act on Improvement of the Related Acts Concerning Enforcement of the Consumer Affairs Agency and Consumer Commission Establishment Act (promulgated on June 5, 2009, Act No.49, enforced on September 1, 2009)
- 13) Consumer Safety Act (promulgated on June 5, 2009, Act No.50, enforced on September 1, 2009)
- 14) "Labeling for Food Additives based on the Food Sanitation Act" (MHLW Environmental Health Buresu Notification No.56, May 23, 1996: Latest revision on October 20, 2010 CAA Food Labeling Div. Notice No. 377, 2010)

Websites

Ministry of Health, Labour and Welfare http://www.mhlw.go.jp/english/index.html Food Safety / http://www.mhlw.go.jp/english/topics/foodsafety/index.html

Food Safety Commission http://www.fsc.go.jp/english/index.html

Ministry of Agriculture, Forestry and Fisheries http://www.maff.go.jp/e/index.html Japanese Agricultural Standard / http://www.maff.go.jp/e/jas/index.html

Consumer Affairs Agency http://www.caa.go.jp/en/index.html

The Japan Food Chemical Research Foundation

http://www.ffcr.or.jp/zaidan/ffcrhome.nsf/TrueMainE?OpenFrameSet

I. FOOD

1. Specifications and Standards for Food in General and for Individual Food Categories

Specifications and standards for foods under the Food Sanitation Act are set out in the Notification No. 370 (1959), "Specifications and Standards for Food and Food Additives, etc." (The Notification also provides specifications and standards for food additives, apparatus and containers, packages, toys and cleaning agents (detergents), which will be mentioned subsequently. The Notification will be frequently referred to in this publication.)

Notification "Specifications and Standards for Food and Food Additives, etc."
(Ministry of Health and Welfare Notification No. 370, 1959)
(Latest revision: MHLW Notification No.336, 2010)

	Contents		
Section	Section 1. Food		
A	General Compositional Standards for Food		
В	concrat 1 ood 1 roddoording and 1 roparation 2 tanuar as		
C	General Food Storage Standards		
D	Specific Items		
Section	on 2. Food Additives		
A	General Standards		
В	General Test Methods		
C	Reagents and Test Solutions, etc.		
D	Specifications and Storage Standards for Individual Items		
\mathbf{E}	Production Standards		
F	Standards for the Use of Food Additives		
	on 3. Implements, Containers, and Packaging		
A	Standards for General Implements, Containers, Packaging, and		
	their Component Materials		
В			
	Packaging		
	Reagents and Solutions		
D	r		
	Packaging, and Raw Materials		
\mathbf{E}	Application-specific Specifications for Implements, Containers,		
	and Packaging		
F	Implements, Containers, and Packaging Production Standards		
Section	on 4. Toys		

Detergents

Section 5.

2. Maximum Residue Limits for Agricultural Chemicals, Feed Additives and Veterinary Drugs in Food

Foods having a higher level of pesticide, feed additive or veterinary drug than the regulatory maximum residue limit shall be prohibited from sale in Japan. Japan adopted the positive list system in 2006.

Residue limits for approximately 760 pesticides in individual food items (e.g. vegetables, cereals, pulses, fruits, meats, milk, fish) are set forth in Section A "Compositional Specifications for Food in General" of the "Specifications and Standards for Food and Food Additives, etc". Due to the large number of pesticides, the data are not referred to in this publication. New residue limits are set every year for each food item.

The uniform base limit set by the Minister, i.e. the amount unlikely to cause damage to human health, has been set at 0.01ppm under the provision of Article 11 of the Food Sanitation Act (MHLW Notification No.497, 2005).

Of raw materials including agricultural chemicals, 66 substances (paraffin, lecithin, etc.) have been designated by the Minister as "substances, which are quite unlikely to cause damage to human health" (substances outside the scope of the positive list). (Notice No. 334, 2009) Taurine was added in 2009.

"Positive List System for Agricultural Residues in Foods" is available on the MHLW website: http://www.mhlw.go.jp/english/topics/foodsafety/positivelist060228/index.html

3. Provisional Regulatory Limitations of Contaminants in Food

Provisional regulatory limitations have been set for the following food contaminants, i.e. PCB, mercury, radionuclide, aflatoxin, deoxynivalenol and shellfish poisons.

4. Genetically modified foods

In 2001, assessment of the safety of a food and an additive produced by recombinant DNA techniques (GM food) was made mandatory before it received official approval.

The "Food Safety Commission," which was established under the Food Safety Basic Act (Cabinet Office, Law No.48, 2003), evaluates the safety of individual plants, foods, and food additives.

"Standards for the Safety Assessment of Genetically Modified Foods (Seed Plants)" is available on the website of the Food Safety Commission:

http://www.fsc.go.jp/english/standardsforriskassessment/gm_kijun_english.pdf

The "Standard for Manufacturing Foods and Food Additives Produced by Use of Recombinant DNA Techniques" (MHLW Notification No.234, 2000) provides the standards for the manufacture of GM foods.

As of December 31, 2010, 130 varieties of foods (crops) (corn, soybeans, etc.) and 14 additives (a-amylase, lipase, etc.) had been approved as "genetically modified foods and additives that have undergone safety assessments".

5. Foods for Specified Health Uses and Foods with Nutrient Function Claims

In 2001, the Food with Health Claims system was established for foods that comply with a set of designated criteria. Depending on the factions to be labeled, foods with health claims are divided in two categories, i.e. Foods for Specified Health Uses (FOSHU), and Foods with Nutrient Function Claims (FNFC).

FOSHU, i.e. "foods for which it is declared that consumption can be expected to contribute to the maintenance and promotion of health of the people who consume such foods for a specific health maintenance purpose" (Article 21, Paragraph 1 of the Ordinance for Enforcement of the Food Sanitation Act), shall be applied for under the Health Promotion Act, so as to have its effectiveness and safety assessed under the Food Sanitation Act in order to receive official approval. Originally, applications were assessed on an individual basis, but in 2005, as application for items in the similar categories increased, standards and specifications were established for foods with sufficient FOSHU approvals and accumulation of scientific evidence, a category of "Standardized FOCHO" was established. When an application meets the standards and specifications, "Standardized FOCHO" can be approved. As at the end of December 2010, total 967 items had been approved.

FNFC, i.e. "foods for which it is declared that consumption can be expected to provide a specified nutritional component, in compliance with the standards designated by the Minister, for people who consume such foods for the purpose of acquiring said specified nutritional component" are those foods, functions of whose nutritional components can be labeled (Article 21, Paragraph 1 of the Ordinance for Enforcement of the Food Sanitation Act). Foods which comply with the designated specifications and standards are permitted to be sold without filing an application or registration. Approved nutritional components are twelve vitamins (Vitamin A, Vitamin D, Vitamin E, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, niacin, folic acid, biotin, pantothenic acid, and Vitamin C) and five minerals (zinc, calcium, iron, copper and magnesium).

Information available in English:

"Food with Health Claims, Food for Special Dietary Uses, and Nutrition Labeling" http://www.mhlw.go.jp/english/topics/foodsafety/fhc/index.html
"Regulatory Systems of Health foods in Japan (2010)" http://www.caa.go.jp/en/index.html

6. Food Labeling

Specific administrative works were all transferred from Ministry of Health, Labor and Welfare to the Consumer Affairs Agency.

In September 2009, the new Consumer Affairs Agency issued the "Guidance for Food Labeling based on Ordinance for Enforcement of the Food Sanitation Act" and the paper "On Labeling of Milk and Milk Products based on Ministerial Ordinance on Milk and Milk products Concerning Compositional Standards, etc." ("On New Labeling based on the Food Sanitation Act," CAA Notification Label No. 8, September 17, 2009). These documents give the comprehensive practical information concerning the labeling of food, additives, milk/milk products, and toys.

In respect of the labeling of additives, the previous notice "On Labeling based on the Food Sanitation Act" (MHLW Environmental Health Buresu Notification No.56, May 23, 1996) was repealed and a new one, which includes some changes, was issued (CAA Notification Label No.377, 2010).

Although the jurisdiction over labeling was transferred to the Consumer Affairs Agency, the basic requirements for the labeling of food or additives are specified in Article 21 of the Ordinance for Enforcement of the Food Sanitation Act (Labeling) based on Article 19 of the Food Sanitation Act. (With regards to the labeling of milk and milk products, Article 7 of the "Ministerial Ordinance Concerning Compositional Standards, etc. for Milk and Milk Products" provides the basic requirements.)

Article 21 of the Ordinance provides the basic labeling requirements (mandatory labeling items, such as product name, use-by-date, best-before-date, address of manufacturer, labeling to be done in Japanese, and storage instructions). It also provides the basic requirements for the labeling of individual food categories and additives in respect of foods or additives listed in "Appended Table 3",

Examples of those food categories, for which specific requirements have been set, are: mineral water, tinned foods, frozen foods, raw fish, irradiated foods, oysters, allergy-related products, GM foods, and FOSHU / FNFC.

Appended Table 3 and the labeling standards are shown in table below.

Foods and Additives, for which labeling requirements have been set (Ordinance for Enforcement of the Food Sanitation Act, Article 21, Table 3)

- 1. Margarine
- 2. Alcoholic beverages (i.e., beverages that contain 1% or more alcohol by volume (including drinks in powder form that, once liquid has been added, contain 1% or more alcohol by volume)
- 3. Soft drinks
- 4. Processed meat products
- 5. Fish meat ham, fish meat sausage, whale meat bacon, and the like
- 6. Pulses containing cyanide compounds
- 7. Frozen foods (meaning produced or processed food (excluding carbonated drinks, processed meat products, whale meat products, fish-paste products, boiled octopus and boiled crabs) and cut or shelled fresh fish and seafood (excluding raw oysters) which are frozen and packaged in containers and packaging)
- 8. Irradiated food
- 9. Food packed in containers and sterilized by pressurization and heating
- 10. Poultry eggs
- 11. Food packed in containers and packaging (excluding those listed in the preceding items) which are listed below:
- (a) Processed meats, raw oysters, fresh noodles (including boiled noodles), instant noodles, ready-made lunches, prepared bread (i.e., bread used in ready-to-eat sandwiches containing, for example, ham, croquettes, or salad), fish-paste products, moist confectionaries, cut or shelled fresh fish and seafood (excluding raw oysters), and boiled crabs
- (b) Processed foods other than those listed in (a)
- (c) Citrus fruits, bananas
- 12. Food of farm products listed in the left columns of appended table 7, and processed food made from such food (including any food made from said processed food)
- 13. Food for special dietary use
- 14. Additives*

Ministry of Health, Labour and Welfare: Food

http://www.mhlw.go.jp/english/topics/foodsafety/

Consumer Affairs Agency:

http://www.caa.go.jp/en/index.html

^{*}Note: Item 14 refers to "food additives"

6-1. Establishment of Consumer Affairs Agency

Following the enactment of the three related laws in May 2009, the Consumer Affairs Agency, Government of Japan (CAA) was established on September 1 of the same year, with a view to serving as an authority to supervise the overall government policies from the viewpoint of consumers. Although the Prime Minister serves as competent minister for the CAA and the Consumer Commission, which was established at the same time, the Minister of State for Consumer Affairs is to be permanently appointed. The head of the CAA is the Secretary-General and the staff is 202 persons.

The most important change in relation to the Food Sanitation Act is that the overall jurisdiction over food labeling was transferred to the CAA to take over the functions of the Ministry of Health, Labour and Welfare (in relation to the Food Sanitation Act and Health Promotion Act) and the Ministry of Agriculture, Forestry and Fisheries (in relation to the JAS Law).

In relation to food labeling, the CAA is:

- to have an overall charge of administrative affairs in the area of labeling regulations;
- to lay out policy measures concerning food labeling standards, etc.;
- to operate in collaboration with relevant government agencies (i.e. MHLW, MAFF, etc.);
- to be in charge of matters related to CODEX labeling.

Associated with the transfer of the jurisdiction over the food labeling, the new Consumer Affairs Agency issued the "Guidance for Food Labeling based on Ordinance for Enforcement of the Food Sanitation Act" and the paper "On Labeling of Milk and Milk Products based on Ministerial Ordinance on Milk and Milk products Concerning Compositional Standards, etc." ("On New Labeling based on the Food Sanitation Act," CAA Notification Food Labeling Div. No.8, September 17, 2009). These documents give the comprehensive practical information concerning the labeling of food, additives, milk/milk products, and toys.

In respect of the labeling of additives, following the transfer of jurisdiction thereover to the CAA, the previous notice "On Labeling based on the Food Sanitation Act" (MHLW Environmental Health Buresu Notification No.56, May 23, 1996) was repealed and a new one, which includes some changes, was issued (CAA Notice Label No.377, 2010).

Contact Information & Website

(Consumer Affairs Agency, Food Labeling Division)

Sanno Park Tower, 11-1, Nagata-cho 2-chome, Chiyoda-ku, Tokyo

Tel: 03-3507-8800

http://www.caa.go.jp/en/index.html

"Consumer Affairs Agency and Consumer Policy Framework"

"Jurisdiction of Consumer Affairs Agency"

"The main issues of objectives the Consumer Affairs Agency of Japan (CAA)"

6-2. Labeling of Food Consumption Date Limits

Two different systems are in use for the labeling of date limits:

- (1) The "use-by-date" for foods whose quality may deteriorate rapidly; and
- (2) The "best-before-date" for foods whose quality may deteriorate comparatively slowly.

The "use-by-date" should be indicated as follows: "use-by-date: Heisei 23, Jan. 01", "use-by-date: 23.01.01", or "use-by-date: 11.02.01". However, it may be labeled using 6 digits, as in "use-by-date 110110". As for box lunches, the time of day must also be stated depending on the necessity. In the case of milk, cream, fermented milk, lactobacillus beverages and milk drinks contained in paper, aluminum foil or other sealed containers, the labeling of date limits can be done by merely indicating the date.

The "best-before-date" should be indicated as follows: "best-before-date: Heisei 23, Jan. 10", "best-before-date: 23.01.10", or "best-before-date: 11.02.10". However, where it is recognized that such indications are difficult to print, it may be labeled using 6 digits: 2 digits representing the year (the last 2 digits when using the western calendar) followed by two digits indicating the month and two digits indicating the day, as in "best-before-date: 230110".

Some food categories (e.g. alcoholic beverages, raw material fruit juices, mineral water, etc.) are exempted from the mandatory date limit labeling.

6-3. Labeling of Genetically Modified Foods / Foods that can cause food allergy

[Labeling of genetically modified foods]

Labeling of foods, which are the crops produced by recombinant DNA technologies ("GM crops" hereinafter), and processed foods made from these foods is provided in Article 21 of the Ordinance (Labeling).

- (1) Labeling of foods, which are GM crops, and processed foods made from these foods shall be done, as follows:
 - a) Foods, which are the GM crops, and processed foods made from these foods (including those made from the said processed foods), for which Identity Preserved Handling is confirmed to have been conducted, shall be labeled as "genetically modified".
 - b) Foods, which are produced, distributed or processed in such a way as not to separate GM crops and non GM crops at any stage of the process, or processed foods made from these foods, shall be labeled as "as "Not segregated from GMO".
 - c) Foods, which are the non GM crops, or processed foods made from these foods (including those made from the said processed foods) may be labeled as "Non-GMO segregated from GMO" and "non genetically modified" on a voluntary basis.
 - (2) The following foods may be exempted from GM labeling.
 - a) A processed food that does not use the crops listed in the left-hand column in Appended Table 7, or a processed food that does not contain processed foods made from those crops as raw materials, as a principal ingredient ("principle" meant here is that the material is one of the three major ingredients by weight and accounts for more than 5% of the product weight.).
 - b) Processed foods, other than those shown in the right-hand column of Table 7 due to the calculated possibility of remaining recombinant DNA residues or specific proteins related to the DNA.
 - c) Foods, which are not sold directly to consumers.

(3) In spite of the proper practices of controlling segregated handling during production and distribution, unintended migration of either GM or non-GM crops may occur to a certain extent. In such a case, when it is adequately confirmed that the control of segregated production and distribution has been performed, it shall be considered that the control of segregated production and distribution is in place (as long as the migration of GM soybean and/or GM corn is not more than 5%).

GM crops and the processed foods made therefrom

(Article 21 of the Ordinance, Appended Table 7)

Crop	Processed Food		
Soybean	1) Tofu (soybean curd) and aburaage (fried soybean curd)		
(including	2) Koori-dofu (frozen soybean curd), okara (dried tofu lees) and yuba		
immature	(dried soybean milk membrane)		
soybeans and	3) Natto (fermented soybeans)		
bean sprout)	4) Soybean milk		
_	5) Miso (fermented soybean paste)		
	6) Soybean <i>nimame</i> (cooked soybean)		
	7) Canned soybeans and bottled soybeans		
	8) Kinako (roasted soybean flour)		
	9) Roasted soybeans		
	10) Food made mainly from the foods listed in item 1) to item 9)		
	11) Food made mainly from soybean for cooking		
	12) Food made mainly from soybean flour		
	13) Food made mainly from soybean protein		
	14) Food made mainly from immature soybean		
	15) Food made mainly from soybean sprouts		
Corn	1) Corn snack and confectionary foods		
	2) Corn starch		
	3) Popcorn		
	4) Frozen corn		
	5) Canned corn and bottled corn		
	6) Food made mainly from corn flour		
	7) Food made mainly from corn grits		
	8) Food made mainly from corn for cooking		
	9) Food made mainly from the foods listed in item 1) to item 5)		
Potato	1) Potato snack and confectionary foods		
	2) Dried potato		
	3) Frozen potato		
	4) Potato starch		
	5) Food made mainly from potato for cooking		
	6) Food made mainly from the foods listed in item 1) to item 4)		
Rapeseed			
Cottonseed			
Alfalfa	Food made mainly from alfalfa		
Sugar beet Food made mainly from sugar beet for cooking			

The English version of "Labeling System of Foods Produced by Recombinant DNA Technique" is available on the MHLW website at:

http://www.mhlw.go.jp/english/topics/foodsafety/dna/index.html

Detailed information on GM foods in English is available on the following MHLW website at: http://www.mhlw.go.jp/topics/idenshi/index.html

[Labeling of foods that can cause food allergy]

Article 21 of the Ordinance provides the criteria for the labeling of food or food additives made from specified raw materials, as follows:

(1) Criteria for the labeling of foods made from specified raw materials

Of those foods that have been identified to have links to food allergies, seven kinds of food have been designated as "specified raw materials" in reference to the incidence and the severity of allergic reactions caused thereby, i.e. prawn, crab, wheat, buckwheat, eggs, milk, and peanuts. A processed food containing any specified raw material shall carry a label stating that it contains them. Foods, which contain additives derived from specified raw materials, shall carry a label, indicating that they contain these additives and that these additives are derived from specified raw materials.

Requirements for the labeling of allergic substances are different from that of GMO foods. These substances, including those used as raw materials in foods not sold directly to consumers, shall be labeled at all stages of food distribution.

(2) Labeling of foods made from materials similar to specified raw materials

Although seven foods are listed in the Ordinance as materials containing allergic substances, abalone, cuttlefish, salted salmon roe, oranges, kiwi fruit, beef, walnuts, salmon, mackerel, soybeans, chicken, banana, pork, *matsutake* mushroom, peaches, yams, apples and gelatin have also been found through experience and scientific studies to contain allergic substances. The MHLW recommends that processed foods, which contain these foods as raw materials, should indicate on their label that such foods are contained therein as raw materials as far as possible.

6-4. Food for Specified Health Uses (FOSHU) / Food with Nutrient Function Claims (FNFC)

With regards to the labeling of FOSHU, in conjunction with the provisions of the Health Promotion Act, Article 21 Paragraph 1 of the Ordinance for Enforcement of the Food Sanitation Act provides that the labeling of FOSHU shall include information on "the contents of the labeling permitted, content weight, recommended consumption per day, consumption methods, notes for consumption, etc." As FOSHU is to be approved on an individual basis, different wordings will be used in the labels of different FOSHUs.

With regards to the labeling of FNFC, in conjunction with the provisions of the Health Promotion Act, Article 21 Paragraph 1 of the aforementioned Ordinance provides that the labeling of FNFC shall include information on "the name and the function of nutrients, the amount of nutrients, calories, recommended consumption per day, consumption methods, notes for consumption, etc.". Specifically, labeling should be done in compliance with specifications and standards set out in the "Standards of Nutrition Labeling" (MHLW Director Notice 176, 2003, appended table 1: latest revision Consumer Affairs Agency Notice No.9, December 16, 2009) as well as in the "Standards of labeling of Food with Nutrient Function Claims" (MHLW Director Notice 97, 2001, appended table).

7. Discontinuation of "Pilot Sample System" for Import Clearance of Food

With regards to the procedures for importing foods to Japan, Article 27 of the Food Sanitation Act provides "A person who intends to import food, additives, apparatus or containers and packaging to serve for the purpose of marketing or to use in business shall make a notification to the Minister of Health, Labour and Welfare on a case-by-case basis, pursuant to an Ordinance of the Ministry of Health, Labour and Welfare."

For practical reasons within the context of import clearance, the "Pilot Sample (testing prior to undertaking) System" had traditionally been in operation ("Notice from the Ministry of Health and Welfare, Environmental Health Bureau, Food Safety Division" dated June 28, 1991). Under the "System", importers were required to get a small amount of sample for the purposes of in-house reviewing and testing prior to undertaking formal import procedures under the Food Sanitation Act, and to attach the test certificate issued by the inspection agencies designated by MHLW to the goods at the time of importation for clearance.

However, since the filing of any notification with the quarantine station under Article 27 of the Act was not required in the importation of pilot samples, it had become increasingly difficult to confirm the identity of foods and other goods, which were to be actually imported for marketing and business purposes, against their pilot samples. Against this background, the Notice was repealed and the new procedures were put in place on January 1, 2010 (Notice from the Office of Safety Monitoring of Imported Foods, Ministry of Health, Labour and Welfare No.0219004 of 2009). As from January 2010, in principle, a test certificate of a sample extracted from unloaded freight is required.

However, as an alternative measure to the Pilot Sample System, the "Product Items Registration System" was introduced. Under the system, the importer may register the test certificate for a sample that satisfies certain requirements and the results would be accepted at the time of the importation of the goods concerned. Accordingly, if the importer imports the same foods and products on a continuous basis, it can file the import notification only by declaring its registration number. Procedures under the Product Items Registration System:

- (1) "Application Form" with attachments: 3 copies

 The application must be filed with the quarantine station of the MHLW. The system applies to the product items for which the importer, at the time of the first import, applied for the registration as continuously imported items.
- (2) Registration numbers are given to product items verified by the quarantine station as being in compliance with the Food Sanitation Act. Accordingly, the importer may omit the testing procedures as long as it declares the registration number in the column of "import items" in the "notification of import of foods and other products." However, the registration is valid for one year.

When a sampling test is to be conducted for the purpose of obtaining the product items registration, an unopened sample needs to be sent directly by the overseas manufacturer or by the importer to the registered inspection agency. If the quarantine station finds any discrepancy, even to the slightest degree, between the product and the sample, re-inspection is necessary. If there is any doubt, it is recommended that the importer should consult with the relevant authorities in advance.

II. MILK AND MILK PRODUCTS

Of legislation relevant to specifications and standards for foods, the "Ministerial Ordinance on Milk and Milk Products Concerning Compositional Standards, etc." is applied exclusively to milk and milk products. In this Ministerial Ordinance, "milk" means cow's milk, goat's milk and sheep's milk (Article 2), however, the far dominant kind of milk consumed in Japan is cow's milk. The Consumer Affairs Agency holds jurisdiction over milk and milk products as far as administrative works involved for the labeling of these products.

Summary (Ministry of Health and Welfare Ordinance No.52, 1951: Latest Revision in 2007, MHLW Ministerial Ordinance No. 132)

- 1. The milk from diseased animals is prohibited for sale (Article 9 Paragraph 1): [animal diseases and abnormalities are listed.]
- 2. Component specifications, and standards on manufacturing, cooking and storing methods, for milk, etc. in general
 - (1) Milk etc. shall be free from antibiotics and from antimicrobial substances, which are chemical compounds.
 - (2) Milk shall not be taken from cow, goat or sheep, which are to be classified into any of the following categories, i.e.:
 - i. Those within 5 days after delivery.
 - ii. Those, which have been either fed or injected with medicine that has an effect on milk and which are still within the period when medicine remains in milk.
 - iii. Those, which have been injected with biological products and which are showing a significant reaction thereto.
 - (3) Requirements for raw milk and raw goat's milk (specific gravity, acidity and bacterial count)
 - (4) During the manufacturing process of liquid products, filtration, pasteurization, division and sealing operations shall be performed.
 - (5) Permission and registration required for running business of Milk Processor, Special Milk Milking and Processing Operation, or Milk Products Manufacturer.
- [2] Component specifications, and standards on manufacturing, cooking and storing methods, for cow's milk, special milk, pasteurized goat's milk, composition-modified milk, low fat milk, skimmed milk and processed milk
- [3] Component specifications, and standards on manufacturing, cooking and storing methods, for milk products
- [4] Component specifications, and standards on manufacturing, cooking and storing methods for food using milk, etc. as main raw materials
- [5] Other specifications and standards concerning components of, or manufacturing and storing methods for, milk, etc.
- [6] Standards on cooking methods for fermented milk drinks to be cooked by cup-sales type vending machines
- [7] Testing Methods of Compositional Standards of Milk, etc.
- 3. Standards for general hygiene-controlled manufacturing or processing of milk, etc. and for

hygiene control methods

4 Specification for equipment or containers/packages of milk, etc. or raw materials therefor, as well as standards on manufacturing methods

Component specifications, and specifications and standards on manufacturing and storing methods for each of the following categories are listed in the table.

1. Raw milk	Table M01
2. Liquid milk for drinking, and milk beverages	Table M02
3. Milk products	Table M03
4. Yogurts and fermented milk drinks	Table M04
5. Products storable at room temperature	Table M05

With regards to specifications and standards for equipment to be used during the process of manufacturing milk and milk products, as well as for containers and packages, reference should be made to Section IV "Apparatus, Containers/ Packages" of this publication.

"Ministerial Ordinance on Milk and Milk products Concerning Compositional Standards, etc." http://www.mhlw.go.jp/english/topics/foodsafety/

III. FOOD ADDITIVES

The Food Sanitation Act defines "additives" as "substances which are used by being added, mixed or infiltrated into food or by other methods in the process of producing food or for the purpose of processing or preserving food" (Article 4), designates additives that can be used (Article 10), and lists designated additives in Appended Table 1 of Article 1 of the Ordinance for Enforcement of the Food Sanitation Act.

Food additives are classified into 4-four categories in total.

- (1) Designated Additives
- (2) Existing Food Additives
- (3) Natural Flavoring Agents
- (4) Ordinary food used as an food additive


"Designated additives" and "Ordinary food used as an food additive" are not the official titles used in legislation, but are used for the sake of convenience.

Information about food additives is available on the following website at:

http://www.mhlw.go.jp/english/topics/foodsafety/foodadditives/index.html

1. Designated Additives

Article 10 of the Food Sanitation Act provides that "Additives (excluding natural flavoring agents and articles that have generally been served for human consumption and that are used as additives) and preparations and food containing additives shall not be sold, or be produced, imported, processed, used, stored, or displayed for the purpose of marketing, except for cases that the Minister of Health, Labour and Welfare specifies as having no risk to human health by hearing the opinions of the Pharmaceutical Affairs and Food Sanitation Council", thereby introducing the "positive list" system, in which only those approved "designated additives" are allowed.



The specification and standard for each substance are set out in the aforementioned "Specifications and Standards for Food and Food Additives, etc." (Ministry of Health and Welfare Notification No. 370, 1959, Section 2 Additives) (Latest Revision: 2010, MHLW Notification No. 336).

2. Standards for Manufacturing Food Additives

Notification "Specifications and Standards for Food and Food Additives, etc."

(Ministry of Health and Welfare Notification No. 370, 1959)

(Latest Revision: 2010, MHLW Notification No. 336)

Standards for Manufacturing

- 1. Water-insoluble mineral substances, e.g. acid clay, kaolin, bentonite, etc. (8 substances in total) shall not be used in manufacturing or processing an additive, except when the substance is indispensable for manufacturing or processing the additive.
- 2. (Unless otherwise specified,) preparations of additives shall be manufactured using only permitted additives, foods and potable water.
- 3. Manufacturing of additives using microorganisms obtained by recombinant DNA techniques shall be done in a way that has been confirmed to be in compliance with standards set by the Minister of Health, Labour and Welfare.
- 4. The spinal columns of certain designated cattle shall not be used as raw material for food additives.

Standards for manufacturing *kansui* (an alkaline agent used in the preparation of Chinese noodle) using chemically synthesized substances

(Standards for chemicals, which can be used in the manufacturing, processing and extraction, or for the combination thereof)

Processing standards for pigments, extracts and natural flavoring agents

Turmeric oleoresin and 6 other pigments, oregano extract and 19 other extracts, and natural flavoring agents

- 1. In the extraction of the above noted pigments, extracts and natural flavoring agents, solvents other than those listed below shall not be used.
 - acetone, butane, 1-butanol, 2-butanol, carbon dioxide, cyclohexane, dichloromethane, diethylether, ethanol, ethyl acetate, ethyl methyl ketone, edible fats & oils, glycerin, hexane, methanol, methyl acetate, nitrous oxide, propane, 1-propanol, 2-propanol, propylene glycol, 1,1,1,2-tetrafluoroethane, 1-1-2 trichloroethane, and water.
- 2. Of the above noted solvents, the residue limits of the following solvents in the final products are as follows:

methanol, 2-propanol: 50 µg/g

acetone : $30 \,\mu\text{g/g}$

dichloromethane and 1-1-2 trichloroethane: 30 µg/g (total amount)

hexan: $25 \mu g/g$

3. Standards for Use of Food Additives in General

- 1. Unless otherwise specified, if an additive preparation contains additives for which standards for use have been established, the established standards are regarded as standards for the use of the preparation.
- 2. When a food, listed in column 2 of the following table, which contains one of the corresponding additives listed in column 1, is used in the process of manufacturing or processing one of the corresponding foods listed in column 3, the additive is regarded as being used in the food listed in column 3.

Column 1 Column 2		Column 3	
Potassium Pyrosulfite,	Candied cherries (candied and pitted cherries or such	All foods excluding foods listed in	
Sodium Hydrosulfite,	cherries with crystal of sugar applied on the surface or	column 2.	
Sodium Pyrosulfite,	such immersed in the packaging media of syrup), Dijon		
Sodium Sulfite,	mustard, dried fruits (excluding raisin), dried potatoes,		
Sulfur Dioxide	Kampyou (dried gourd shavings), Amanatto (candied		
	beans), food molasses, frozen raw crab, gelatin,		
	miscellaneous alcoholic beverages, natural fruit juice to be		
	served in 5-fold or more dilution, <i>Konjak</i> flour (Devil's		
	tongue root flour), prawn, simmerd beans, starch syrup,		
	tapioca starch for syrup, and wine		
Sodium Saccharin	Flour Pastes	Confectionery	
Calcium Sorbate	Miso (soybean paste)	Miso pickled foods	
Potassium Sorbate,			
Sorbic Acid			
All additives	All foods	Milk, dairy products (excluding ice	
		cream) prescribed in Article 2 of	
		the Ministerial Ordinance	
		Concerning Specifications of	
		Composition of Milk and Milk	
		Products, etc. (Ministry of Health	
		and Welfare Ordinance No. 52,	
		1951)	

4. Additives with Standards for the Use, and Additives with No Standard for the Use

Food additives are classified into to two groups, i.e. those, for which the standards for the use have been set, and those, for which no standard for the use has been set, and are listed separately.

List of food additives, for which the standards for the use have been set List of food additives, for which no standard for the use has been set

Table FA02 Table FA03

5. Existing Additives

The Act Amending the Food Sanitation Act and the Nutrition Improvement Act (Act No. 101, 1995) provides (in Article 2) a legal basis for the aforementioned provisions concerning transitional measures. The list of existing additives is presented in the Notification No. 120 of the Ministry of Health and Welfare of 1996 (latest revision: Notification No.282 of 2007).

Reflecting the historical background of the regulation, no new existing additive will be added to the list. Rather, it is likely that any substance that has not been used for a long time would be deleted from the list. In 2010, a list of possible food additives to be deleted (80 substances) was published in the notification of the Ministry of Health, Labour and Welfare (May 18, 2010, Food Safety Office 0518 No. 1). The new list will be published in May2011.

The standards for the use have been set for some existing food additives.

6. List of source substances of natural flavoring agents

"The term "natural flavoring agents" as used in this Act shall mean substances obtained from animals or plants or mixtures thereof which are used for flavoring food." (Food Sanitation Act, in Article 4, Paragraph 3)

The specifications for natural flavoring agents have not been set. With regards to the labeling thereof, 612 kinds of agents (as of the end of December 2010) are listed in Appendix 2 of the "Food Additive Labeling under the Food Sanitation Act" (Consumer Affairs Agency, Food Label Dep. Notification No.377, 2010). Labeling shall be done by the name of source animals and plants, (e.g. strawberry, coffee), not by the name of chemical substances.

Source animals and plants to be used in natural flavoring agents are listed in the appended table.

Table FA05

7. Substances which are generally provided as food and which are used as additives ("Ordinary foods used as additives")

This category of foods, i.e., "substances which are generally provided as food and which are used as additives", is not referred to in the provisions of the Food Sanitation Act, either.

With regards to the labeling thereof, approximately 106 kinds of substances (as of the end of December 2010) are listed in Appendix 3 of the "Food Additive Labeling under the Food Sanitation Act" (Consumer Affairs Agency, Food Label Dep. Notification No.377, 2010).

These are referred to as "ordinary foods used as additives", and many are used as coloring agents (pigments in red cabbage, etc.). Others are used as thickeners (gluten etc.) or agents for quality improvement (gelatin, egg white, etc.). Component specifications have been set for some of these items.

Ordinary foods used as food additives are listed in the appended table............ Table FA06

8. Methods for labeling additives in food

With regards to the labeling of additives in food, in association with the transfer of jurisdiction to the Consumer Affairs Agency, the previous notice "Labeling for Food Additives based on the Food Sanitation Act" (Director-General of Environmental Health Bureau Notice, No.56 published on May 23,1996) was repealed and a new notice (CAA Food Labeling Div. Notification No.377, October 20,2010), which incorporates minor amendments, was issued.

8-1. Additives to be declared on the label

With regards to food additives contained in foods listed in Appended Table 3 of the Ordinance for Enforcement of the Food Sanitation Act, declaration shall be made on the label of such foods to the effect that such additives are contained therein ("substance name" hereinafter), except for those additives used as nutrition reinforcing agents, processing aids as well as carry-overs. This requirement applies to food additives contained in foods subject to Ministerial Ordinance on Milk and Milk Products Concerning Compositional Standards, etc.

However, processing aides refer to substances: which are added in the manufacturing of a food and which are removed before the completion of its manufacturing process; which are converted into components that derive from the raw materials of the food and that are usually contained in such food; and which do not significantly increase the level of such components, or the level of such components in the food is low and which therefore do not affect the food by way of such components.

The "carry-over" refers to substances, which are used in the manufacturing or processing of the raw materials for a food and which are not used in the manufacturing or processing of such food, and which does not affect the food as its amount in the food is small.

8-2.Labeling methods

Labeling of additives in foods shall be done by substance name (including abbreviation, etc.), by substance name / category name in combination, or by collective name.

(1) Labeling of designated additives

It should be done by name listed in "Table 1" of the Ordinance for Enforcement of the Food Sanitation Act (alias included). Abbreviations shown in Appendix 1 of the CAA Food Labeling Div. Notification No. 377 in 2010. Other additives, which have similar functions and which are used in combination, can be labeled in a simplified manner, as shown in Appendix 2 of the Notification.

Example: labeling of Lactic acid, Sodium lactate and Calcium lactate used in combination: Lactic acid (Na, Ca)

(2) Labeling of existing additives

Additives on the list of existing additives (latest revision: MHLW Notification No.282 of 2007) shall be labeled by the name used in the list. However, labeling may also be done by name of article, alias, abbreviation, or by class name, listed in Appendix 1 of the aforementioned CAA Food Labeling Div. Notification No. 377 in 2010.

(3) Natural flavoring agents

Labeling of substance shall be done by name of source substance or alias listed in Appendix 2 of the aforementioned CAA Food Labeling Div. Notice No. 377 in 2010. The characters "香料" (flavoring agent) is required to be attached. Labeling of natural flavoring agents not mentioned in Appendix 2 shall be done by scientifically appropriate name, by which these additives can be identified.

(4) Labeling of "substances which are generally provided as food and which are used as

additives" [table FA06] shall be done by name (including name of article) or by abbreviation listed in Appendix 3 of the aforementioned CAA Food Labeling Div. Notice No. 377 in 2010. Labeling of substances not listed in Appendix 3 shall be done by scientifically appropriate name, by which these additives can be identified.

(5) Labeling by substance name/ category name in combination

Labeling of additives, which are mainly used as anti-molding agent, antioxidant, bleaching agent, color fixative, flavoring agent, preservative, sweetener, thickening agent /stabilize/gelling agent/thickener, shall be done by substance name/ category name in combination. However, in the case of additives that are used for the purposes of coloring, the category name can be omitted when labeling by substance name contains the character "色" (color).

(6) Labeling by collective name

Labeling of additives, which are referred to by name that is widely used in general, may be done by such name,

i.e.: yeast food, gum base, *Kansui* (alkaline preparations for Chinese noodles), enzyme, glazing agent, flavoring agent, acidifiers, softener (used exclusively for chewing gum), seasoning, coagulant for *tofu* (soybean curd), bittering agent, emulsifier, pH control agent, and raising agent.

With regards to seasoning: when the substance is composed exclusively of amino acids, labeling should be "seasoning (amino acid)"; when the substance composed mainly of amino acids, labeling should be "seasoning (amino acids etc.)"; when the substance is composed exclusively of organic acids, labeling should be "seasoning (organic acid)"; and when the substance is composed mainly of inorganic acids, labeling should be "seasoning (inorganic acids, etc.)". Raising agent can be labeled as raising agent, baking powder, or as baking soda. Flavoring agent can be labeled as synthetic flavoring agent.

8-3. Labeling of nutrition reinforcing agent

Additives used for the purposes of nutrition reinforcement are exempted from labeling (adjusted milk powers excluded). Reinforcing agents, which are used for a purpose other than nutrition reinforcement, shall be labeled by substance name.

8-4. Notice for labeling

- (1) It is strictly forbidden to claim "natural" or any expression implying "natural" in the labeling of additives.
- (2) Imazalil, Ophenyl phenol, sodium Ophenyl-phanate, diphenyl or thiabendazole used in citrus fruits and bananas, which are sold loose, must be labeled.
- (3) Labeling by substance name, abbreviation or by class name shall be done in principle by name indicated in the Ordinance for Enforcement of the Food Sanitation Act, the list of existing additives, as well as in the Notice issued by Director of the Environmental Health Bureau, Ministry of Health and Welfare. However, it may be done using *hiragana*, *katakana* or Chinese characters, so long as the indication will not be misunderstood by consumers.

8-5. Omission of labeling

Labeling can be omitted for those products in a container/package with a surface area of not more than 30 cm².

Information in English is available at:

http://www.mhlw.go.jp/english/topics/foodsafety/foodadditives/index.html

IV. Apparatus and Containers / Packages

Article 18 of the Food Sanitation Act provides that "the Minister of Health, Labour and Welfare may establish standards for the apparatus or containers and packaging, or the raw materials therefor to serve for the purpose of marketing or to be used in business, or establish the criteria for the production methods thereof".

"Specifications and Standards for Food and Food Additives etc."

(Ministry of Health and Welfare Notification No. 370, 1959) (Latest Revision in 2010, MHLW Notification No. 336)

Section 3. Apparatus and Containers/ Packages

- A Specifications for Apparatus or Containers/ Packages, or their Materials in General
- B Test Methods for Apparatus or Containers/ Packages in General
- C Reagents, Solutions, etc.
- D Specifications for Apparatus and Containers/ Packages, or their Materials by Material
- E Specifications for Apparatus or Containers/ Packages by Use
- F Standards for Manufacturing for Apparatus or Containers/ Packages

The component specifications, and the standards on manufacturing and storing methods are summarized in appended tables, as follows:

Standards for Materials in General	Table AP01
Specifications and Standards by Material	Table AP02
Specifications and Standards by Use	Table AP03
Standards for Manufacturing for Apparatus and Containers/ Packages	Table AP04
Specifications and standards for Milk and milk products	Table AP05

V. TOYS

The Food Sanitation Act provides that "(relevant Articles) shall apply *mutatis mutandis* to toys designated by the Minister of Health, Labour and Welfare as those likely to harm the health of infants when they touch such toys" (Article 62). Article 78 of the Ordinance for Enforcement of the Food Sanitation Act (revised in March 2008) classifies such toys into the below listed 3 categories. The scope of designated toys was expanded by the revision.

- 1. Toys intended to come into direct contact with infant's mouth (e.g., pacifiers, harmonicas)
- 2. Jewelry toy (i.e. toys used by infants as jewelries, e.g., rings, necklaces), *Utsushi-e* (decal sticker toy), rolly-polies, masks, *origami* (folding papers), rattles, intellectual development facilitating toys, wooden blocks, toy telephones, toy animals, dolls, clay, toy vehicles, balloons, toy building bricks, balls, housekeeping toys
- 3. Toys to be played with in combination with toy(s) above

Information in English on the scope of designated toys, "Outline of the 31st March 2008 revision of the preschool children toy regulation based on the Food Sanitation Law of Japan", is available on the MHLW website at:

http://www.mhlw.go.jp/topics/bukyoku/iyaku/kigu/dl/15.pdf

The 31st March 2008 revision established new requirements, as follows:

- 1. Specifications for raw material "coating agent" were replaced with those for "coatings" that are actually applied on the surface of toys.
- 2. Specifications for a raw material, i.e. "the base material made mainly of polyvinyl chloride", were replaced with those for parts of finished products actually made from the base material, thereby making it possible to test the finished products, as is in the case of 1) above.
- 3. Specifications for lead, etc. have been upgraded. Test conditions for the migration testing from polyvinyl chloride coating were revised. Lead was added as a test item (testing for heavy metals was abolished) and lead migration specification for "metal jewelry toy" was established.

The specifications and standards for phthalate esters used in designated toys were revised (MHLW Notification No. 336, Sep.6, 2010). Two kinds, i.e., Bis (2-ethylhexyl) phthalate (DEHP) and Diisononyl phthalate (DINP), had traditionally been subject to regulation. N-butyl phthalate (DBP), Benzylbutyl phthalate (BBP), Diisodecyl phthalate (DIDP) and Di-n-octyl phthalate (DNOP) were added and total six kinds are subject to regulation. The scope of target materials was also expanded to include, not only already regulated synthetic resins that are mainly composed of polyvinyl chloride, but also "parts made from plasticized materials".

The specifications and standards for toys and raw materials used therefor, including these revisions, are shown in the table below.

Kind of toy	Elution Test			
	Test items	Leaching conditions	Leaching solution	Standards
Utsushi-e (decal sticker	Heavy metals	At 40 °C for 30	water	1µg/ml or less (as Pb)
toy)	Arsenic	min.		0. 1μg/ml or less (As ₂ O ₃)
Origami (folding	Heavy metals	At 40 °C for 30	Distilled	1μg/ml or less (as Pb)
papers)	Arsenic	min.	water	0. 1μg/ml or less (As ₂ O ₃)
Rubber pacifiers	The same as stand	lards of rubber nursin	g utensils in	Section IV "Apparatus and
	Containers/ Packag	ges" (appended table A	P02) of this p	ublication
Coatings of toys	Cadmium	At 37 °C for 2 hrs.	0.07 mol/l	75μg/g or less
	Lead		hydrochlor	90μg/g or less
	Arsenic		ic acid	25μg/g or less
Coatings containing	KMnO ₄	At 40 °C for 30		50μg/ ml or less
polyvinyl chloride	consumption	min.		
	Evaporation			50μg/ ml or less
	residue			
Material, made mainly	KMnO ₄	At 40 °C for 30		50μg/ ml or less
of polyvinyl chloride	consumption	min.		
(excluding the coatings	Heavy metals			1µg/ ml or less (as Pb)
thereon)	Cadmium			0.5µg/ ml or less
	Evaporation			50μg/ ml or less
	residue			
	Arsenic			0.1µg/ ml or less
Parts made of mterials,	KMnO ₄	At 40 °C for 30		10μg/ ml or less
which are made mainly	consumption	min.		
of polyethylene	Heavy metals			1µg/ ml or less (as Pb)
(excluding the coatings	Evaporation			30μg/ ml or less
thereon)	residue			
	Arsenic			0.1/ ml or less (As ₂ O ₃)
Parts intended to come in				DIDP, DINP or DNOP
Parts made from plas				0.1% or less
Phthalate (DIDP), Diisononyl phthalate (DINP) or Di-n-octyl phthalate DNOP) are contained as raw material				
All designated toys other	than those listed ab	ove:		BBP, DEHP, or DBP
Parts made from plasticized materials, in which Benzylbutyl			0.1% or less	
phthalate (BBP), Bis (2-ethylhexyl) phthalate (DEHP) or N-butyl phthalate (DBP) are contained as raw material				
Metal jewelry toys small	l Lead	At 37 °C for 2 hrs.	0.07 mol/l	90μg/ ml or less
enough for infants to)		hydrochlor	
swallow			ic acid	
Manufacturing Standard	ls	<u>I</u>	l	<u>I</u>
Colorant: synthetic chemicals, if used, shall be those listed in Appended Table 1 of the Ordinance (except				

Colorant: synthetic chemicals, if used, shall be those listed in Appended Table 1 of the Ordinance (except when no migration of the colorant is caused after immersing a sample in 2ml of water per 1 cm² for 10 min. at 40 °C.)

^{*1)} Parts of toys other than those intended to come into direct contact with infant's mouth shall not contain, as raw material, a synthetic resin made from polyvinyl chloride that contains Diisononyl phthalate (DINP) as raw material.

VI. CLEANING AGENTS (DETERGENTS)

With regards to the specifications and standards for detergents, the Food Sanitation Act provides that the same articles in the Act concerning the specifications and standards for foods and food additives shall "apply *mutatis mutandis* to the cleaning agents (detargents) used for cleaning vegetables, fruits, or tableware" (Article 62 Paragraph 2), thereby setting the specifications and standards for foods and additives as well as for detergents.

The specifications and standards for detergents are shown in the table below.

"Specifications and Standards for Food and Food Additives etc."

(Ministry of Health and Welfare Notification No. 370, 1959)

(Latest Revision in 2010, MHLW Notification No. 336)

Specifications of Component *1		
Test items	Sample solution	Specifications
Arsenic *2	Sample solution:	0.05ppm or less (as As ₂ O ₃)
Heavy metals *2	Fatty-acid based detergents to be	1ppm or less (as Pb)
Liquid *2	diluted 30 times with distilled water.	fatty-acid based detergents 6.0-
	Detergents, other than fatty-acid	10.5
	based ones, to be diluted 150 times	other than the above mentioned
	with distilled water.	6.0- 8.0
Methanol *2	Isopropyl alcohol 10g/100g sample	1μL/g or less (in a liquid form)
Enzymes or		Not to be contained.
components with		
bleaching action		
Artificial aromatic		No synthetic chemicals other than
agents		those listed in Appended Table 1
		of the Ordinance
Colorants		No synthetic chemicals, other
		than those listed in Appended
		Table 1 of the Ordinance and the
		following colorants, i.e.:
		Indanthrene Blue RS, Wool green
		BS, Quinoline Yellow, and Patent
		blue V.
Biodegradability		Not less than 85%: however, only
		those containing anionic
		surfactant
Standarda for Han		

Standards for Use

Concentrations (of the surfactants used) : concentrations of fatty-acid-based detergents shall be 0.5% or less; concentrations of *1 *2 in detergents other than fatty-acid based ones should be 0.1% or less

Fruits and vegetables are not to be immersed in a *1 detergent solution for more than 5 minutes.

Fruits, vegetables and tableware, once washed, are to be rinsed with potable water, under the following conditions:

Fruits and vegetables should be put under running water for longer than 30 seconds and tableware for longer than 5 seconds.

When using collected water, change the water more than twice.

- *1 Detergents solely intended for washing tableware (detergents exclusively for automatic dishwashing machines) are excluded.
- *2 Solid soap is excluded.



I. Food

Table F01 Specifications and Standards for Food in General

Ministry of Health and Welfare Notification No. 370, 1959 (latest revision: MHLW Notification No. 336, 2010)

A. Specifications of food in general

- 1. Food shall not contain any antibiotics or chemically synthesized antibacterial substances, except for the following cases:
 - (1) When the substance concerned is identical to a food additive designated by the Minister of Health, Labour and Welfare as having no potential to cause damage to human health under Article 10 of the Food Sanitation Act.
 - (2) When compositional standards are set forth in 5, 6, 7, 8 or 9 below for the substance concerned.
- (3) When the food product concerned has been manufactured or processed using a food ingredient that meets the compositional standards given in 5, 6, 7, 8 or 9 below (except for foods containing antibiotics or chemically synthesized antibacterial substances for which compositional standards are not set forth in 5, 6, 7, 8 or 9 below).
- *5,6,7,8 and 9 mentioned above are the regulations concerning agricultural chemicals in foods.

Information on agricultural chemical residues in foods is available on the MHLW website at:

http://www.mhlw.go.jp/english/topics/foodsafety/positivelist060228/index.html

- 2. Foodstuffs that are composed in whole or part of an organism derived by DNA recombination or that contain all or part of such an organism must be marked to show that the organism has undergone the safety inspection procedures proscribed by MHLW
- 3. Foodstuffs manufactured using microorganisms derived by DNA recombination or containing such substances must be marked to show that the substances have undergone the safety inspection procedures prescribed by the MHLW
- 4. Deleted.

5. (1) Substances which are components of agricultural chemicals etc. that should not be detected in foods.

1) 2,4,5-T	6) Coumaphos	10) Dimetridazole	15) Furaltadone
2) Azocyclotin and Cyhexatin	7) Chloramphenicol	11) Daminozide	16) Propham
3) Amitrol,	8) Chlorpromazine	12) Nitrofurans	17) Malachite Green
4) Captafol	9) Diethylstilbestrol	13) Nitrofurantoin	18) Metronidazole
5) Carbadox	-	14) Furazolidone	19) Ronidazole

B. Standards of manufacture, processing and preparation

- 1. During manufacturing or processing of any food, the food should not be radiated. (Radiation is defined in Article 3, section 5 of the Atomic Energy Basic Act). However, this does not apply if food is radiated during any processes in the manufacturing or processing of food in order to control those processes, provided that the radiation dosage to the food is not more than 0.10 Gy, or if there are special provisions for any food categories under Section D.
- 2. When food is to be manufactured using fresh cow's milk or fresh goat's milk, during the manufacturing of that food the fresh cow's milk or fresh goat's milk must either be pasteurized for 30 minutes at 63°C by means of a holding system or pasteurized using a method that achieves an equivalent or better pasteurization effect. The milk added to food or used in preparing food must be cow's milk, special cow's milk, pasteurized goat's milk, homogenized cow's milk, low-fat cow's milk, non-fat cow's milk or processed milk.
- 3. When food is to be produced, processed, or prepared using blood, blood corpuscles, or blood plasma (limited to those obtained from domesticated animals), during the manufacturing, processing or preparation of that food, the blood, blood corpuscles, or blood plasma must be sterilized for 30 minutes at 63°C or heated and sterilized using a method that achieves an equivalent or better sterilization effect.
- 4. Poultry eggs in their shells used for the production, processing, or preparation of food may not be eggs unfit for eating. When manufacturing, processing, or preparing food using poultry eggs, during the production, processing or preparation of that food the chicken eggs must be sterilized for at least 1 minute at 70°C or they must be heated and sterilized using a method that achieves an equivalent or better sterilization effect. However, this does not apply when food is prepared promptly after breaking normal eggs whose best-before-date has not passed, and which are fresh enough to be eaten raw.
- 5. When seafood is to be prepared to be eaten raw, it must be washed thoroughly in potable water. To eliminate substances which are likely to contaminate the products.
- 6. When food is to be produced using microorganisms obtained using recombinant DNA technology, it must be produced using a method recognized as complying with the standards set forth by the Minister of Health, Labour and Welfare.
- 7. During manufacturing and processing of foods, additives which do not comply with standards in Part II (Food Additives D or E) should not be used.
- 8. When the meat of cattle bred in a country or region where bovine spongiform encephalopathy has occurred (specific animal), is to be sold directly to consumers, the vertebral columns of the cattle (with the exception of the transverse processes of thoracic vertebrae, transverse processes of lumbar vertebrae, ala sacralis and caudal vertebrae) must be removed. The removal must be undertaken using a method capable of preventing contamination, by the dorsal root ganglia, of meat of cattle and their internal organs, as well as meat situated in the vicinity of the removal and that is to be supplied for food. When food is to be produced, processed or prepared, the vertebral columns of specific cattle must not be used as the ingredients of that food. However, this does not apply when the fats and oils from the vertebral columns of the specific cattle are to be used as raw material after they have undergone hydrolysis, saponification or intersterification under the high-temperature and high-pressure conditions.

C. Standards of storage

- 1. When food is to be stored in direct contact with crushed ice other than crushed ice for eating and drinking, crushed ice that tests negative for coliform bacilli must be used. EC test (Faecal coliform test) is carried out as follows; (1) sampling and preparation of test samples, (2) coliform test -1.presumptive test, 2.confirmation test, 3.complete test.
- 2. When food is to be stored, no antibiotics shall be used. However, this shall not apply to the food additives which the Minister of Health, Labour and Welfare defines as involving no risk to human health in Article 10 of the Act.
- 3. Food must not be exposed to radiation to increase storage life.

Table F02 Specifications and Standards for Individual Food Categories

Note) This table is an excerpt and is not the full text of the Notification.

Though the following basic points for hygiene are described in the most of the entries in the table below, they are omitted.

- (A) Freshness and good quality of materials (fresh fruits, vegetables, meat, fish, etc)
- (B) Use of potable water or equivalent clean water
- (C) Use of clean and hygienic apparatus and containers / packages
- (D) When any fresh seafood or meat is used as a material, the product having been processed or cleaned need to be placed in a clean and hygienic container / packages made of metal, synthietic resins or paper laminated with plastics, and transferred to a cool place in order to prevent bacterial cross contamination.
- (E) Full descriptions of bacterial and chemical test method.

All exceptions in many cases are also omitted.

Based on Ministry of Health and Welfare Notification No. 370, 1959 (latest revision: MHLW Notification No.336, 2010)

1. Soft Drinks

Specifications of composition

- 1. Must not be turbid (with the exception of turbidity arising from normal flavoring, coloring or other ingredients)
- 2. Must not contain any sediment (with the exception of turbidity arising from normal flavoring, coloring or other ingredients). Must not contain any solid foreign matter (with the exception of solid plant matter used as raw materials whose volume percentage is less than 30%).
- 3. Arsenic, lead or cadmium: must not be present in detectable amounts. Tin: must not exceed 150.0 ppm. (Test methodology)
- 4. Tests for coliform bacilli must be negative. (Test methodology)
- 5. Mineral water (soft drink beverage which only consists of water) with a carbon dioxide pressure inside the container of not more than 98 kPa at 20°C and that has not been sterilized or disinfected must test negative for enterococci or green pus bacilli. (Methods of bacterial tests)
- For beverages made solely of apple juices and/or juiced fruit, Patulin content: must not exceed 0.05 ppm. (Test methodology)

Standards of manufacture

- (1) For soft drink beverages other than mineral water, frozen fruit juice drinks, and fruit juices used as raw materials therefor:
- 2. The water used as the raw material must be potable or otherwise conform to the specifications shown below.
- 4. Soft drink beverages must be either filled in the containers or packages and completely stoppered or sealed and then sterilized, or they must first be sterilized by a pasteurizer or other such unit equipped with a thermograph (or first disinfected by a filter or other such unit) and then, having been filled automatically into the container or packages, must be completely stoppered or sealed. The following method shall be used for sterilization or disinfection. However, sterilization or disinfection is not required for soft drink beverages that have a carbon dioxide pressure inside the container or packages of more than 98 kPa and for those which are sterilized or subjected to bacteria elimination process.
 - a. Soft drink beverages with a pH of less than 4.0 must be sterilized by a method that heats the center for 10 minutes at a temperature of 65° C or by a method of equal or better efficacy.
 - b. Soft drink beverages with a pH of 4.0 or more (excluding those that fall under "c" below) must be sterilized by a method that heats the center for 30 minutes at 85°C or by a method of equal or better efficacy.
 - c. Soft drink beverages with a pH of 4.6 or more and a water activity in excess of 0.94 must be sterilized by a method effective enough to destroy viable microorganisms that originate in the raw materials, etc. or by the method specified in "b" above.
 - d. Soft drink beverages must be disinfected by a method effective enough to remove viable microorganisms that originate in the raw materials, etc.

(2) Mineral waters

- 1. The water used as the raw material must be water supplied by a dedicated water-supply system regulated under the Article 3, Section 2 of the Water Supply Act or a small dedicated water-supply system under Section 6 of the same Article, or water that is found to be compliant with the standards shown in the table below.
- 3. Mineral waters must be either filled in the containers or packaging and completely stoppered or sealed and then sterilized, or they must first be sterilized by a pasteurizer or other such unit equipped with a thermograph (or first disinfected by a filter or other such unit) and then filled automatically in the container or packaging, and after this must be completely stoppered or sealed. They must be sterilized or disinfected to this end by a method that heats the center for 30 minutes at a temperature of 85°C or by another method effective enough to destroy or remove microorganisms in the raw materials which can grow. However, sterilization or disinfection is not required for mineral waters that have a carbon dioxide pressure inside the

container or packaging of more than 98 kPa or that are produced by a method complying with the following standards.

- a. The water used as the raw material must be mineral water only, and after automatically filling the container with water taken directly from the source spring, it must be completely stoppered or sealed.
- b. The water used as the raw material must not be contaminated with pathogenic microbes or suspected to be contaminated (no existence of living things or matters).
- c. The water used as the raw material must test negative for anaerobic sulfite-reducing spore forming bacilli, enterococci and green pus bacilli and the bacterial count per 1 ml must be 5 or less. (Test methodology)

Standards for water used to manufacture soft drink bevaerages and mineral waters			
	Maxim mallowa e evel		
ems	Soft rink Bev ages	Mineral Waters	
Standard plate count	100/ml	100/ml	
Coliform group	N.D.	N.D.	
Cadmium	0.01mg/liter	0.01mg/liter	
Mercury	0.0005 mg/liter	0.0005 mg/liter	
Selenium	-	0.01 mg/liter	
Lead	0.1mg/liter	0.05 mg/liter	
Barium	-	1 mg/liter	
Arsenic	0.05 mg/liter	0.05 mg/liter	
Hexavalent chromium	0.05 mg/liter	0.05 mg/liter	
Cyanogen	0.01 mg/liter	0.01 mg/liter	
Nitrite& Nitrate nitrogen	10 mg/liter	10 mg/liter	
Fluorine	0.8 mg/liter	2 mg/liter	
Boron (as H ₃ BO ₃)	-	30 mg/liter	
Organic phosphorus	0.1 mg/liter	-	
Zinc	1.0 mg/liter	5.0 mg/liter	
Iron	0.3 mg/liter	-	
Copper	1.0 mg/liter	1.0 mg/liter	
Manganese	0.3 mg/liter	2 mg/liter	
Sulfide (as H ₂ S)		0.05 mg/liter	
Chlorine ions	200 mg/liter	-	
Calcium, Magnesium etc.	300 mg/liter (hardness)	-	
Evaporation residues	500 mg/liter	-	
Anion surfactants	0.5 mg/liter	-	
Phenols (as Phenol)	$0.005~\mathrm{mg}$	-	
Organic substance (in	10 mg/liter	12 mg/liter	
terms of consumption of			
$KMnO_4)$			
pH	5.8 - 8.6	-	
Taste	Not abnormal	-	
Odor	Not abnormal	-	
Color	Less than 5 degrees	-	
Turbidity	Less than 2 degrees	-	

(3) Frozen fruit juice beverages

- 6. Sterilazing or elimination of bacteria of fruit juices should be carried out with the following methods.
 - a. In sterilizing fruit juices with a pH level below 4.0, the center must be heated for 10 minutes at 65° C or a method that achieves an equivalent or better sterilization effect must be used.
 - b. In sterilizing fruit juices with a pH of 4.0 or above, the center must be heated for 30 minutes at 85° C or a method that achieves an equivalent or better sterilization effect must be used.
 - c. The fruit juices must be sterilized using a method effective enough to destroy any viable microorganisms in the raw materials, etc.
- (4) Fruit juices used as raw materials
- 2. Squeezing and processing of fruit juices should be hygienically carried out.

Standards of storage

- $1. \ Soft \ drink \ beverages \ contained \ in \ glass \ bottles \ with \ caps \ made \ of \ paper \ must \ be \ stored \ at \ temperatures \ below \ 10^{\circ}C.$
- 2. Those soft drink beverages other than mineral waters, frozen fruit beverages and fruit juices used as raw materials that have a pH level of 4.6 or above and a water activity exceeding 0.94 and that have not been sterilized by a method effective enough to destroy viable microorganisms which originate in the raw materials, etc. must be stored at temperatures below 10°C.
- 3. Frozen fruit juices used as raw materials must be stored at temperatures below 15°C.

Preparation Standards

Standards for preparing Soft Drink Beverage sold by automatic vendors, either with cups or full-automatic dispensers (omitted here)

2. Powdered Drink Beverages

Specifications of composition

- 1. The solution in which powder is dissolved with twice the volume of water usually used for drinking conform to items 1 and 2 in the compositional standards for soft drink beverage.
- 2. Arsenic, lead or cadmium: must not be present in detectable amounts. Tin: must not exceed 150ppm. (Test methods)
- 3. For the powdered soft drinks to which lactic acid bacteria are not added as a material,
 - Colifiorm group: must test negative. Number of bacterial (plate count): no more than 3,000/g.
- 4. For the powdered soft drinks to which lactic acid bacteria are added as a material,
- Colifiorm group: must test negative. Bacterial count (excluding lactic acid bacteria): no more than 3,000/g.

Standards of manufacture

- 1. Powdered drink beverages should be transferred in cotainaers/packages of glass, metal or synthetic resins, orintightly packed or sealed transportation apparatus of metal or synthetic resins.
- 2. Conditions of cleaning containers/packages (omitted)

Standards for storage

Standards for storage of powdered drink bevarages supplied to automatic vendors with cups dispensers. (omitted here) $\frac{1}{2}$

3. Crushed Ice

Specifications of composition

- 1. Coliform group: must test negative. Bacterial count in melted ice: no more than 100/ml.
- 2. (Coliform test methodology)

4. Flavoured Ice

Specifications of composition

- 1. Bacterial count in melted confection: no more than 10,000/ml.
- (excluding lactic acid bacteria count when lactic acid bacteria is used as an ingredient.).
- 2. Coliform group: must test negative.

Standards of manufacture

- 1. Water used as a raw material must be potable water.
- 2. Raw materials (excluding fermented milk or lactic acid bacteria beverages) must be heated and sterilized at a temperature of 68°C for 30 minutes (or sterilized using a method that achieves an equivalent or better sterilization effect).
- 3. Dispensing machine and capping machines should be used when flavoured ices are dispensed and capped.
- 4. Melted water from flavoured ice should not be used as the material for flavoured ice products

5. Meats and Whale Meat (with the exception of frozen whale meat to be eaten raw)

Standards of storage

- 1. Products must be stored at temperatures below 10°C. However, thinly-sliced frozen meats or whale meat that has been placed inside containers must be stored at temperatures below -15°C.
- 2. Product should be placed in a clean and hygienic container/package with a lid or wrapped with plastics, paper laminated with plastics, sulfate paper or paraffin paper before transportation.

6. Poultry Eggs

Specifications of composition

1. Sterilized liquid eggs (poultry eggs)

Salmonella: must test negative (25 g test specimen)

2. Non-sterilized liquid eggs (poultry eggs)

Bacteria count: no more than 1,000,000/g.

Standards of manufacture

(Standards for the liquid poultry eggs)

- (1) General standards
- 1. Ingredient eggs (eggs used for production) in their shells must be fit for consumption.
- 2. Ingredient eggs shall be handled after having been sorted into the categories of regular eggs, eggs with soiled shells, eggs with soft shells and eggs with broken shells.
- (2) Individual Standards
- 1. Production standards for sterilized liquid eggs
- 2. Production Standards for non-sterilized liquid eggs

Standards of storage

- 1. Liquid eggs to be stored at temperatures below 8°C (-15°C for frozen liquid eggs)
- 2. Standards for apparatus for transportation and for tanks

Standards of Use (limited to poultry eggs in their shells)

When supplying poultry eggs in their shells for eating or drinking without first heating and sterilizing them, normal eggs whose best-before-date has not expired must be used.

7. Blood, Blood Corpuscles and Blood Plasma

Standard of processing

- 1. Blood used as a raw material must be cooled to temperatures below 4°C immediately after collection and after cooling it must be kept at temperatures below 4°C.
- 2. Material blood should be fresh and of normal properties.
- 4. Processing should be carried out as a continuous (nonstop) operation.
- 5. Excluding the heating and sterilization processes, processing must be undertaken without the temperature of the blood corpuscles or blood plasma exceeding 10°C.
- 6. Freezing must be done in such a way that when frozen, the temperature of the blood corpuscles or blood plasma will promptly drop below -18°C.

Standard of storage

- 1. Blood, blood corpuscles and blood plasma must be stored at temperatures below 4°C.
- 2. Those which are frozen must be stored at temperatures below -18°C.

8. Meat Products

Specifications of composition

- (1) General standards
- 1. NO_2 in more than 0.07g/kg.
- (2) Individual standards

Product group	E.coli spp.	Water activity	Staphylocc. aureus	Salmonella		Clostridium spp
Dried meat products	must test negative:	0.87 >		must negative	test	
Unheated meat products	100/g >		1,000/g >	must negative	test	
Special heated meat	100/g >		1,000/g >	must negative	test	1,000/g >
Heated meat products (sterilized after being packed in package)	must test negative			must negative	test	1,000/g >
Heated meat products						
(packed in package after being heat-sterilized)	must test negative		1,000/g >	must negative	test	

Standards of manufacture

(1) General standards

Number of spores for spice, sugar or starch used as ingredients in the meat products: no more than 1,000/g

- (2) Individual standards
- 1. Dried meat products

Curing conditions (omitted here)

- 2. Unheated meat products
 - Details of salt curing of material meat using sodium nitrite, etc.(omitted here)
- 3. Special heated meat products
 - Details of material meat, saltcuring, cooking method, etc.(omitted here)
- 4. Heated meat products

Products should be heated for 30 minutes at 63° C as measured at their center or by a method that achieves an equivalent or better effect.

Standards of Storage

- (1) General standards
- 1. Frozen meat products must be stored at temperatures below -15°C.
- 2. Products should be placed in clean and hygienic container/ package, which is then sealed or cased, or be wrapped with hygienic paper laminated with plastics, sulfate paper or paraffinpaper before being transferred.
- (2) Individual standards
- 1. Unheated meat products
 - Must be stored at temperatures below 10°C.
- 2. Specified heated meat products
 - Those with a water activity of more than 0.95 must be stored at temperatures below 4°C.
 - Those with a water activity of under 0.95 must be stored at temperatures below 10°C.
- 3. Heated meat products

Must be stored at temperatures below10°C. However, this does not apply to products that, after having been packed in airtight containers, have been sterilized using a method that heats them for 4 minutes at a temperature of 120°C as measured at the center or a method that achieves an equivalent or better effect.

9. Whale Meat Products

Specifications of composition

- 1. Coliform group: must test negative
- 2. For whale meat bacon. NO_2 in not more than 0.07g/kg

Standards of manufacture

- 1. Material whale meat should be fresh and low in bacterial count.
- 4. Number of spores for spice, sugar, or starch used as ingredients in the whale meat product: no more than 1,000/g
- 6. Sterilization: Heating for 30 minutes at a temperature of 63°C as measured at their center or by a method that achieves an equivalent or better effect.

Standards of Storage

- 1. Whale meat products must be stored at temperatures below 10°C (or below -15°C for frozen whale meat products). However, this does not apply to products that, after having been put into air-tight containers, have been sterilized using a method that heats them for 4 minutes at a temperature of 120°C as measured at their center or a method that achieves an equivalent or better effect.
- 2.Products should be placed in a clean and hygienic container/ package, which is then sealed or cased, or be wrapped with hygienic paper laminated with plastics, sulfate paper or paraffinpaper before being transferrd.

10. Fish-Paste Products

Specifications of composition

- 1. Coliform group: must test negative (excluding ground fish).
- 2. NO₂^{-:} : no more than 0.05g/kg. (For fish sausages and fish ham only)

Standards of manufacture

- 6. Number of spores for spice, sugar, or flour used as ingredients in fish-paste products: no more than 1,000/g
- 8. Fish sausages and fish ham must be sterilized using a method that heats them for 45 minutes at a temperature of 80°C as measured at the center, or a method that achieves an equivalent or better effect. Special fish-paste products must be sterilized using a method that heats them for 45 minutes at a temperature of 80°C as measured at the center, or a method that achieves an equivalent or better effect (except fish *surimi*).

Standards of Storage

- 1. Must be stored at temperatures below 10°C.
- 2. Frozen fish-paste products must be stored at temperatures below -15°C.

11. Salmon Roe or Cod Roe

Specifications of composition

1. NO_2 -: : no more than 0.005g/kg

12. Boiled Octopus

Specifications of composition

 $1. \ \textit{Vibrio parahaemolyticus} : \texttt{must test negative}$

(Test method)

2. Frozen boiled octopus Coliform group: must test negative

Bacteria count: no more than 100,000/g.

Standards of processing

2. Water used for processing should be portable water, sterilized sea water, or artificial sea water made of portable water.

Standards of Storage

1. Boiled octopus must be stored at temperatures below 10°C. Frozen boiled octopus must be stored under 15°C..

13. Boiled Crab

Specifications of Composition

- 1. Boiled Crab Vibrio parahaemolyticus: must test negative (Test method)
- 2. Frozen boiled crab Bacterial count: must not exceed 100,000/g. Coliform group: must test negative

Standard of processing

Processing Standards for Boiled Crab

- 3. Processing shall be performed by heating the crab for 1 minute to a temperature of 70 °C as measured at the center or by a method that achieves an equivalent or better effect.
- 4. Products should be rapidly and thoroughly cooled by using portable water, sterilized sea water, or artificial sea water using portable water.

Standards of Storage

- 1. Products must be stored under 10°C
- 2. Frozen boiled crabs must be stored under -15 °C.

14. Fresh Fish and Shellfish for Raw Consumption

Specifictaion of Composition

1. Vibrio parahaemolyticus: must not exceed 100/g Sampling and test method (omitted here)

Standard of Processing

5.No chemically synthesized food additives should be used except sodium hypochlorite in the processing.

Standards of Storage

1. Fresh fish and shellfish to be consumed raw should be stored inclean and hygienic containers / packages at temperatures below $10^{\circ}\mathrm{C}$

15. Raw consumption oysters

Specifications of Composition

- 1. Bacterial count: no more than 50,000/g.
- 2. The most probable number of E.coli : no more than 230/100g
- 3. (microbiological test methodology including the most probable number method)
- 4. For shelled oyster to be consumed raw. The most probable number of Vibrio parahaemolyticus: no more than 100/g

Standard of Processing

- 1. Oysters used as the raw material must be collected either from waters where the most probable number of coliform group bacilli is no more than 70/100ml of seawater, or collected from other waters but cleaned using either seawater where the most probable number of coliform group bacilli is no more than 70/100ml, or artificial salt water with a 3% salinity, while constantly changing or sterilizing the said seawater or artificial salt water.
- 2. In case oyster as raw material is temporarily stored in water, sea water (the mostprobable number of coliform group which is not more than 70/100ml) or artificial salt water of 3% salt (the most probable number of colliform group being not more than 70/100ml) shall be used, changing the water occasionally or pasteurizing it occasionally.
- 4.No chemically synthesized food additives should be used except sodium hypochlorite in the processing.

Standards of Storage

- 1. Oysters to be consumed raw must be stored at temperatures below 10 °C.
- 2. Frozen Oysters to be consumed raw must be stored under 15°C.

16. Agar-agar

Specifications of Composition

1. Boron compounds: no more than 1g/kg (as H₃BO₃).

17.Grains, Beans an	d Vegetables	
Specifications of composit	ion	
crop	Substance	Maximum allowable level
rice (polished rice, brown rice)	Cadmium and its compounds	0.4 ppm (as Cd)
adzuki beans	Cyanide	undetectable.
soybeans	Cyanide	undetectable (but 500ppm as HCN for saltani beans, saltapia beans, butter beans, pequia beans, white beans and lima beans)
peas	Cyanide	undetectable.
kidney beans	Cyanide	undetectable
broad beans	Cyanide	undetectable
peanuts	Cyanide	undetectable
Other types of beans	Cyanide	undetectable
Other types of beans	Cyanide	undetectable

Standards of Manufacture

- 1. (Beans) Beans showing the presence of cyanide compounds shall not be used, except for bean jam for further processing.
- $2.\ (Potato)\ Conditions\ for\ using\ irradiation\ on\ potatoes\ for\ the\ purpose\ of\ inhibiting\ germination:$
 - Only γ -ray of Cobalt 60 may be used with a dose of less than 150 gray.
 - Re-irradiation on already irradiated potatoes is prohibited.

18. Bean Jam for Further Processing

Specifications of Composition

Cyanide: must not be present in detectable levels (Test method of cyanide)

Standards of Manufacture

1. The beans must be soaked for at least 4 hours using warm water.

19. Soybean Curd (tofu)

Standards of Manufacture

- 3. Soy juice or soy milk must be sterilized using a method that boils the juice or milk for 2 minutes or a method that achieves an equivalent or better sterilization effect.
- 6. The packaged soybean curd must be sterilized using a method that heats it for 40 minutes at 90°C or a method that achieves an equivalent or better sterilization effect.

Standards of Storage

- 1. Tofu must be refrigerated or stored in a water bath containing chilled potable water that is constantly changed.
- 2. (Conditions for bean curd intended to itinerant sales.)

20. Instant Noodles

Specifications of Composition

1. Fats and oils in noodles: acid value of no more than 3. peroxide value: no more than 30.

Standards of Strage

1. Instant noodle must be stored in a location that is not exposed to direct sunlight.

21	. Frozen Foods						
Sp	Specifications of Composition						
	category	bacterial count (plate count)	coliform group / E.coli				
1	Frozen food to be consumed without heating	max. 100,000 per gram of a sample	coliform group must test negative				
2	Frozen food to be consumed after heating (All frozen food except those of above 1 and is heated immediately before freezing process)	max. 100,000 per gram of a sample	coliform group must test negative				
3	Frozen food to be consumed after heating (Other than 2 above)	max. 3,000,000 per gram of a sample	E.coli must test negative				
Sto	andard of Processing	•					

Frozen Foods (limited to frozen fishery products for raw consumption)

- 5. No chemically synthesized food additives should be used except sodium hypochlorite in the processing.
- 6. Processed fishery products for raw consumption should be rapidly frozen.

Standards of Storage

1. Frozen foods must be stored at temperatures below -15 °C.

22. Food Packed in Containers and Sterilized by Pressurization and Heating

Specifications of Composition

1. Food Packed in Containers and Sterilized by Pressurization and Heating is defined as food (excluding soft drink beverages, meat products, whale meat products, and fish-paste products) that has been packed in air-tight containers, sealed and then subjected to sterilization by pressurization and heating.

Viable bacterial cells: must test negative (Methods of incubation tests and microbiological tests; omitted here)

Standards of Manufacture

- 3 In the production of food, no additives that are chemical compounds (excluding sodium hypochlorite) used as preservatives or germicidal agents may be used.
- 4. Food packed in containers and sterilized by pressurization and heating, other than canned or bottled foods, must be sealed by hot-melting or rolling
- 5. The sterilizing machine must be equipped with a self-recording thermometer. (The records should be kept for three years.)
- 6. The sterilizing method must be established to meet the following requirements.
- a) That it is satisfactorily effective in destroying any viable microorganisms that exist in the raw materials.
- b) For food packed in containers and sterilized by pressurization and heating whose pH exceeds 4.6 and whose water activity exceeds 0.94, either a method that heats the food at a temperature of 120° C as measured at the center for 4 minutes or a method that achieves an equivalent or better effect must be used.

Table F03 Maximum Residue Limits for Agricultural Chemicals (Pesticides), Feed Additives and Veterinary Drugs in Food

MHLW has designated certain substances having similar properties to food additives which are used as ingredients of pesticide products for agriculture and fishery as those which are unlikely to cause damage to human health and outside the positive list system.

The Food Sanitation Act defines food additives as those which are used during food processing of agricultural and fishery produce after the harvest. Therefore, substances used before harvest would fall within the category of Agricultural Chemicals, Feed Additives or Veterinary Drugs without any exception.

The uniform base limit, which is set at 0.01ppm as the amount unlikely to cause damage to human health shall not be applied to these substances. Those substances are listed below.

The English information is available from the Ministry of Health, Labor and Welfare website: http://www.mhlw.go.jp/english/topics/foodsafety/positivelist060228/index.html

List of the substances designated as having no potential to cause damage to human health

(MHLW Notification No. 498, 2005; Latest Revision Notification No.334, 2009)

(MHLW Not	fication No. 498, 2005: Latest Revision Notification No.334,
1. Zinc	34. Taurine
2. Azadirachtin	35.Thiamine
3. Ascorbic acid	36.Tyrosine
4. Astaxanthin	37.Iron
5. Asparagine	38.Copper
6. beta-apo-8'-carotene acid ethyl ester	39 Paprika coloring
7. Alanine	40 Tocopherol
8. Allicin	41 Niacin
9. Arginine	42 Neem oil
10. Ammonium	43 Lactic acid
11. Sulfur	44.Urea
12. Inositol	45.Paraffin
13. Chlorine	46Barium
14. Oleic acid	47.Valine
15. Potassium	48.Pantothenic acid
16. Calcium	49.Biotin
17. Calciferol	50.Histidine
18. beta-Carotene	51 Hydroxypropyl starch
19. Citric acid	52.Pyridoxine
20. Glycine	53.Propylene glycol
21. Glutamine	54.Magnesium
22. Chlorella extracts	55.Machine oil
23. Silicon	56.Marigold coloring
24. Diatomaceous earth	57 Mineral oil
25. Cinnamic aldehyde	58.Methionine
26. Cobalamin	59 Menadione
27. Choline	60.Folic acid
28. Shiitake mycelia extracts	61 Iodine
29. Sodium bicarbonate	62.Riboflavin
30. Tartaric acid	63.Lecithin
31. Serine	64 Retinol
32. Selenium	65 Leucine
33. Sorbic acid	66.Wax

Table F04 Provisional Regulatory Limitations of Contaminants in Food

(Compiled from various sources as at December, 2010)

Substance / Foods	Max. level
1) Aflatoxin / All foods	Undetectable*
2) PCB / Fish, shell fish, etc.	(ppm)
Fish and shellfish (edible parts) in oceans and the open sea	0.5
Fish and shellfish (edible parts) in inland seas and bays including inland waters	3
Cow's milk (in all of the milk)	0.1
Milk products (in the whole quantity)	1
Powdered milk for babies (in the whole quantity)	0.2
Meat (in the whole quantity)	0.5
Egg (in the whole egg)	0.2
Containers and packaging	5
3) Mercury / Fish, Shellfish, etc.	(ppm)
Total level of mercury	0.4
Methyl mercury (as mercury)	0.3
However, these provisional limits shall not apply to tuna fish (tuna, sword fish, bonito),	
fish from rivers (not including fish from lakes), and deep sea fish and shellfish(sebastodes marinus, alfonsino, black cod, queen crab, ivory shell, shark).	
4) Shellfish Toxins /	(MU/g) **
a. Paralytic shellfish poisoning toxin: All shellfish (edible parts) and bivalve eater	4
(T.acutidens) (edible part)	0.05
b. Diarrheal shellfish poisoning toxin: All shellfish (edible parts)	0.00
5) Deoxynivalenol / Wheat	(ppm)
	1.1

^{*} The test method for peanut and peanut products (peanut butter, peanut flour etc.) is also applied to pistachios,

Handling of food contaminated by radioactivity Notice No.0317 Article 3 of the Department of Food Safety: MHLW

(March 17, 2011)

Nuclide	Index values relating to ingestion limits in guidelines for cowith disarters at nuclear facilities etc. (Bq/kg)			
Radioactive iodine (Representative radio-nuclides among mixed radio-nuclides: 131I)	*Drinking water *Milk, dairy products (Provide guidance so that materials exceeding 100 Bq/kg are not used in milk supplied for use in powdered baby formula or for direct drinking to baby.)	300		
	*Vegetables (Except root vegetables and tubers)	2,000		
Radioactive cesium	*Drinking water *Milk, dairy products	200		
	*Vegetables *Grains *Meat, eggs, fish, etc.	500		
Uranium	*Infant foods *Drinking water *Milk, dairy products	20		
	*Vegetables *Grains *Meat, eggs, fish, etc.	100		
Alpha-emitting nuclides of plutonium and transuranic elements (Total radioactive concentration of 238Pu, 239Pu, 240Pu, 242Pu, 241Am, 242Cm, 244Cm)	*Infant foods *Drinking water *Milk, dairy products *Vegetables *Grains *Meat, eggs, fish, etc.	1 10		

Reference: http://www.mhlw.go.jp/stf/houdou/2r9852000001558e.html

almonds, Brazilian nuts, cashews, hazelnuts, macadamia nuts, walnuts, and giant corn.

** 1MU (Mouse Unit) represents the amount of toxin that causes death in a mouse of 20g body weight in 15 minutes in case of paralytic shellfish poisoning toxin, while in case of diarrrheal shellfish poisoning toxin 1MU represents the amount of poison that causes death in a mouse of 16-20g body weight in 24 hours.

Table F05 Genetically Modified Foods

List of Products that have undergone safety assessment & been announced in the Official Gazette

MHLW (Department of Food Safety,) as of December, 2010

		Foods (130 crops)	opar	nent of Food Safety, as of I	300011180
Crop		Trait		Developer (country)	
Potato		Insect resistant	2	USA	8
(8)		Insect resistant/virus resistant	6		
Soybean		Herbicide tolerant	5	USA	5
(7)		High oleic acid	2	Germany	2
Sugar Beet		Herbicide tolerant	3	USA	1
(3)				Germany	1
				Switzerland	1
Corn		Insect resistant	8	USA	37
(70)		Insect resistant / Herbicide tolerant	46	Switzerland	31
		Herbicide tolerant	6	Germany	2
		High lysine	1		
		Heat resistant α-amylase production	1		
		Heat resistant α-amylase production /	1		
		insect resistant			
		Heat resistant α-amylase production / herbicide resistant	1		
			1		
		Heat resistant a-amylase production / herbicide resistant / insect resistant	1		
Rapeseed		Herbicide resistant Herbicide resistant	13	Germany	13
(15)		Herbicide tolerant / Male sterility	1	USA	2
(10)		Herb. Tolerant / Recovering male sterility	1	ODII	
Cotton		Herbicide resistant	9	USA	18
(24)		Herbicide tolerant/insect resistant	11	Germany	6
		Insect resistant	4	, and the second	
Alfalfa		Herbicide resistant	3	USA	3
(3)					
		Food Additives (14 items)			
α-Amylase		High productivity	5	Denmark	5
(6)		Heat resistant	1	USA	1
Rennet		High productivity	1	Denmark	1
(2)		Chimosin productivity	1	Netherlands	1
Pullulanase		High productivity	2	Denmark	1
(2)				USA	1
Lypase	(2)	High productivity	2	Denmark	1
Riboflavin	(1)	High productivity	1	Switzerland	1
Glucoamylase	(1)	High productivity	1	Denmark	1

Notes: As of December. 2010, the following crops and food additives are being under the safety assessment: 1.Food(11 crops); corn(5), soybean(2), cotton(2), rapeseed(1), papaya(1)

^{2.}Food additive(5 items); invertase, xylanase, sodium L-glutamate, 6-a.glucanotransferase, Isoleucine

List of crops and the processed food thereof

(which might require labeling as GM Foods)

The Ordinance for Enforcement of the Food Sanitation Act Article 21 Table 7

Crop	The Ordinance for Enforcement of the Food Sanitation Act Article 21 Tab. Processed Food
Soybean	1) Tofu (soybean curd) and aburaage (fried soybean curd)
(including	2) Koori-dofu (frozen soybean curd), okara (dried tofu lees) and yuba (dried soybean milk
immature	membrane)
soybeans and	3) Natto (fermented soybeans)
bean sprouts)	4) Soybean milk
_	5) Miso (fermented soybean paste)
	6) Soybean <i>nimame</i> (cooked soybean)
	7) Canned soybeans and bottled soybeans
	8) Kinako (roasted soybean flour)
	9) Roasted soybeans
	10) Food made mainly from ingredients listed in item 1 to item 9
	11) Food made mainly from soybean for cooking
	12) Food made mainly from soybean flour
	13) Food made mainly from soybean protein
	14) Food made mainly from immature soybean
	15) Food made mainly from soybean sprouts
Corn	1) Corn snack confectionary
	2) Corn starch
	3) Popcorn
	4) Frozen corn
	5) Canned corn and bottled corn
	6) Food made mainly from corn flour
	7) Food made mainly from corn grits
	8) Food made mainly from corn for cooking
	9) Food made mainly from ingredients listed in item 1 to item 5
Potato	1) Potato snack confectionary
	2) Dried potato
	3) Frozen potato
	4) Potato starch
	5) Food made mainly from potato for cooking
	6) Food made mainly from ingredients listed in item 1 to item 4
Rapeseed	
Cotton	
Alfalfa	Food made mainly from alfalfa
Sugar beet	Food made mainly from sugar beet for cooking

II. Milk and Milk Products

Ministerial Ordinance on Milk and Milk Products Concerning Compositional Standards, etc. (MHLW Ordinance No.52, 1951: Latest Revision No.132, October 30, 2007)

Table M01 Raw Milk

Compositional specifications for raw milk

- (1) Milk shall be free from antibiotics or antimicrobial chemical compounds.*1
- (2) Milk shall not be taken from cow, goat or sheep, which are to be classified into any of the following categories, i.e.:
 - i. Those within 5 days after delivery.
 - ii. Those, which have been either fed or injected with medicine that has an effect on milk and which are still within the period when medicine remains in milk.
 - iii. Those, which have been injected with biological products and which are showing a significant reaction thereto.
- (3) Compositional standards (specific gravity, acidity, bacterial count)

	Raw cow's milk	Raw goat's milk
Specific gravity (at 15°C)	1.028–1.034 ^{a)} 1.028–1.036 ^{b)}	1.030-1.034
Acidity (as lactic acid %)	Not more than 0.18 ^{a)} Not more than 0.20 ^{b)}	Not more than 0.20
Bacteria (count/ml)	Not more than 4 million (Direct microscopic individual count method)	Not more than 4 million (Direct microscopic individual count method)

Notes:

- a) Milk taken from cows other than Jersey cows.
- b) Milk taken from Jersey cows.
- *1 As regards veterinary drug residue standards, see Table F03 (Maximum Residue Limits for Agricultural Chemicals, Feed Additives and Veterinary Drugs in Food)

Table M02 Drinking Liquid Milks and Milk Drinks (chilled)

		Drinkin	g milk*1		
	Cow's milk	Special cow's milk	Pasteurized goat's milk	Composition- controlled cow's milk	
Specific gravity (at 15°C)	1.028–1.034a) 1.028–1.036b)	1.028–1.034a) 1.028–1.036b)	1.030-1.034	_	
Acidity (as lactic acid %)	Not more than 0.18 a) Not more than 0.20 b)	Not more than 0.17 a) Not more than 0.19 b)	Not more than 0.20	Not more than 0.18	
Nonfat milk solids (%)	Not less than 8.0	Not less than 8.5	Not less than 8.0	Not less than 8.0	
Milk fat (%)	Not less than 3.0	Not less than 3.3	Not less than 3.6	_	
Bacteria (count/ml)	Not more than 50,000 (Standard plate culture method)	Not more than 30,000 (Standard plate culture method)	Not more than 50,000 (Standard plate culture method)	Not more than 50,000 (Standard plate culture method)	
Coliform group	Negative *c)	Negative *c)	Negative *c)	Negative *c)	
Standards for	Pasteurizing method:	Pasteurizing method:	Same as that of cow's	Same as that of cow's	
manufacturing method	To be heated at 63°C for 30 minutes by holder pasteurization or by an equivalent or more effective method	To be heated at 63 to 65°C for 30 minutes by holder pasteurization when necessary	milk	milk	
Standards for storing method	To be cooled down to 10°C or below for storage immediately after pasteurizing (except milk storable at room temperature, which shall be stored at a temperature not exceeding room temperature)	To be cooled down to 10°C or below for storage immediately after processing (after pasteurizing when pasteurized)	To be cooled down to 10°C or below for storage immediately after pasteurizing		
Remarks	Components shall not be removed. Mixing with other materials is prohibited (except steam generated when sterilized by heating directly at ultrahigh temperatures.)	Components shall not be removed. Mixing with other materials is prohibited.	Mixing with other materials is prohibited	Same as that of cow's milk	
	As to the residue limits for agricultural emicals, refer to the MHLW Notification No.370,1959(Latest No.336,2010)				

Drinking milk*1		Milk drink*1		
Low fat cow's milk	Nonfat cow's milk	Processed milk	Milk drinks	
1.030-1.036	1.032–1.038	_	_	
Not more than 0.18	Not more than 0.18	Not more than 0.18	_	
Not less than 8.0	Not less than 8.0	Not less than 8.0	_	
Not less than 0.5 but not more than 1.5	Less than 0.5	_	_	
Not more than 50,000	Not more than 50,000	Not more than 50,000	Not more than 30,000	
(Standard plate culture method)	(Standard plate culture method)	(Standard plate culture method)	(Standard plate culture method)	
Negative *c)	Negative *c)	Negative *c)	Negative *c)	
Same as that of cow's milk	Same as that of cow's milk	Same as that of cow's milk	Raw materials, except those decomposed in the process of pasteurization, shall be pasteurized by heating at 62°C for 30 minutes or another method at least an equal pasteurizing effect.	
Cooled to under 10°C following pasteurizing and stored	Same as that of cow's milk	Same as that of cow's milk	Same as that of cow's milk (except those packed in a container fit for storage and pasteurized by heating at 120°C for 4 minutes or heating otherwise to have at least an equal pasteurizing effect.	
Same as that of cow's milk	Same as that of cow's milk	No materials shall be used except for water, raw milk, cow's milk, special milk, low fat cow's milk, nonfat cow's milk, whole milk powder, skimmed milk powder, concentrated milk, concentrated skimmed milk, evaporated skimmed milk, evaporated skimmed milk, cream and butter, butter oil, butter milk and butter milk powder not using additives.	Preservatives shall not be used for pasty or frozen milk products.	

Notes

^{*}a) Those using milk of cows other than Jersey cows only as raw materials.

^{*}b) Those using milk of Jersey cows only as raw materials.

^{*}c) 1.11 mlx2, B.G.L.B. medium

¹⁾ As regards containers and package materials, see Table AP05 (Specifications and standards for milk and milk products).

Table M03 Milk Products

	Cream	Butter	Butter oil	Natural cheese	Processed cheese	Concentrated whey
Acidity (as lactic acid %)	Not more than 0.20	_	_	_	_	-
Nonfat milk solids (%)	_	_	_	_	Not less than 40.0	Not less than 25.0
Milk fat (%)	Not less than 18.0	Not less than 80.0	Not less than 99.3	_	_	_
Sugar (%)	_	_	_	_	_	_
Water content (%)	_	Not more than 17.0	Not more than 0.5	_	_	_
Bacteria count (Standard plate culture method)	Not more than 100,000 / ml	_	_	_	_	_
Coliform group	Negative *a)	Negative *b)	Negative *b)	_	Negative *b)	Negative *b)
Listeria monocytogenes	_	_	_	Negative *c)	_	_
Standard for manufacturing method	Same as that of milk	_	_	_	_	_
Standard for storing method	To be cooled down to 10°C or below for storage immediately after pasteurizing except those kept in a container fit for storage and pasteurized.					
Remarks	Mixing with other materials prohibited *2)			*11)		

Notes:

- *1) For products using fermented milk or lactic acid bacteria drinks as raw materials, the count of lactic acid bacteria and yeast shall be excluded from the total bacteria count.
- *2) Except steam used in ultra high temperature sterilization process.
- *3) However, this does not apply to the case when the manufacture is performed continuously so as to prevent the stagnation of raw materials.
- *4) Same as that of cow's milk. After pasteurization the raw material shall be kept at a temperature less than 10°C or above 48°C before drying. However, this shall not apply to the cases when all structures of the equipment used are designed so as to prevent contamination by microorganisms from outside, or when raw material is exposed to a temperature exceeding 10°C but not exceeding 48°C for less than 6 hours.
- *5) This does not apply to the additives that were approved for their types and mixing ratios by the Minister of Health, Labour and Welfare
- *6) Calcium chloride, calcium citrate, trisodium citrate, sodium bicarbonate, sodium carbonate (crystal), sodium carbonate (anhydrous), tetrasodium pyrophosphate (crystal), tetrasodium pyrophosphate (anhydrous), potassium polyphosphate, sodium polyphosphate, potassium metaphosphate, sodium metaphosphate, disodium hydrogen phosphate (crystal). disodium hydrogen phosphate (anhydrous), sodium dihydrogen phosphate (anhydrous), trisodium phosphate (crystal), and trisodium phosphate (anhydrous): Not more than 2 g/kg for a single use and not more than 3 g/kg for a combined use (The crystal is calculated in terms of the anhydride).

				1	1
	Ice cream	Ice milk	Lacto ice	Concentrated milk	Concentrated skimmed milk
	=		1	_	_
	Not less than 5.0	Not less than 10.0	Not less than 3.0	Not less than 25.5	Not less than 18.5 (no fat content)
	Not less than .0	Not less than 3.0	ı	Not less than 7.0	_
-	_	_	_	_	_
	=		1	_	_
	Not more than 00,000/g *1)	Not more than 50,000/g *1)	Not more than 50,000/g *1)	Not more than 100,000/g	Not more than 100,000/g
N	Vegative *b)	Negative *b)	Negative *b)	_	_
-	_	_	_	_	_
b	e potable water.	e manufacture of t Raw materials (ex	cept fermented	As small as that of milk	As small as that of milk
by or fr w n	milk and fermented milk drinks) shall be pasteurized by heating at 68°C for 30 minutes or by an equivalent or more effective method. When extracting from a freezing tube, the outside of the tube shall be warmed with potable flowing water. The melted liquid shall not be used as ingredients except when pasteurized by heating.		To be cooled down for storage imme concentrating.	n to 10°C or below diately after	
				Mixing with other materials is prohibited	Mixing with other materials is prohibited

- *7) Calcium citrate, trisodium citrate, sodium bicarbonate, sodium carbonate (crystal), sodium carbonate (anhydrous), tetrasodium pyrophosphate (crystal), tetrasodium pyrophosphate (anhydrous), potassium polyphosphate, sodium polyphosphate, potassium metaphosphate, sodium metaphosphate, dipotassium hydrogen phosphate, disodium hydrogen phosphate (crystal), disodium hydrogen phosphate (anhydrous); Not more than 2 g/kg for a single use and not more than 3 g/kg for a combined use (The crystal is calculated in terms of the anhydride). Lactose: Not more than 2 g/kg.
- *8) Trisodium citrate, sodium bicarbonate, sodium carbonate (crystal), sodium carbonate (anhydrous), tetrasodium pyrophosphate (crystal), tetrasodium pyrophosphate (anhydrous), potassium polyphosphate, sodium polyphosphate, potassium metaphosphate, sodium metaphosphate, disodium hydrogen phosphate (crystal), disodium hydrogen phosphate (anhydrous), trisodium phosphate (crystal), and trisodium phosphate (anhydrous): Not more than 5 g/kg for a single or combined use (The crystal is calculated in terms of the anhydride).
- *9) Trisodium citrate, sodium bicarbonate, tetrasodium pyrophosphate (crystal), tetrasodium pyrophosphate (anhydrous), potassium polyphosphate, sodium polyphosphate, potassium metaphosphate, sodium metaphosphate, disodium hydrogen phosphate (crystal), disodium hydrogen phosphate (anhydrous), trisodium phosphate (crystal), and trisodium phosphate (anhydrous): Not more than 5 g/kg for a single or combined use (The crystal is calculated in terms of the anhydride).
- *10) Milk (goat's milk excluded), milk products or those which may be used by an approval of the Minister of Health, Labour and Welfare for their types and mixing ratios.
- *11) Soft and semisoft natural cheese, excluding shredded cheese (shredded and mixed) labeled "for heating," "for pizza," "for toast," or "for gratin."
- *12)As to the provisional PCB limitation, see Appended Table F04. As to the containers/ packages for milk and milk products, see Appended Table AP05(Specifications and standards for milk and milk products).
- *a) Test method; the same as that for liquid milk
- *b) $0.1g \times 2$
- *c) 25g (EB medium growth+Oxford or PALCAM agar media)
- *d) $0.111g \times 2$, B.G.L.B.medium

	Evaporated milk	Evaporated skimmed milk	Sweetened condensed milk	Sweetened condensed skimmed milk	Whole milk powder	Skimmed milk powder
Milk solids (%)	Not less than 25.0	Not less than 18.5 (No fat content)	Not less than 28.0	Not less than 25.0	Not less than 95.0	Not less than 95.0
Milk protein (%) (in dried condition)	_	_	_	_	_	_
Milk fat (%)	Not less than 7.5	_	Not less than 8.0	_	Not less than 25.0	_
Sugar (%)	_	_	Not more than 58.0 (lactose included)	Not more than 58.0 (lactose included)	_	_
Water content (%)	_	_	Not more than 27.0	Not more than 29.0	Not more than 5.0	Not more than 5.0
Bacteria count (Standard plate culture method)	0/g	0/g	Not more than 50,000/g	Not more than 50,000/g	Not more than 50,000/g	Not more than 50,000/g
Coliform group	_	_	Negative *d)	Negative *d)	Negative *d)	Negative *d)
Standard for manufacturing method	To be heated at 115°C or above for 15 minutes in a container	Same as that of evaporated condensed milk				Pasteurization should be carried out in the same conditions as that for liquid milk. In the process of heat pasteurization raw material shall be kept at a temperature less than 10°C or above 48°C. *3)*4)
Remarks	The following addused: *6)	ditives can be	Mixing of substar sucrose shall be a			Lactose and filtrate of raw milk, cow's milk, special cow's milk, low fat milk or nonfat milk can be used for the adjustment of protein content.
	*5)		*5)		The following ad used: *8) *5)	ditives can be

Cream powder	Whey powder	Whey powder protein concentrated	Buttermilk powder	Sweetened milk powder	Formulated milk powder
Not less than 95.0	Not less than 95.0	Not less than 95.0	Not less than 95.0	Not less than 70.0	Not less than 50.0
-	_	Not less than 15.0 and not more than 80.0	_	_	_
Not less than 50.0	_	_	_	Not less than 18.0	_
_	_	_	_	Not more than 25.0 (Except lactose)	_
Not more than 5.0	Not more than 5.0	Not more than 5.0	Not more than 5.0	Not more than 5.0	Not more than 5.0
Not more than 50,000/g	Not more than 50,000/g	Not more than 50,000/g	Not more than 50,000/g	Not more than 50,000/g	Not more than 50,000/g
Negative *d)	Negative *d)	Negative *d)	Negative *d)	Negative *d)	Negative *d)
				Mixing of substances other than sucrose shall be as follows: *9)	Nothing shall be used except follows: *10)

Table M04 Fermented Milk and Fermented Milk Drinks

	Fermented milk	Lactic acid bacteria drinks b) (containing not less than 3.0% nonfat milk solids)	Lactic acid bacteria drinks c) (containing less than 3.0% nonfat milk solids)
Nonfat milk solids % Lactic acid bacteria or yeasts count (per ml)	Not less than 8.0 Not less than 10 million	Not less than 10 million Except for those heated at 75°C or above for 15 minutes after being fermented or pasteurized by an equivalent or more effective method.	Not less than a million
Coliform group	Negative	Negative	Negative
Standard for manufacturing method	Water used for the manufacture of the product shall be potable water. Raw materials (excluding lactic acid bacteria, yeast, fermented milk and fermented milk drinks) shall be pasteurized by heating at 62°C for 30 minutes, or by an equivalent or more effective method.	immediately before use or pasteurized by an equivalent or more effective method.	
Remarks	Preservatives shall not be used for paste-like or frozen one.	Preservatives shall not be used for pasteurized drinks.	

a) The standard method of preparing lactic acid bacteria drinks prepared with a fully automatic cooker of refreshing drinks has been provided separately.

<u>Table M05</u> Products Storable at Room Temperature

	Cow's milk & Composition- controlled cow's milk	Low fat milk	Nonfat milk	Processed milk	Milk drink
Alcohol test (before and after storage at 30 ±1°C for 14 days or at 55 ±1°C for 7 days)	Negative	Negative	Negative	Negative	I
Acidity (as lactic acid %) (the difference between before and after storage at 30 ±1 °C for 14 days or at 55±1°C for 7 days)	Within 0.02 %	Within 0.02 %	Within 0.02 %	Within 0.02 %	_
Bacteria count (after storage at 30 ±1 °C for 14 days or at 55 ±1 °C for 7 days) (per ml)	0 (Standard plate culture method)	0 (Standard plate culture method)	0 (Standard plate culture method)	0 (Standard plate culture method)	0 (Standard plate culture method)

Note: As to the containers/ packages for milk and milk products, see Table AP05.

b) Milk products

c) Food using milk, etc. as a principal ingredient.

d) As to the provisional PCB limitation, see Appended Table F04. As to the containers/ packages for milk and milk products, see Appended Table AP05 (Specifications and standards for milk and milk products).

These standards in English can found in:

[&]quot;Ministerial Ordinance on Milk and Milk products Concerning Compositional Standards, etc." http://www.mhlw.go.jp/english/topics/foodsafety/index.html

III. Food additives

The act prohibits the sale, manufacture, importation, use, etc. of any additive (except natural flavoring agent, and substances which are generally provided as food and used as food additives) or any preparation or food that contains such food additive, except cases where the Minister of Health, Labour and Welfare designates the additive as not injurious to human health ("Designated Food Additives").

Table FA01 Designated Food Additives

The following is the list of designated food additives, arranged in alphabetical order. The original list in Japanese is Table 1 of Enforcement Regulations of the Food Sanitation Act as of 31 December, 2010.

Designated Food Additives are classified into two categories, i.e., those whose conditions of use are strictly defined or limited and those without any limitation. The additives in the former category are marked with * in the list.

Note:

- 1) A number in parentheses after an additive indicates the number in the original Japanese table.
- 2) As to the following eighteen classes of substances (all only permitted for as flavorings) marked with "Ref.", refer to the corresponding lists below this list for individual substances:

Isothiocyanates (except those generally recognized as highly toxic) (43); Indoles and its derivatives (53); Esters (57); Ethers (65); Ketones (123); Fatty Acids (166); Aliphatic Higher Alcohols (167); Aliphatic Higher Aldehydes (except those generally recognized as highly toxic) (168); Aliphatic Higher Hydrocarbons (except those generally recognized as highly toxic) (169); Thioethers (except those generally recognized as highly toxic) (227); Thiols (Thioalcohols) (except those generally recognized as highly toxic) (228); Terpene Hydrocarbons (238); Phenol Ethers (except those generally recognized as highly toxic) (309); Phenols (except those generally recognized as highly toxic) (310); Furfurals and its derivatives (except those generally recognized as highly toxic) (318); Aromatic Alcohols (337); Aromatic Aldehydes (except those generally recognized as highly toxic) (376)

Acesulfame Potassium (14)* Aromatic Aldehydes (except those generally recognized

Acetaldehyde (18)* as highly toxic) (338)* Ref.

Acetic Acid, Glacial (294)

L-Ascorbic Acid (Vitamin C) (6)

Acetone (21)*

L-Ascorbic Acid 2-glucoside (8)

Acetophenone (20)*

L-Ascorbic Palmitate (Vitamim C Palmitate) (11)

Acetylated Distarch Adipate (15)

L-Ascorbic Stearate (Vitamin C Stearate) (9)

Acetylated Distarch Phosphate (17)

Aspartame (α-L-Aspartyl-L-Phenylalanine Methyl

Acetylated Oxidized Starch (16) Ester) (13)

Adipic Acid (4)

Benzaldehyde (335)*

DL-Alanine (25)

Benzoic Acid (33)*

Aliphatic Higher Alcohols (167)* Ref.

Benzoyl Peroxide (82)*

Aliphatic Higher Aldehydes (except those generally

recognized as highly toxic) (168)* Ref.

Benzyl Alcohol (334)*

Aliphatic Higher Hydrocarbons (except those generally Benzyl Propionate (326)*

recognized as highly toxic) (169)* Ref. Biotin (280)*

Allyl Cyclohexylpropionate (155)* Bisbentiamine (Benzoylthiamine Disulfide) (282)

Allyl Hexanoate (Allyl Caproate) (330)*

Allyl Isothiocyanate (Volatile Oil of Mustard) (44)*

Butanol (312)*

Aluminum Ammonium Sulfate (Crystal: Ammonium Butyl Acetate (142)*
Alum, Desiccated: Burnt Ammonium Alum) (387)*
Butyl Butyrate (375)*

Aluminum Potassium Sulfate (Crystal: Alum or Butyl p-Hydroxybenzoate (273)*

Potassium Alum, Desiccated: Burnt Alum) (388) Butylated Hydroxyanisole (315)*

Ammonia (36) Butylated Hydroxytoluene (163)*

Ammonia (36)

Butylated Hydroxytoluene (163)*

Ammonium Alginate (28)

Butyraldehyde (314)*

Ammonium Bicarbonate (Ammonium Hydrogen Butylamine(313)*

Carbonate) (216)

Ammonium Carbonate (213)

Ammonium Chloride (69)

Butyric Acid (371)*

Calcium Alginate (30)

Calcium L-Ascorbate (7)

Phosphate, Monobasic or Monoammonium Phosphate) Calcium Carboxymethylcellulose (Calcium Cellulose

Calcium Carbonate (215)*

(403) Glycolate) (85)*

Ammonium Dihydrogen Phosphate (Ammonium

Ammonium Persulfate (84)*

Calcium Chloride (71)*

Ammonium Sulfate (389)*

Calcium Citrate (96)*

Amylalcohol (23)* Calcium Dihydrogen Phosphate (Calcium Phosphate,

α-Amylcinnamaldehyde (α-Amylcinnamic Aldehyde) Monobasic) (407)*

(24)* Calcium Dihydrogen Pyrophosphate (Acid Calcium

Anisaldehyde (p-Methoxybenzaldehyde) (22)* Pyrophosphate) (300)*

L-Arginine L-Glutamate (27) Calcium Disodium Ethylenediaminetetraacetate

Aromatic Alcohols (337)* Ref. (Calcium Disodium EDTA) (63)*

Calcium Gluconate (109)* Dibenzoyl Thiamine (164)

Calcium Glycerophosphate (104)* Dibenzoyl Thiamine Hydrochloride (165)

Calcium Hydroxide (Slaked Lime) (200)*

Calcium Lactate (262)*

Calcium Monohydrogen Phosphate (Calcium

2,3-Dimethylpirazine(170)*

2,5-Dimethylpirazine(171)*

2,6-Dimethylpirazine(172)*

Calcium Pantothenate (278)*

Dipotassium Hydrogen Phosphate (Dipotassium Phosphate (278)*

Phosphate or Potassium Phosphate, Dibasic) (404)

Calcium 5'-Ribonucleotide (381)

Disodium 5'-Cytidylate (Sodium 5'-Cytidylate) (157)

Calcium Silicate (118)*

Disodium Dihydrogen Pyrophosphate (Acid Disodium

Diphenyl (Biphenyl) (162)*

Calcium Stearate (204) Pyrophosphate) (301)

Calcium Stearoyl Lactylate (Calcium Stearyl Lactylate) Disodium Ethylenediaminetetraacetate (Disodium

(206)* EDTA) (64)*

Calcium Sorbate(212)* Disodium Glycyrrhizinate (105)*

Calcium Sulfate (390)* Disodium 5'-Guanylate (Sodium 5'-Guanylate) (92)
Carbon Dioxide (Carbonic Acid, Gas) (259) Disodium Hydrogen Phosphate (Disodium Phosphate)

6-Carotene (87)* (408)

Phosphate, Dibasic) (406)*

Chlorine Dioxide (257)* Disodium 5'-Inosinate (Sodium 5'-Inosinate) (51)

Cholecalciferol (Vitamin D3) (129) Disodium 5'-Ribonucleotide (Sodium 5'-Ribonucleotide)

1,8-Cineole (Eucalyptol) (161)* (382)

Cinnamaldehyde (Cinnamic Aldehyde) (198)* Disodium Succinate (128)

Cinnamic Acid (120)*

Disodium DL-Tartrate (Disodium dl-Tartrate) (179)

Cinnamyl Acetate (136)*

Disodium L-Tartrate (Disodium Fartrate) (180)

Cinnamyl Alcohol (Cinnamic Alcohols) (197)*

Disodium 5'-Uridylate (Sodium 5'-Uridylate) (54)

Citral (158)* Distarch Phosphate (397)

Citric Acid (93)* Ergocalciferol (Calciferol or Vitamin D2) (68)
Citronellal (159)* Erythorbic Acid (Isoascorbic Acid) (66)*

Citronellol (160)*

Citronellyl Acetate (135)*

Citronellyl Formate (90)*

Citronellyl Formate (90)*

Ethers (65)* Ref.

Copper Chlorophyll (242)*

Copper Salts (limited to Copper Gluconate and Cupric

Sulfate) (240)*

Ethyl Acetoacetate (19)*

Ethyl Butyrate (373)*

Cyclohexyl Acetate (134)* Ethyl Cinnamate (121)*

Cyclohexyl Butyrate (374)* Ethyl Decanoate (Ethyl Caprate) (232)*

L-Cystein Monohydrochloride (156)* Mixture of 2-Ethyl-3,5-dimethylpyrazine and

Decanal (Decyl Aldehyde) (230)* 2-Ethyl-3,6-dimethylpyrazine (58)*

Decanol (Decyl Alcohol) (231)* Ethyl Heptanoate (Ethyl Enanthate) (332)*

Diammonium Hydrogen Phosphate (Diammnonium Ethyl Hexanoate (Ethyl Caproate) (331)*

Phosphate or Ammnonium Phosphate, Dibasic) (402) Ethyl p-Hydroxybenzoate (272)*

Ethyl Isovalerate (42)*

2-Ethyl-3-methylpyrazine (61)*

Aluminum Lake (191)*

Fumaric Acid (316)

2-Ethyl-5-methylpyrazin(62)* Furfurals and its derivatives (except those generally

Ethyl Octanoate (Ethyl Caprylate) (77)* recognized as highly toxic) (318)* Ref.

Ethyl Phenylacetate (307)* Geraniol (124)*

Ethyl Propionate (323)*

2-Ethylpyrazin(60)*

Ethylvanillin (59)*

Geranyl Acetate (133)*

Geranyl Formate (89)*

Gluconic Acid (107)

Eugenol (75)* Glucono-delta-Lactone (Gluconolactone) (106)

Fatty Acids (166)* Ref.

L-Glutamic Acid (112)

Ferric Ammonium Citrate (99)

Glycerol (Glycerin) (102)

Ferric Chloride (72) Glycerol Esters of Fatty Acids (103)

Ferric Citrate (98) Glycine (101)

Ferric Pyrophosphate (302) Hexanoic Acid (Caproic Acid) (329)*

Ferrocyanides (Potassium Ferrocyanide (Potassium High Test Hypochlorite (125)

Hexacyanoferrate(II)), Calcium Ferrocyanide (Calcium L-Histidine Monohydrochloride (281)

Hexacyanoferrate(II)), Sodium Ferrocyanide (Sodium Hydrochloric Acid (74)*

Hexacyanoferrate(II))) (311) Hydrogen Peroxide (81)*

Hexacyanoferrate(II))) (311)

Hydrogen Peroxide (81)*

Hydrogen Peroxide (81)*

Ferrous Gluconate (Iron Gluconate) (110)*

Hydroxycitronellal (285)*

Hydroxycitronellal Dimethylacetal

Ferrous Sulfate (391) Hydroxycitronellal Dimethylacetal (286)*

Folic Acid (370) Hydroxypropyl Cellulose (288)*

Food Blue No.1 (Brilliant Blue FCF) and its Aluminum Hydroxypropyl Distarch Phosphate (287)

Lake (193)* Hydroxypropyl Methylcellulose (290)*

Food Blue No.2 (Indigo Carmine) and its Aluminum Hydroxypropyl Starch (289)

Lake (194)* Hypochlorous Acid Water (152)*

Food Green No.3 (Fast Green FCF) and its Aluminum Imazalil (52)*

Lake (192)* Indoles and its derivatives (53)* Ref.

(183)* Ionone (37)*

Food Red No.3 (Erythrosine) and its Aluminum Lake Iron Lactate (263)

(184)* Iron Sesquioxide (Diiron Trioxide or Iron Oxide Red)

Food Red No.40 (Allura Red AC) and its Aluminum (151)*

Lake (185)* Isoamyl Acetate (131)*

Food Red No.102 (New Coccine) (186)*

Food Red No.104 (Phloxine) (187)*

Isoamyl Butyrate (372)*

Food Red No.105 (Rose Bengale) (188)*

Isoamyl Formate (88)*

Food Red No.106 (Acid Red) (189)*

Isoamyl Isovalerate (41)*

Food Yellow No.4 (Tartrazine) and its Aluminum Lake Isoamyl Phenylacetate (305)*

(190)* Isoamyl Propionate (322)*

Food Yellow No.5 (Sunset Yellow FCF) and its Isobutanol (46)*

Isobutyl p-Hydroxybenzoate (270)*

Isobutyl Phenylacetate (306)*

Methyl Cellulose (360)*

Isobutylaldehyde (Isobutanal) (47)*

Methyl Cinnamate (122)*

Isoeugenol (40)* Methyl Hesperidin (Soluble Vitamin P) (366)
L-Isoleucine (50) Methyl N-Methylanthranilate (357)*

Isopentylamine(49)*

Isopropanol (48)*

Isopropyl Citrate (94)*

2-Methylpyrazine(362)*

6-Methylquinoline(359)*

Methyl Salicylate (148)*

Isopropyl p-Hydroxybenzoate (271)* Methyl β -Naphthyl Ketone (361)* Isothiocyanates (except those generally recognized as p-Methylacetophenone (275)* highly toxic) (43) * Ref. 5-Methylquinoxaline (358)*

Isovaleraldehyde(45)*
Monoammonium L- Glutamate(113)
highly toxic) Ref. (43)*
Monocalcium Di-L-Glutamate (115)*
Ketones (123)* Ref.
Monomagnesium Di-L-Glutamate (117)

Lactic Acid (261) Monopotassium Citrate and Tripotassium Citrate (96)

Lactones (except those generally recognized as highly Monopotassium L-Glutamate (114) toxic) (376)* Ref. Monosodium L-Aspartate (12)

Linalool (380)* Monosodium Fumarate (Sodium Fumarate) (317)

Linalyl Acetate (145)*

L-Lysine L-Aspartate (377)

Monosodium Succinate (127)

L-Lysine L-Glutamate (379)

Monostarch Phosphate (398)

L-Lysine Monohydrochloride (378) Morpholine Salts of Fatty Acids (369)*

Magnesium Carbonate (219)

Magnesium Chloride (73)

Neotame (265)

Magnesium Hydroxide (202) Nicotinamide (Niacinamide) (255)*
Magnesium Oxide (150) Nicotinic Acid (Niacin) (254)*

Magnesium Silicate(119)* Nisin (251)*

Magnesium Stearate (205)*

Magnesium Sulfate (393) γ-Nonalactone (Nonalactone) (266)*

DL-Malic Acid (dl-Malic Acid) (394) Octanal (Capryl Aldehyde or Octyl Aldehyde) (76)*

Nitrous Oxide (3)*

Maltol (351)* Oxalic Acid (173)*

D-Mannitol (D-Mannite) (352)*

Oxidized Starch (149)

dl-Menthol (dl-Peppermint Camphor) (367)* 2-Pentanol(sec-Amylalcohol)(336)*

Henthol (Peppermint Camphor) (368)*

Herillaldehyde (333)*

l-Menthyl Acetate (144)* Phenethyl Acetate (Phenylethyl Acetate) (141)*

DL-Methionine (355) Phenethylamine (308)*

L-Methionine (356) Phenol Ethers (except those generally recognized as

Methyl Anthranilate (35)* highly toxic) (309)* Ref.

2-Methylbutanol (363)* Phenols (except those generally recognized as highly

3-Methyl-2-butanol(364)* toxic) (310)* Ref.

L-Phenylalanine (304) Propyl Gallate (339)*

o-Phenylphenol and Sodium o-Phenylphenate (79)* Propyl p-Hydroxybenzoate (274)*

Phosphated Distarch Phosphate (411) Propylene Glycol (327)*

Phosphoric Acid (396) Propylene Glycol Alginate (32)*

Piperonal (Heliotropine) (292)*

Propylene Glycol Esters of Fatty Acids (328)

Piperonyl Butoxide (293)*

Pyridoxine Hydrochloride (Vitamin B6) (295)

Piperidine (291)* Pyrrolidine (298)*

Polybutene (Polybutylene) (347)* Riboflavin (Vitamin B2) (383)

Polyisobutylene (Butyl Rubber) (341)*

Riboflavin 5'-Phosphate Sodium (Riboflavin Phosphate

Polysorbate 20 (342)* Sodium, Vitamin B2 Phosphate Sodium) (385)

Polysorbate 60 (343)* Riboflavin Tetrabutyrate (Vitamin B2 Tetrabutyrate)

Polysorbate 65 (344)* (384)

Polysorbate 80 (345)* Saccharin (146)*

Polyvinyl Acetate (140)* Silicon Dioxide (Silica Gel) (258)*

Polyvinylpolypyrrolidone (346)* Silicone Resin (Polydimethylsiloxane) (196)*

Potassium Alginate (29) Sodium Acetate (139)
Potassium DL-Bitartrate (Potassium Hydrogen Sodium Alginate (31)

DL-Tartrate or Potassium Hydrogen dl-Tartrate)
Sodium L-Ascorbate (Vitamin C Sodium) (10)

(177) Sodium Benzoate (34)*

Potassium L-Bitartrate (Potassium Hydrogen Sodium Bicarbonate (Bicarbonate Soda or Sodium

L-Tartrate or Potassium Hydrogen *d*-Tartrate) (178) Hydrogen Carbonate) (217)

Potassium Bromate (174)* Sodium Carbonate (Crystal: Carbonate Soda,

Potassium Carbonate (anhydrous) (214) Anhydrous: Soda Ash) (218)

Potassium Chloride (70) Sodium Carboxymethylcellulose (Sodium Cellulose

Potassium Dihydrogen Phosphate (Monopotassium Glycolate) (86)*

Phosphate) (405) Sodium Carboxymethylstarch (239)*

Potassium Gluconate (108) Sodium Caseinate (83)
Potassium Hydroxide (Caustic Potash) (199)* Sodium Chlorite (2)*

Potassium Metaphosphate (353)

Sodium Chondroitin Sulfate (130)*

Potassium Nitrate (181)*

Sodium Copper Chlorophyllin (241)*

Potassium Norbixin (267)*

Sodium Dehydroacetate (236)*

Potassium Polyphosphate (348) Sodium Dihydrogen Phosphate (Monosodium

Potassium Pyrophosphate (Tetrapotassium Phosphate) (409)

Pyrophosphate) (299) Sodium Erythorbate (Sodium Isoascorbate) (67)*

Potassium Pyrosulfite (Potassium Hydrogen Sulfite or Sodium Ferrous Citrate (Sodium Iron Citrate) (97)

Potassium Metabisulfite) (296)* Sodium Gluconate (111)

Potassium Sorbate (211)*

Sodium Hydrosulfite (Hydrosulfite) (154)*

Propanol (319)*

Sodium Hydroxide (Caustic Soda) (201)*

Propionaldehyde (320)* Sodium Hypochlorite (Hypochlorite of Soda) (153)*

Propionic Acid (321)* Sodium Iron Chlorophyllin (233)*

Sodium Lactate (264) (223)

Sodium DL-Malate (Sodium dl-Malate) (395)

Thiamine Dilaurylsulfate (Vitamin B1 Dilaurylsulfate)

Sodium Metaphosphate (354) (226)

Sodium Methoxide (Sodium Methylate) (253)* Thiamine Hydrochloride (Vitamin B1 Hydrochloride)

Sodium Nitrate (182)* (221)

Sodium Nitrite (5)*

Thiamine Mononitrate (Vitamin B1 Mononitrate) (222)

Sodium Norbixin (268)*

Thiamine Naphthalene-1,5-Disulfonate (Vitamin B1

Sodium Oleate (80)* Naphthalene-1,5-Disulfonate) (225)

Sodium Pantothenate (279) Thiamine Thiocyanate (Vitamin B1 Thiocyanate) (224)
Sodium Polyacrylate (340)* Thioethers (except those generally recognized as highly

Sodium Polyphosphate (349) toxic) (227)* Ref.

Sodium Propionate (325)* Thiols (Thioalcohols) (except those generally recognized

DL-Threonine (249)

Sodium Pyrophosphate (Tetrasodium Pyrophosphate) as highly toxic) (228)* Ref.

(303)

Sodium Pyrosulfite (Sodium Metabisulfite, Acid Sulfite L-Threonine (250)

of Soda) (297)* Titanium Dioxide (260)*

Sodium Saccharin (Soluble Saccharin) (147)* dl-α-Tocopherol (243)*

Sodium Sulfate (392) all-rac-a-Tocopheryl Acetate (244)*
Sodium Sulfite (26)*
R,R,R-a-Tocopheryl Acetate (245)*

Sorbic Acid (210)* Tricalcium Phosphate (Calcium Phosphate, Tribasic)

Sorbitan Esters of Fatty Acids (208) (400)*

D-Sorbitol (D-Sorbit) (209) Trimagnesium Phosphate (401) Sodium Stearoyl Lactylate (207)* 2,3,5-Trimethylpyrazine (248)*

Starch Acetate (138) Tripotassium Phosphate (Potassium Phosphate,

Starch Sodium Octenyl Succinate (78) Tribasic) (399)

Succinic Acid (126) Trisodium Citrate (Sodium Citrate) (100)

Sucralose (Trichlorogalactosucrose) (203) Trisodium Phosphate (Sodium Phosphate, Tribasic)

Sucrose Esters of Fatty Acids (195) (410)

Sulfur Dioxide (Sulfurous Acid, Anhydride) (256)* DL-Tryptophan (246)
Sulfuric Acid (386)* L-Tryptophan (247)

DL-Tartaric Acid (dl-Tartaric Acid) (175) Y-Undecalactone (Undecalactone) (55)*

L-Tartaric Acid (d-Tartaric Acid) (176) Valeraldehyde (277)*

Terpene Hydrocarbons (238)* Ref. L-Valine (276)
Terpineol (237)* Vanillin (269)*

Terpinyl Acetate (137)* Vitamin A (Retinol) (283)

2,3,5,6-Tetramethylpyrazine (235)* Vitamin A Fatty Acids Esters (Retinol Esters of Fatty

5,6,7,8-Tetrahydroquinoxalin(234)* Acids Esters) (284)

L-Theanine (229) Xylitol (91)

Thiabendazole (220)* Zinc salts (limited to Zinc Gluconate and Zinc Sulfate)

Thiamine Dicetylsufate (Vitamin B1 Dicetylsufate) (1)*

.....

As to the following eighteen classes of substances (all only permitted as flavorings) marked with "Ref." in the table above, the Ministry of Health, Labour and Welfare notifies from time to time the examples of flavorings used for food in Japan based on the results of investigation. The following list shows the examples contained in the notifications in 20 May, 14 August, and 1 October, 2003, and 9 February, 2009: Isothiocyanates, Indoles/its derivatives, Esters, Ethers, Ketones, Fatty Acids, Aliphatic Higher Alcohols, Aliphatic Higher Aldehydes, Aliphatic Higher Hydrocarbons, Thioethers, Thiols (Thioalcohols), Terpene Hydrocarbons, Phenol Ethers, Phenols, Furfurals/its derivatives, Aromatic Alcohols, Aromatic Aldehydes, Lactones

43* Isothiocyanates (except those generally recognized as highly toxic)				
Name	CAS No.			
amyl isothiocyanate	629-12-9			
benzyl isothiocyanate	622-78-6			
3-butenyl isothiocyanate	3386-97-8			
butyl isothiocyanate	592-82-5			
sec butyl isothiocyanate	4426-79-3			
5-hexenyl isothiocyanate	49776-81-0			
hexyl isothiocyanate	4404-45-9			
isoamyl isothiocyanate	628-03-5			
isobutyl isothiocyanate	591-82-2			
isopropyl isothiocyanate	2253-73-8			
6-(methylthio)hexyl isothiocyanate	4430-39-1			
3-(methylthio)propyl isothiocyanate	505-79-3			
4-pentenyl isothiocyanate	18060-79-2			
phenethyl isothiocyanate	2257-09-2			
4-(methylthio)butyl isothiocyanate	4430-36-8			
5-(methylthio)pentyl isothiocyanate	4430-42-6			
ethyl isothiocyanate	542-85-8			
methyl isothiocyanate	556-61-6			

53*	Indoles/its derivatives	
	Name	CAS No.
indole		120-72-9
2-methylii	ndole	95-20-5
skatole		83-34-1

57*	Esters		
	Name	CAS No.	
acetoin acetate		4906-24-5	
3-acetoxy	7-2-butyl butyrate		
4-(3-oxob	utyl)phenyl acetate	3572-06-3	
vanillin a	acetate	881-68-5	
allyl 10-u	indecenoate	7493-76-7	
allyl 2-et	hylbutyrate	7493-69-8	
allyl 2-fu	roate	4208-49-5	
allyl (2-m	nethylbutoxy)acetate	67634-01-9	
allyl 2-m	ethylbutyrate	93963-13-4	
allyl acet	ate	591-87-7	
allyl acet	oacetate	1118-84-9	
allyl anthranilate		7493-63-2	
allyl buty	yrate	2051-78-7	

	1000 01 7
allyl cinnamate	1866-31-5
allyl 2-butenoate	20474-93-5
allyl cyclohexylacetate	4728-82-9
allyl cyclohexyloxypropionate	
allyl decanoate	57856-81-2
allyl formate	1838-59-1
allyl heptanoate	142-19-8
allyl (3-methylbutoxy)acetate	67634-00-8
allyl isobutyrate	15727-77-2
allyl 4-methylpentanoate	
allyl isovalerate	2835-39-4
allyl levulinate	1070-35-5
allyl nonanoate	7493-72-3
allyl octanoate	4230-97-1
allyl phenoxyacetate	7493-74-5
allyl phenylacetate	1797-74-6
allyl pivalate	1101 14 0
allyl propionate	2408-20-0
allyl pyruvate	2±00 20 0
	7402-75-6
allyl sorbate	7493-75-6
Sallyl propanethioate	41820-22-8
allyl tiglate	7493-71-2
allyl valerate	6321-45-5
amyl 2-furoate	1334-82-3
amyl 2-methylbutyrate	68039-26-9
amyl acetate	628-63-7
amyl angelate	7785-63-9
amyl anthranilate	30100-15-3
amyl benzoate	2049-96-9
amyl butyrate	540-18-1
amyl cinnamate	3487-99-8
amyl 2-butenoate	25415-76-3
amyl decanoate	5933-87-9
amyl formate	638-49-3
amyl heptanoate	7493-82-5
amyl hexanoate	540-07-8
· ·	
amyl isobutyrate	2445-72-9
amyl 4-methylpentanoate	0×41× 00 F
amyl isovalerate	25415-62-7
amyl lactate	6382-06-5
amyl laurate	5350-03-8
amyl levulinate	20279-49-6
amyl nonanoate	61531-45-1
amyl octanoate	638-25-5
amyl phenylacetate	5137-52-0
amyl propionate	624-54-4
amyl salicylate	2050-08-0
amyl tiglate	7785-65-1
amyl valerate	2173-56-0
alpha-amylcinnamyl acetate	7493-78-9
alpha-amylcinnamyl isovalerate	7493-80-3
anisyl acetate	104-21-2
anisyl butyrate	6963-56-0
anisyl formate	122-91-8
anisyl hexanoate	6624-60-8
anisyl isobutyrate	
anisyl isovalerate	68922-04-3
anisyl phenylacetate	102-17-0
anisyl propionate	7549-33-9

anisyl valerate	
benzyl 2-methylbutyrate	56423-40-6
benzyl acetoacetate	5396-89-4
benzyl benzoate	120-51-4
benzyl butyrate	103-37-7
benzyl cinnamate	103-74-3
benzyl 2-butenoate	65416-24-2
benzyl decanoate benzyl decanoate	42175-41-7
benzyl decanoate benzyl formate	
benzyl formate benzyl hexanoate	104-57-4 6938-45-0
benzyl isobutyrate	103-28-6
benzyl isovalerate benzyl isovalerate	103-28-6
benzyl lactate	2051-96-9
benzyl laurate	140-25-0
benzyl levulinate benzyl levulinate	6939-75-9
benzyl nonanoate	6471-66-5
benzyl nonanoate benzyl octanoate	10276-85-4
· ·	10276-89-4
benzyl phenylacetate	
benzyl salicylate	118-58-1
benzyl tiglate	37526-88-8
benzyl valerate	10361-39-4
bornyl acetate	76-49-3
bornyl butyrate	13109-70-1
bornyl formate	7492-41-3
bornyl isovalerate	76-50-6
bornyl propionate	20279-25-8
bornyl valerate	7549-41-9
2,3-butanediol diacetate	1114-92-7
butyl trans-2-butenoate	591-63-9
butyl 2-decenoate butyl 2-hexenoate	7492-45-7
butyl 2-nexenoate butyl 2-methylbutyrate	13416-74-5 15706-73-7
butyl 3-hexenoate	19700-79-7
Sec butyl 3 methylbutanethioate	2432-91-9
butyl 3-(methylthio)propionate	2432 91 9
sec butyl acetate	105-46-4
butyl acetate butyl acetate	591-60-6
butyl argelate	7785-64-0
butyl angelate butyl anthranilate	7756-96-9
butyl benzoate	136-60-7
butyl benzoate butyl butyryllactate	7492-70-8
butyl butyrylacetate	1432 10 0
butyl butylylacetate butyl cinnamate	538-65-8
butyl 2-butenoate	7299-91-4
butyl 2 butenoate butyl decanoate	30673-36-0
butyl decandate butyl formate	592-84-7
butyl heptanoate	5454-28-4
butyl hexanoate	626-82-4
butyl isobutyrate	97-87-0
butyl isobutyrate butyl isovalerate	109-19-3
butyl lactate	138-22-7
butyl laurate	106-18-3
butyl levulinate	2052-15-5
butyl nethacrylate	97-88-1
butyl metnacrylate butyl beta-methyl-beta-phenylglycidate	J1 00 1
butyl myristate	110-36-1
butyl nonanoate	50623-57-9
butyl octanoate butyl octanoate	589-75-3
butyl octanoate butyl oleate	142-77-8
nutyi oieate	144 11 0

butyl palmitate	111-06-8
butyl phenylacetate	122-43-0
butyl 4-hydroxybenzoate	94-26-8
butyl pivalate	5129-37-3
butyl propionate	590-01-2
butyl salicylate	2052-14-4
butyl sorbate	7367-78-4
butyl stearate	123-95-5
butyl tiglate	7785-66-2
butyl undecanoate	
butyl 10-undecenoate	109-42-2
butyl valerate	591-68-4
2-butoxyethyl acetate	112-07-2
carvyl 2-methylbutyrate	
cis-carvyl acetate	1205-42-1
carvyl acetate	97-42-7
carvyl butyrate	93919-04-1
carvyl formate	29239-07-4
carvyl hexanoate	
carvyl isobutyrate	0.4000.00.7
carvyl isovalerate	94386-39-7
carvyl propionate	97-45-0
carvyl valerate	MEO.00 04 0
beta-caryophyllene acetate cedryl acetate	57082-24-3
hexadecyl acetate	77-54-3
nexadecyi acetate cinnamyl anthranilate	629-70-9 87-29-6
cinnamyl anthranilate cinnamyl benzoate	5320-75-2
cinnamyl benzoate cinnamyl butyrate	103-61-7
cinnamyl cinnamate	122-69-0
cinnamyl formate	104-65-4
cinnamyl hexanoate	104 00 4
cinnamyl isobutyrate	103-59-3
cinnamyl isovalerate	140-27-2
cinnamyl phenylacetate	7492-65-1
cinnamyl propionate	103-56-0
cinnamyl tiglate	61792-12-9
cinnamyl valerate	10482-65-2
citronellyl propionate	141-14-0
citronellyl butyrate	141-16-2
citronellyl decanoate	
citronellyl hexanoate	10580-25-3
citronellyl isobutyrate	97-89-2
citronellyl isovalerate	68922-10-1
citronellyl octanoate	72934-05-5
citronellyl phenylacetate	139-70-8
citronellyl tiglate	24717-85-9
citronellyl valerate	7540-53-6
4-methylphenyl butyrate	14617-92-6
4-methylphenyl hexanoate	68141-11-7
4-methylphenyl isobutyrate	103-93-5
4-methylphenyl phenylacetate	101-94-0
4-methylphenyl valerate	10415-86-8
cuminyl acetate	59230-57-8
4- <i>tert</i> -butylcyclohexyl acetate	32210-23-4
4-tert-butylcyclohexyl propionate	68797-70-6
cyclododecyl formate	59052-82-3
cyclohexyl acetoacetate	6947-02-0
cyclohexyl anthranilate	7779-16-0

1.1	9.0
cyclohexyl benzoate 2412-7	
cyclohexyl cinnamate 7779-1	
cyclohexyl formate 4351-5	
cyclohexyl hexanoate 6243-1	
cyclohexyl isobutyrate 1129-4	
cyclohexyl isovalerate 7774-4	
cyclohexyl phenylacetate 42288-	
cyclohexyl propionate 6222-3	
cyclohexyl salicylate 25485-	
cyclohexyl valerate 1551-4	
2-cyclohexylethyl acetate 21722-	83-8
cyclohexylethyl benzoate	
cyclohexylethyl butyrate 63449-	88-7
cyclohexylethyl formate	
cyclohexylethyl isobutyrate	
cyclohexylethyl isovalerate	
cyclohexylethyl propionate	
cyclohexylethyl valerate	
cyclotene butyrate 68227-	51-0
cyclotene isobutyrate	
cyclotene propionate 87-55-	8
9-decenyl acetate 50816-	18-7
2-decenyl acetate 19487-	61-7
decyl acetate 112-17	-4
decyl butyrate 5454-0	9-1
decyl formate 5451-5	2-5
decyl hexanoate 52363-	
decyl isobutyrate 5454-2	
decyl isovalerate 72928-	
decyl nonanoate	10 1
decyl octanoate 2306-8	9-0
decyl propionate 5454-1	
dibutyl malate 1587-1	
dibutyl sebacate 109-43	
dibutyl succinate 141-03	
diethyl adipate 141-28	
diethyl carbonate 105-58	
diethyl 1,12-dodecanedioate 10471-	
diethyl fumarate 623-91	
diethyl malate 7554-1	
diethyl maleate 141-05	
diethyl malonate 105-53	
diethyl oxalate 95-92-	
diethyl sebacate 93 92 1	
diethyl succinate 110-40 diethyl succinate 123-25	
diethyl tartrate 123-25 diethyl tartrate 87-91-2	
	4 3 0
dihydrocarvyl butyrate	0.4.7
dihydrocarvyl formate 93892-	U4-1
dihydrocarvyl hexanoate	
dihydrocarvyl isobutyrate	05.0
dihydrocarvyl isovalerate 93892-	Uə-8
dihydrocarvyl propionate	
dihydrocarvyl valerate	20.0
dihydrolinalyl acetate 50373-	60-9
dihydrolinalyl butyrate	
diisoamyl succinate 818-04	
diisobutyl adipate 141-04 diisoamyl mercaptobutanedioate 68084-	

0	10004-24-5
2-methyl-1-phenyl-2-propyl butyrate	10094-34-5
2-methyl-1-phenyl-2-propyl 2-butenoate 2-methyl-1-phenyl-2-propyl formate	93762-34-6
	10058-43-2
2-methyl-1-phenyl-2-propyl isobutyrate	59354-71-1 67785-77-7
2-methyl-1-phenyl-2-propyl propionate dimethyl malonate	
, , , , , , , , , , , , , , , , , , ,	108-59-8
2-methyl-4-phenyl-2-butyl acetate	103-07-1
2-methyl-4-phenyl-2-butyl isobutyrate	10031-71-7
2-phenyl-2-propyl isobutyrate	7774-60-9
dimethyl sebacate dimethyl succinate	106-79-6
2,6-dimethyl-4-heptenyl acetate	106-65-0
2,6-dimethyl-4-heptyl acetate 2,6-dimethyl-4-heptyl acetate	10250-45-0
1,1-dimethyl-2-propenyl acetate	24509-88-4
	3425-72-7
2-phenyl-2-propyl acetate	
2,4-dimethylbenzyl acetate	62346-96-7
2-methyl-1-phenyl-2-propyl acetate	151-05-3
2-phenyl-2-propyl formate	C7074-90-0
3,7-dimethyloctyl butyrate	67874-80-0
dipropyl adipate	1117-10-7
dipropyl malonate	1117-19-7
dipropyl succinate	925-15-5 38363-23-4
2-dodecenyl acetate dodecyl butyrate	
	3724-61-6
dodecyl isobutyrate	6624-71-1
dodecyl isovalerate	0000-00-7
dodecyl lactate	6283-92-7
dodecyl propionate ethyl 10-undecenoate	6221-93-8
ethyl 2-(methyldithio)propionate	692-86-4 23747-43-5
ethyl 2-(methylthio)propionate ethyl (methylthio)acetate	4455-13-4
ethyl (methylimo/acetate ethyl 2,4-decadienoate	7328-34-9
37549-74-9	1020 04 0
ethyl alpha-acetylcinnamate	620-80-4
ethyl 2-acetyldecanoate	24317-95-1
ethyl 2-acetyldodecanoate	40778-32-3
ethyl 2-acetylhexanoate	1540-29-0
ethyl 2-acetyloctanoate	29214-60-6
ethyl 2-acetylpropionate	609-14-3
ethyl 2-acetyl-3-phenylpropionate	620-79-1
ethyl 2-ethoxybenzoate	020 73 1
ethyl alpha-ethyl-beta-methyl-beta-phenylglycidate	56630-76-3
ethyl alpha-ethyl-beta-phenylglycidate	50050 10 5
ethyl 2-benzylbutyrate	2983-36-0
ethyl 2-ethylbutyrate	2983-38-2
ethyl 2-ethylbutyrate ethyl 2-ethylhexanoate	2983-37-1
ethyl 2-furfurylpropionate	2000 01 1
ethyl 2-furoate	614-99-3
ethyl 2-hexanoyloxyhexanoate	011000
ethyl 2-hexanoyloxynexanoate ethyl 2-hexanoate	1552-67-6
ethyl 2-hydroxy-3-phenylpropionate	15399-05-0
ethyl 2-hydroxy-4-methylpentanoate	10348-47-7
ethyl mercaptoacetate	623-51-8
ethyl 2-mercaptopropionate	19788-49-9
ethyl 2-methyl-(3or4)-pentenoate	10100 10 0
ethyl 2-methyl-3,4-pentadienoate	60523-21-9
ethyl 2-methyl-3-pentadienoate	1617-23-8
ethyl 2-methyl-4-pentenoate	53399-81-8
ethyl 2-methylbutyrate	7452-79-1
Conyi 2 moniyibacyiace	1704 IU 1

ethyl 2-methylpentanoate 3924 28959-02-6 ethyl 2-(methylthio)propionate 4086	55-32-8
ethyl 2-(methylthio)propionate 4080	00.50.0
11.10	
, and the second	63-01-3
, and the second	1-90-8
7367-82-0	
ethyl 2-oxo-3-phenylbutyrate	
	26-02-3
· · · · ·	27-56-5
3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	07-75-9
V V V	564-43-5
t t	46-49-7
	88-61-4
	54-66-1
V V A A	78-27-0
y	6-83-0
26553-46-8	
64187-83-3	
	5-41-4
	5-25-1
	7-90-0
ethyl 3-mercaptopropionate 5460	6-06-8
ethyl 3-methylpentanoate 5870	0-68-8
ethyl 3-nonenoate	
ethyl 3-octenoate	7-65-3
69668-87-7	
	9-68-1
	88-95-6
	1-28-5
	-47-8
t t	95-71-1
ethyl 4-(4-methylphenoxy)benzoate	00 11 1
ethyl 5-acetoxydecanoate	
	34-25-4
· ·	53-25-7
	1-25-6
75587-06-3	1 20 0
ethyl 5-hydroxynonanoate	
	87-05-2
	19-00-7
ethyl 5-oxooctanoate	19 00 7
	33-91-4
	46-22-4
· ·	
	3-10-1 0-17-1
	0-17-1 5-22-c
	5-28-6
	-88-5 44-07-C
	44-97-6
ethyl 2-methyl-1-oxaspiro[2.5]octane-2-carboxylate	20.4
ethyl 4-methoxybenzoate 94-3	
ethyl anthranilate 87-2	
ethyl benzoate 93-8	
ethyl benzoylacetate 94-0	
	05-51-2
136115-65-6	
136115-66-7	
	-39-1
	62-27-6
ethyl <i>cis</i> -4-decenoate 736	7-84-2

- 1 101 1	000 50 1
ethyl 2-butenoate	623-70-1
10544-63-5	10004.00 5
ethyl 3-cyclohexylpropionate	10094-36-7
ethyl formate	109-94-4
ethyl 3-(2-furyl)propionate	10031-90-0
ethyl geranate	13058-12-3
ethyl heptadecanoate	14010-23-2
ethyl isobutyrate	97-62-1
ethyl 4-methylpentanoate	25415-67-2
ethyl lactate	97-64-3
ethyl laurate	106-33-2
ethyl levulinate	539-88-8
ethyl levulinate diethyl acetal	
ethyl levulinate propyleneglycol acetal	
ethyl linoleate	544-35-4
ethyl linolenate	1191-41-9
ethyl methoxyacetate	3938-96-3
ethyl beta-methyl-beta-phenylglycidate	77-83-8
ethyl beta-methyl-beta-(4-methylphenyl)glycidate	74367-97-8
ethyl myristate	124-06-1
ethyl nicotinate	614-18-6
ethyl nonadecanoate	18281-04-0
ethyl nonanoate	123-29-5
ethyl 2-methoxybenzoate	7335-26-4
ethyl oleate	111-62-6
ethyl palmitate	628-97-7
ethyl pentadecanoate	41114-00-5
1-phenylpropyl butyrate	10031-86-4
ethyl pivalate	3938-95-2
ethyl beta-(4-methylphenyl)glycidate	52788-71-3
ethyl propionyllactate	02100110
ethyl pyruvate	617-35-6
ethyl ricinoleate	55066-53-0
ethyl safranate	35044-57-6
35044-59-8	00011 07 0
ethyl salicylate	118-61-6
ethyl sorbate	2396-84-1
ethyl stearate	111-61-5
Sethyl ethanethioate	625-60-5
ethyl tiglate	5837-78-5
ethyl trans, cis-2,4-decadienoate	3025-30-7
ethyl <i>trans</i> -2-decenoate	7367-88-6
ethyl <i>trans</i> 2 decendate ethyl <i>trans</i> 2-hexenoate	27829-72-7
	21029-12-1
ethyl trans-3-decenoate	MEROO AR E
ethyl 3-ethoxy- <i>trans</i> -2-butenoate	57592-45-7
ethyl trans-3-octenoate	26553-47-9
ethyl trans-4-decenoate	76649-16-6
ethyl <i>trans</i> -4-octenoate	78989-37-4
ethyl undecanoate	627-90-7
ethyl valerate	539-82-2
ethyl vanillate	617-05-0
3-methyl-1-phenyl-3-pentyl acetate	72007-81-9
2-ethylbutyl acetate	10031-87-5
ethyleneglycol diacetate	111-55-7
2-ethoxyethyl acetate	111-15-9
2-ethylhexyl 3-mercaptopropionate	50448-95-8
2-ethylhexyl acetate	103-09-3
2-ethylhexyl benzoate	5444-75-7
2-ethylhexyl formate	5460-45-7

Seathyllogyal havanagta	16207-75-4
2-ethylhexyl presionate	16397-75-4
2-ethylmeyl propionate	6293-37-4
ethyl maltol propionate	02005-79-9
ethyl maltol butyrate ethyl maltol isobutyrate	93805-72-2 852997-28-5
ethyl maitol isobutyrate ethylvanillin isobutyrate	188417-26-7
eugenyl acetate	93-28-7
eugenyl acetate eugenyl benzoate	531-26-0
eugenyl formate	10031-96-6
eugenyl formate eugenyl phenylacetate	10402-33-2
methyl 2,4-dihydroxy-3,6-dimethylbenzoate	4707-47-5
farnesyl acetate	29548-30-9
fenchyl acetate	13851-11-1
fenchyl butyrate	10001 11 1
2,5-dimethyl-4-oxo-3(5 <i>H</i>)-furyl acetate	4166-20-5
furfuryl isobutyrate	6270-55-9
furfuryl acetate	623-17-6
furfuryl butyrate	623-21-2
furfuryl decanoate	
furfuryl formate	13493-97-5
furfuryl heptanoate	39481-28-2
furfuryl hexanoate	39252-02-3
furfuryl isovalerate	13678-60-9
furfuryl octanoate	39252-03-4
furfuryl propionate	623-19-8
S-furfuryl ethanethioate	13678-68-7
S-furfuryl propanethioate	59020-85-8
furfuryl valerate	36701-01-6
S-furfuryl methanethioate	59020-90-5
geranyl 2-methylbutyrate	68705-63-5
geranyl acetoacetate	10032-00-5
geranyl anthranilate	67874-69-5
geranyl benzoate	94-48-4
geranyl butyrate	106-29-6
geranyl 2-butenoate	56172-46-4
geranyl hexanoate	10032-02-7
geranyl isobutyrate	2345-26-8
geranyl isovalerate	109-20-6
geranyl phenylacetate	102-22-7
geranyl propionate	105-90-8
geranyl tiglate	7785-33-3
geranyl valerate	10402-47-8
glyceryl (mono or di or tri)-5-hydroxydecanoate	26446-31-1
glyceryl (mono or di or tri)-5-hydroxydodecanoate	26446-32-2
2-methoxyphenyl acetate	613-70-7
2-methoxyphenyl phenylacetate	4112-89-4
guaiyl acetate	134-28-1
2-heptenyl acetate	16939-73-4
heptyl 2-methylbutyrate	50862-12-9
2-heptyl acetate	5921-82-4
heptyl acetate	112-06-1
heptyl butyrate	5870-93-9
heptyl butyryllactate	10099 00 9
heptyl cinnamate	10032-08-3
heptyl decanoate	60160-17-0
heptyl formate	112-23-2
heptyl heptanoate	624-09-9
heptyl hexanoate	6976-72-3
heptyl isobutyrate	2349-13-5

heptyl 4-methylpentanoate	
heptyl isovalerate	56423-43-9
heptyl nonanoate	71605-85-1
heptyl octanoate	4265-97-8
heptyl propionate	2216-81-1
2,4-hexadienyl acetate	1516-17-2
3-hexadenyi acetate 3-hexenyl 2-ethylbutyrate	94071-12-2
cis-3-hexenyl 2-furoate	01011 12 2
3-hexenyl 2-hexenoate	53398-87-1
cis-3-hexenyl 2-methylbutyrate	53398-85-9
3-hexenyl 2-methylbutyrate	10094-41-4
trans-2-hexenyl 2-methylbutyrate	94089-01-7
cis-3-hexenyl 2-methylpentanoate	01000 01 1
3-hexenyl 3-hexenoate	61444-38-0
3-hexenyl 4-methylpentanoate	
2-hexenyl acetate	10094-40-3
cis-2-hexenyl acetate	56922-75-9
cis-3-hexenyl acetate	3681-71-8
trans-2-hexenyl acetate	2497-18-9
1-hexenyl acetate	32797-50-5
trans-3-hexenyl acetate	3681-82-1
5-hexenyl acetate	5048-26-0
cis-3-hexenyl acetoacetate	84434-20-8
cis-3-hexenyl 4-methoxybenzoate	121432-33-5
cis-3-hexenyl anthranilate	65405-76-7
cis-3-hexenyl benzoate	25152-85-6
trans-2-hexenyl benzoate	
cis-3-hexenyl butyrate	16491-36-4
trans-2-hexenyl butyrate	53398-83-7
cis-4-hexenyl butyrate	
cis-3-hexenyl cinnamate	68133-75-5
trans-2-hexenyl cinnamate	
cis-3-hexenyl 2-butenoate	65405-80-3
cis-3-hexenyl decanoate	85554-69-4
trans-2-hexenyl decanoate	
cis-3-hexenyl formate	33467-73-1
trans-2-hexenyl formate	53398-78-0
cis-3-hexenyl heptanoate	61444-39-1
cis-3-hexenyl hexanoate	31501-11-8
trans-3-hexenyl hexanoate	56922-82-8
trans-2-hexenyl hexanoate	53398-86-0
cis-2-hexenyl hexanoate	56922-79-3
trans-2-hexenyl isobutyrate	
cis-3-hexenyl isobutyrate	41519-23-7
3-hexenyl isovalerate	10032-11-8
cis-3-hexenyl isovalerate	35154-45-1
trans-2-hexenyl isovalerate	68698-59-9
cis-3-hexenyl lactate	61931-81-5
trans-2-hexenyl lactate	85554-71-8
cis-3-hexenyl levulinate	85554-70-7
cis-3-hexenyl methyl carbonate	67633-96-9
cis-3-hexenyl nonanoate	88191-46-2
cis-3-hexenyl octanoate	61444-41-5
trans-2-hexenyl octanoate	85554-72-9
cis-3-hexenyl phenylacetate	42436-07-7
trans-2-hexenyl phenylacetate	68133-78-8
cis-3-hexenyl propionate	33467-74-2
trans-2-hexenyl propionate	53398-80-4
cis-3-hexenyl pyruvate	68133-76-6
cis-3-hexenyl pyruvate	68133-76-6

cis 3-hexenyl salicylate	65405-77-8
trans-2-hexenyl salicylate	68133-77-7
cis-3-hexenyl tiglate	67883-79-8
cis-3-hexenyl valerate	35852-46-1
trans-2-hexenyl valerate	56922-74-8
hexyl 2-ethylbutyrate	
hexyl 2-furoate	39251-86-0
hexyl 2-methylbutyrate	10032-15-2
hexyl 2-methylpentanoate	
2-hexyl acetate	5953-49-1
hexyl acetate	142-92-7
hexyl benzoate	6789-88-4
hexyl butyrate	2639-63-6
hexyl cinnamate	3488-00-4
hexyl 2-butenoate	1617-25-0
19089-92-0	
hexyl decanoate	10448-26-7
hexyl formate	629-33-4
hexyl heptanoate	1119-06-8
hexyl hexanoate	6378-65-0
hexyl isobutyrate	2349-07-7
hexyl 4-methylpentanoate	
hexyl isovalerate	10032-13-0
hexyl lactate	20279-51-0
hexyl levulinate	
hexyl nonanoate	6561-39-3
hexyl octanoate	1117-55-1
hexyl phenylacetate	5421-17-0
hexyl pivalate	5434-57-1
hexyl propionate	2445-76-3
hexyl salicylate	6259-76-3
hexyl sorbate	
hexyl tiglate	16930-96-4
hexyl trans-2-hexenoate	33855-57-1
hexyl valerate	1117-59-5
2-phenylpropyl butyrate	80866-83-7
2,2-dimethyl-1,3-dioxan-5-yl 5-hydroxydecanoate	
3-hydroxy-2-butyl 2-methylbutyrate	
3-hydroxy-2-butyl butyrate	59517-17-8
4-hydroxybenzyl acetate	3031, 1, 3
hydroxycitronellyl acetate	
isoamyl acetoacetate	2308-18-1
isoamyl 2-butenoate	25415-77-4
isoamyl 2-furoate	615-12-3
isoamyl 2-methylbutyrate	27625-35-0
isoamyl 2-methylpentanoate	2.020 00 0
isoamyl 3-methylpentanoate	
isoamyl anthranilate	
isoamyl benzoate	94-46-2
isoamyl cinnamate	7779-65-9
isoamyl decanoate	2306-91-4
isoamyl heptanoate	109-25-1
isoamyl hexanoate	2198-61-0
isoamyl isobutyrate	2050-01-3
isoamyl laurate	19329-89-6
isoamyl lavylinete	6309-51-9
isoamyl levulinate	71172-75-3
isoamyl myristate	62488-24-8
isoamyl nonanoate	7779-70-6

	2007.00.0
isoamyl octanoate	2035-99-6
isoamyl palmitate	81974-61-0
isoamyl pyruvate	7779-72-8
isoamyl salicylate	87-20-7
isoamyl sorbate	41 710 10 0
isoamyl tiglate	41519-18-0
isoamyl undecanoate	10000 00 0
isoamyl undecenoate isoamyl valerate	12262-03-2
isobornyl acetate	2050-09-1 125-12-2
isobornyl acetate isobornyl butyrate	58479-55-3
isobornyl formate	1200-67-5
isobornyl isovalerate	7779-73-9
isobornyl propionate	2756-56-1
isobutyl 2-methylbutyrate	2445-67-2
isobutyl 2-methylpentanoate	2110 01 2
isobutyl 3-(methylthio)butyrate	127931-21-9
isobutyl 4-decenoate	106450-11-7
isobutyl acetate	110-19-0
isobutyl acetoacetate	7779-75-1
isobutyl angelate	7779-81-9
isobutyl anthranilate	7779-77-3
isobutyl benzoate	120-50-3
isobutyl butyrate	539-90-2
isobutyl cinnamate	122-67-8
isobutyl 2-butenoate	589-66-2
isobutyl decanoate	30673-38-2
isobutyl formate	542-55-2
isobutyl 3-(2-furyl)propionate	105-01-1
isobutyl heptanoate	7779-80-8
isobutyl hexanoate	105-79-3
isobutyl isobutyrate	97-85-8
isobutyl isovalerate	589-59-3
isobutyl lactate	585-24-0
isobutyl laurate	37811-72-6
isobutyl levulinate	3757-32-2
isobutyl myristate	25263-97-2
isobutyl N-methylanthranilate	65505-24-0
isobutyl nonanoate	30982-03-7
isobutyl octanoate	5461-06-3
isobutyl palmitate	110-34-9
isobutyl phenoxyacetate	5432-66-6
isobutyl pivalate	5129-38-4
isobutyl propionate	540-42-1
isobutyl pyruvate isobutyl salicylate	13051-48-4 87-19-4
	646-13-9
isobutyl stearate isobutyl tiglate	61692-84-0
isobutyl trans-3-hexenoate	01032 04 0
isobutyl 10-undecenoate	5421-27-2
isobutyl valerate	10588-10-0
isodecyl acetate	69103-24-8
	68478-36-4
isoeugenyl acetate	93-29-8
isoeugenyl formate	7774-96-1
isoeugenyl phenylacetate	120-24-1
isoheptyl butyrate	
4-methylpentyl benzoate	
4-methylpentyl 4-methylpentanoate	
	1

2.2 5-twimothyllogyyl ggotato	61836-75-7
3,3,5-trimethylhexyl acetate isoamyl 3-(methylthio)propionate	93762-35-7
isopropyl 2-methylbutyrate	66576-71-4
isopropyl acetate	108-21-4
isopropyl acetate isopropyl acetate	542-08-5
isopropyl benzoate	939-48-0
isopropyl butyrate	638-11-9
isopropyl cinnamate	7780-06-5
isopropyl 2-butenoate	6284-46-4
. 11	18060-77-0
isopropyl decanoate	2311-59-3
isopropyl formate	625-55-8
isopropyl heptanoate	34997-46-1
isopropyl hexanoate	2311-46-8
isopropyl isobutyrate	617-50-5
isopropyl isovalerate	32665-23-9
isopropyl lactate	617-51-6
isopropyl laurate	10233-13-3
isopropyl levulinate	21884-26-4
isopropyl N -methylanthranilate	
isopropyl myristate	110-27-0
isopropyl nonanoate	28267-32-5
isopropyl octanoate	5458-59-3
isopropyl palmitate	142-91-6
isopropyl phenylacetate	4861-85-2
isopropyl propionate	637-78-5
isopropyl sorbate	44987-75-9
isopropyl tiglate	1733-25-1
isopropyl valerate	18362-97-5
4-isopropylcyclohexyl acetate	15876-32-1
isopulegyl acetate	89-49-6
	57576-09-7
3-oxobutane-2,2-diyl dibutyrate	71808-61-2
dodecyl acetate	112-66-3
lavandulyl acetate	25905-14-0
1,8(10)-p-menthadien-9-yl acetate	15111-97-4
linalool oxide acetate (furanoid)	56469-39-7
linalyl acetate epoxide	
linalyl anthranilate	7149-26-0
linalyl benzoate	126-64-7
linalyl butyrate	78-36-4
linalyl cinnamate	78-37-5
linalyl formate	115-99-1
linalyl hexanoate	7779-23-9
linalyl isobutyrate	78-35-3
linalyl isovalerate	1118-27-0
linalyl octanoate	10024-64-3
linalyl octanoate linalyl phenylacetate	7143-69-3
linalyl propionate	144-39-8
maltol butyrate	67860-01-9
maltol butyrate maltol isobutyrate	65416-14-0
maltol isobutyrate maltol propionate	68555-63-5
	58985-18-5
p-menthan-8-yl acetate	
Lucanthal Omethallastanete	80-25-1
I menthyl 2-methylbutyrate	53004-93-6
menthyl 3-hydroxybutyrate	108766-16-1
menthyl acetate	89-48-5
	29066-34-0
	16409-45-3

Fmenthyl butyrate Fmenthyl 2-butenoate Fmenthyl ethoxyacetate menthyl formate	2623-23-6 6070-14-0 579-94-2
I menthyl 2-butenoate I menthyl ethoxyacetate	
Fmenthyl ethoxyacetate	579-94-2
	010 01 2
	2230-90-2
	61949-23-3
menthyl hexanoate	6070-16-2
Fmenthyl isobutyrate	68366-65-4
menthyl isovalerate	16409-46-4
Fmenthyl lactate	59259-38-0
Fmenthyl phenylacetate	26171-78-8
Fmenthyl propionate	4951-48-8
menthyl salicylate	89-46-3
I-menthyl tiglate	
menthyl valerate	64129-94-8
3-mercapto-3-methylbutyl formate	50746-10-6
3-mercaptohexyl acetate	136954-20-6
S-methyl ethanethioate	1534-08-3
3-(methylthio)propyl phenylacetate	
3-(methylthio)propyl mercaptoacetate	
2-methoxyethyl acetoacetate	22502-03-0
S-methyl 2-acetoxypropanethioate	74586-09-7
methyl (methylthio)acetate	16630-66-3
methyl 10-undecenoate	111-81-9
methyl 2-(methylthio)butyrate	51534-66-8
S-methyl 2-(propionyloxy)propanethioate	
methyl 2,4-decadienoate	4493-42-9
	7328-33-8
methyl 2-decenoate	2482-39-5
	7367-85-3
methyl 2-ethylbutyrate	816-11-5
methyl 2-furoate	611-13-2
methyl 2-hexenoate	2396-77-2
methyl 2-hydroxy-4-methylpentanoate	40348-72-9
methyl 2-methoxybenzoate	606-45-1
methyl 2-methylbutyrate	868-57-5 2177-77-7
methyl 2-methylpentanoate methyl 2-octenoate	
	2396-85-2 600-22-6
methyl pyruvate Smethyl 2-thiofuroate	13679-61-3
methyl 3-(furfurylthio)propionate	94278-26-9
methyl 3-(methylthio)propionate	13532-18-8
methyl 3-acetoxy-2-methylbutyrate	139564-42-4
methyl 3-acetoxybutyrate	89422-42-4
methyl 3-acetoxybexanoate	77118-93-5
monty o accomplications	21188-60-3
methyl 3-acetoxyoctanoate	35234-21-0
methyl 3-hexenoate	2396-78-3
	13894-61-6
methyl 3-hydroxybutyrate	1487-49-6
methyl 3-hydroxyhexanoate	21188-58-9
methyl 3-mercapto-2-methylpropionate	4131-76-4
methyl beta-methyl-beta-phenylglycidate	
methyl 3-nonenoate	13481-87-3
methyl 3-octenoate	74023-04-4
	35234-16-3
methyl 3-oxohexanoate	30414-54-1
methyl 3-phenylpropionate	103-25-3
methyl 4-(methylthio)butyrate	53053-51-3

methyl 4-decenoate	7367-83-1
methyl 4-hydroxybenzoate	99-76-3
methyl 4-methylpentanoate	2412-80-8
methyl 5-acetoxydecanoate	2112 00 0
methyl 5-acetoxydodecanoate	
methyl 5-acetoxyhexanoate	35234-22-1
methyl 5-formyloxydodecanoate	30201221
methyl 5-hydroxydecanoate	101853-47-8
methyl 5-oxododecanoate	
methyl acetate	79-20-9
methyl acetoacetate	105-45-3
methyl acrylate	96-33-3
methyl 4-methoxybenzoate	121-98-2
methyl benzoate	93-58-3
methyl beta-(4-methylphenyl)glycidate	99334-18-6
methyl beta-phenylglycidate	37161-74-3
S-methyl butanethioate	2432-51-1
methyl butyrate	623-42-7
methyl cis-4-octenoate	21063-71-8
methyl citronellate	2270-60-2
methyl 2-butenoate	623-43-8
	18707-60-3
methyl cyclohexylcarboxylate	4630-82-4
methyl decanoate	110-42-9
methyl 5-acetoxyoctanoate	
methyl (3-oxo-2-pentylcyclopentyl)acetate	24851-98-7
	2630-39-9
methyl formate	107-31-3
methyl geranate	1189-09-9
methyl hydroxyacetate	96-35-5
methyl heptanoate	106-73-0
methyl hexanoate	106-70-7
methyl isobutyrate	547-63-7
6-methyl-2-heptyl acetate	67952-57-2
methyl isovalerate	556-24-1
methyl [3-oxo-2-(2-pentenyl)cyclopentyl]acetate	1211-29-6
	42536-97-0
	39924-52-2
methyl lactate	547-64-8
methyl laurate	111-82-0
methyl levulinate	624-45-3 90459-45-3
methyl linoleate oxide methyl linoleate	112-63-0
methyl linolenate	301-00-8
methyl methacrylate	80-62-6
methyl methactylate methyl methanethiosulfonate	2949-92-0
methyl beta-methyl-beta-(4-methylphenyl)glycidate	4040 04 U
methyl myristate methyl myristate	124-10-7
methyl N,N-dimethylanthranilate	10072-05-6
methyl N-acetylanthranilate methyl N-acetylanthranilate	2719-08-6
methyl N-ethylanthranilate	17318-49-9
methyl N-formylanthranilate	41270-80-8
methyl nicotinate	93-60-7
methyl nonanoate	1731-84-6
methyl 2-nonenoate	111-79-5
methyl N-phenylacetylanthranilate	111 10 0
methyl octanoate	111-11-5
methyl 2-nonynoate	111-80-8
methyl oleate	112-62-9
moony 1 oldate	114 V4 V

methyl palmitate	112-39-0
methyl pentadecanoate	7132-64-1
methyl phenylacetate	101-41-7
methyl pivalate	598-98-1
methyl 4-methylbenzoate	99-75-2
methyl propionate	554-12-1
methyl N-propionylanthranilate	25628-84-6
methyl 4- <i>tert</i> butylphenylacetate	3549-23-3
methyl sorbate	689-89-4
methyl stearate	112-61-8
methyl 2-mercaptoacetate	2365-48-2
S-methyl hexanethioate	2432-77-1
S-methyl isobutanethioate	42075-42-3
S-methyl 3-methylbutanethioate	23747-45-7
methyl tiglate	6622-76-0
methyl trans-2-octenoate	7367-81-9
methyl tridecanoate	1731-88-0
methyl undecanoate	1731-86-8
methyl 9-undecenoate	5760-50-9
methyl valerate	624-24-8
methyl vanillate	3943-74-6
2-methyl-2-butenyl acetate	19248-94-3
33425-30-8	
3-methyl-2-butyl butyrate	
3-methyl-3-butenyl acetate	5205-07-2
3-methyl-3-butenyl butyrate	
5-methyl-3-butyltetrahydropyran-4-yl acetate	38285-49-3
2-methyl-2-propenyl 2-methylpentanoate	
2-methyl-2-propenyl butyrate	7149-29-3
2-methyl-2-propenyl hexanoate	
2-methyl-2-propenyl isobutyrate	816-73-9
2-methyl-2-propenyl propionate	20720-12-1
2-methylbenzyl acetate	17373-93-2
4-methylbenzyl acetate	2216-45-7
4-methylbenzyl butyrate	
2-methylbutyl 2-methylbutyrate	2445-78-5
2-methylbutyl acetate	624-41-9
2-methylbutyl benzoate	52513-03-8
2-methylbutyl butyrate	51115-64-1
2-methylbutyl cinnamate	4654-29-9
2-methylbutyl formate	35073-27-9
2-methylbutyl heptanoate	
2-methylbutyl hexanoate	2601-13-0
2-methylbutyl isobutyrate	2445-69-4
2-methylbutyl isovalerate	2445-77-4
2-methylbutyl lactate	638-33-5
2-methylbutyl phenylacetate	61889-11-0
2-methylbutyl propionate	2438-20-2
2-methylbutyl salicylate	51115-63-0
2-methylbutyl valerate	55590-83-5
3-methylcyclohexyl acetate	
methyl 2-octynoate	111-12-6
5-methylhexyl acetate	
2-methylpentyl 2-methylpentanoate	90397-38-9
2-methylpentyl butyrate	
4-methylpentyl isovalerate	850309-45-4
2-(methylthio)ethyl acetate	5862-47-5
3-(methylthio)hexyl acetate	51755-85-2
3-(methylthio)propyl acetate	16630-55-0
- Company propyr account	1 10000 00 0

3-(methylthio)propyl butyrate	16630-60-7
mono-menthyl succinate	77341-67-4
myrcenyl acetate	1118-39-4
myrcenyl propionate	1110 00 1
myrtenyl acetate	1079-01-2
myrtenyl formate	72928-52-0
neodihydrocarvyl acetate	56422-50-5
neomenthyl acetate	2230-87-7
nerolidyl acetate	2306-78-7
nerondyr acetate	56001-43-5
nerolidyl isobutyrate	2639-68-1
neryl acetate	141-12-8
neryl butyrate	999-40-6
neryl 2-butenoate	333 40 0
neryl formate	2142-94-1
neryl isobutyrate	2345-24-6
neryl isobutyrate neryl isovalerate	3915-83-1
v	9919-09-1
neryl phenylacetate neryl propionate	105-01-0
	105-91-9
neryl tiglate	COEEE CE T
trans,cis-2,6-nonadienyl acetate	68555-65-7
1,3-nonanediol acetate	1322-17-4
cis-6-nonenyl acetate	76238-22-7
6-nonenyl butyrate	
6-nonenyl isovalerate	
6-nonenyl propionate	110.10
nonyl acetate	143-13-5
nonyl butyrate	2639-64-7
nonyl formate	94247-15-1
nonyl hexanoate	
nonyl isobutyrate	
nonyl isovalerate	7786-47-2
nonyl octanoate	7786-48-3
nonyl pivalate	
nonyl propionate	53184-67-1
nopyl acetate	128-51-8
octadecyl acetate	822-23-1
trans,trans-3,5-octadienyl acetate	85722-81-2
1-octen-3-yl acetate	2442-10-6
1-octen-3-yl butyrate	16491-54-6
1-octen-3-yl isobutyrate	93940-61-5
trans-2-octenyl butyrate	84642-60-4
octyl 2-furoate	39251-88-2
octyl 2-methylbutyrate	29811-50-5
3-octyl 2-methylbutyrate	
2-octyl acetate	2051-50-5
3-octyl acetate	4864-61-3
octyl acetate	112-14-1
octyl acetoacetate	16436-00-3
octyl butyrate	110-39-4
3-octyl butyrate	20286-45-7
octyl 2-butenoate	22874-79-9
octyl decanoate	2306-92-5
octyl formate	112-32-3
3-octyl formate	84434-65-1
octyl heptanoate	5132-75-2
octyl hexanoate	4887-30-3
octyl isobutyrate	109-15-9
octyl isovalerate	7786-58-5
<u> </u>	

octyl nonanoate	5303-26-4
octyl nonanoate	2306-88-9
octyl phenylacetate	122-45-2
octyl pivalate	27751-88-8
octyl propionate	142-60-9
cis-9-octadecenyl acetate	693-80-1
acetoin butyrate	84642-61-5
2-oxopropyl acetate	592-20-1
2-pentyl acetate	626-38-0
2-pentyl butyrate	60415-61-4
perillyl acetate	15111-96-3
phenethyl 2-ethylhexanoate	
phenethyl 2-furoate	7149-32-8
phenethyl 2-methylbutyrate	24817-51-4
phenethyl anthranilate	133-18-6
phenethyl benzoate	94-47-3
phenethyl butyrate	103-52-6
phenethyl cinnamate	103-53-7
phenethyl 2-butenoate	68141-20-8
phenethyl decanoate	61810-55-7
phenethyl formate	104-62-1
phenethyl heptanoate	5454-11-5
phenethyl hexanoate	6290-37-5
phenethyl isobutyrate	103-48-0
phenethyl isovalerate	140-26-1
phenethyl lactate	10138-63-3
phenethyl nonanoate	57943-67-6
phenethyl octanoate	5457-70-5
phenethyl phenylacetate	102-20-5
phenethyl pivalate	67662-96-8
phenethyl propionate	122-70-3
phenethyl salicylate	87-22-9
phenethyl 3-methyl-2-butenoate	42078-65-9
phenethyl tiglate	55719-85-2
phenethyl valerate	7460-74-4
2-phenoxyethyl acetate	6192-44-5
2-phenoxyethyl butyrate	23511-70-8
2-phenoxyethyl isobutyrate	103-60-6
2-phenoxyethyl propionate	23495-12-7
phenyl acetate	122-79-2
phenyl butyrate	4346-18-3
phenyl isobutyrate	20279-29-2
phenyl propionate	637-27-4
phenyl salicylate	118-55-8
2-phenylphenyl acetate	
3-phenylpropyl acetate	122-72-5
3-phenylpropyl benzoate	60045-26-3
3-phenylpropyl butyrate	7402-29-1
3-phenylpropyl cinnamate	122-68-9
phenylpropyl decanoate	
3-phenylpropyl formate	104-64-3
3-phenylpropyl hexanoate	6281-40-9
2-phenylpropyl isobutyrate	65813-53-8
3-phenylpropyl isobutyrate	103-58-2
3-phenylpropyl isovalerate	5452-07-3
3-phenylpropyl propionate	122-74-7
3-phenylpropyl salicylate	24781-13-3
3-phenylpropyl valerate	5451-88-7
phytyl acetate	10236-16-5

2(10)-pinen-3-yl isobutyrate	
piperonyl acetate	326-61-4
piperonyl isobutyrate	5461-08-5
3-methyl-2-butenyl acetate	1191-16-8
3-methyl-2-butenyl benzoate	5205-11-8
propyl 2-(2-cyclopentenyl)-4-pentenoate	172450-04-3
propyl 2,4-decadienoate	28316-62-3
	84788-08-9
propyl 2-cyclopentenylacetate	
propyl 2-furoate	615-10-1
propyl 2-methylbutyrate	37064-20-3
propyl acetate	109-60-4
propyl acetoacetate	1779-60-8
propyl benzoate	2315-68-6
propyl butyrate	105-66-8
propyl cinnamate	7778-83-8
propyl 2-butenoate	10352-87-1
propyl cyclohexylpropionate	
propyl decanoate	30673-60-0
propyl laurate	3681-78-5
propyl formate	110-74-7
propyl heptanoate	7778-87-2
propyl palmitate	2239-78-3
propyl hexanoate	626-77-7
propyl isobutyrate	644-49-5
propyl 4-methylpentanoate	25415-68-3
propyl isovalerate	557-00-6
propyl lactate	616-09-1
propyl levulinate	645-67-0
propyl nonanoate	6513-03-7
propyl octanoate	624-13-5
propyl phenylacetate	4606-15-9
propyl 4-hydroxybenzoate	94-13-3
propyl pivalate	100.00 %
propyl propionate	106-36-5
propyl pyruvate	10005 50 0
propyl sorbate	10297-72-0
Spropyl ethanethioate	2307-10-0
propyl tiglate	61692-83-9
propyl valerate	141-06-0
propyleneglycol diacetate	623-84-7
propyleneglycol dibutyrate propyleneglycol dihexanoate	50980-84-2
propyleneglycol dioctanoate propyleneglycol dioctanoate	7384-98-7
propyleneglycol dipropionate	10108-80-2
propyleneglycol mono and dilactate	10108-80-2
propyleneglycol mono-2-methylbutyrate propyleneglycol monobutyrate	20502-05-8
propyleneglycol monobutyrate propyleneglycol monohexanoate	29592-95-8 29592-92-5
propyleneglycol mononexanoate propyleneglycol monopropionate	25496-75-7
rhodinyl acetate	141-11-7
rhodinyl acetate rhodinyl butyrate	141-11-7
rhodinyl butyrate rhodinyl formate	141-13-1
rhodinyl isobutyrate	138-23-8
rhodinyl isobutyrate rhodinyl isovalerate	7778-96-3
rhodinyl isovaterate rhodinyl phenylacetate	10486-14-3
rhodinyl prenyjacetate rhodinyl propionate	105-89-5
rnodinyi propionate S(2-methylphenyl) ethanethioate	100 00 0
sabinene hydrate acetate	
sabilitie hyurate acetate	

	1999-00-0
santalyl acetate	1323-00-8
santalyl phenylacetate Smethyl benzenethioate	1323-75-7
	5925-68-8
styralyl acetate	93-92-5
styralyl butyrate	3460-44-4
styralyl formate	7775-38-4
styralyl hexanoate	
styralyl isobutyrate	7775-39-5
styralyl isovalerate	56961-73-0
styralyl propionate	120-45-6
2-(4-methyl-5-thiazolyl)ethyl acetate	656-53-1
2-(4-methyl-5-thiazolyl)ethyl butyrate	94159-31-6
2-(4-methyl-5-thiazolyl)ethyl decanoate	101426-31-7
2-(4-methyl-5-thiazolyl)ethyl formate	90731-56-9
2-(4-methyl-5-thiazolyl)ethyl heptanoate	
2-(4-methyl-5-thiazolyl)ethyl hexanoate	94159-32-7
2-(4-methyl-5-thiazolyl)ethyl isobutyrate	324742-95-2
2-(4-methyl-5-thiazolyl)ethyl isovalerate	
2-(4-methyl-5-thiazolyl)ethyl octanoate	163266-17-9
2-(4-methyl-5-thiazolyl)ethyl propionate	324742-96-3
alpha-terpinyl acetate	80-26-2
terpinyl butyrate	2153-28-8
terpinyl cinnamate	10024-56-3
alpha-terpinyl formate	2153-26-6
4-terpinyl formate	
terpinyl isobutyrate	7774-65-4
terpinyl isovalerate	1142-85-4
terpinyl propionate	80-27-3
tert amyl acetate	
tert butyl propionate	20487-40-5
tetradecyl butyrate	
tetrahydrocuminyl acetate	
tetrahydrofurfuryl 2-mercaptopropionate	99253-91-5
tetrahydrofurfuryl acetate	637-64-9
tetrahydrofurfuryl butyrate	2217-33-6
tetrahydrofurfuryl cinnamate	65505-25-1
tetrahydrofurfuryl propionate	637-65-0
tetrahydrofurfuryl phenylacetate	5421-00-1
3,7-dimethyloctyl acetate	20780-49-8
3,7-dimethyloctyl formate	68214-06-2
4-methylphenyl acetate	140-39-6
4-methylphenyl isovalerate	55066-56-3
4-methylphenyl octanoate	59558-23-5
tributyl citrate	77-94-1
hexahydro-4,7-methanoinden-(5or6)-yl acetate	2500-83-6
5413-60-5	
hexahydro-4,7-methanoinden-(5or6)-yl propionate	17511-60-3
triethyl citrate	77-93-0
3,3,5-trimethylcyclohexyl acetate	67859-96-5
3,3,5-trimethylcyclohexyl butyrate	94200-12-1
3,3,5-trimethylcyclohexyl levulinate	
3,3,5-trimethylcyclohexyl propionate	
3,3,5-trimethylcyclohexyl salicylate	118-56-9
3,5,5-trimethylhexyl acetate	58430-94-7
3,5,5-trimethylhexyl formate	67355-38-8
3,5,5-trimethylhexyl isovalerate	0.000 00 0
3,5,5-trimethylhexyl propionate	
10-undecenyl acetate	112-19-6
10-undecenyl acetate 10-undecenyl butyrate	112 10 0
10 unuccinyi butyi ate	l

undecyl acetate	1731-81-3
undecyl butyrate	5461-02-9
vanillin isobutyrate	20665-85-4
verbenyl acetate	33522-69-9
vetiveryl acetate	117-98-6
, converge decodes	62563-80-8
isopropylideneglyceryl 5-hydroxydecanoate	172201-58-0
1(7),8-p-menthadien-2-yl acetate	71660-03-2
1,6-epoxycarvyl acetate	
3,7-dimethyl-1,6-nonadien-3-yl acetate	61931-80-4
1,8-p-menthadien-4-yl acetate	
2-methyl-1-phenyl-2-butyl acetate	
1-hexen-3-yl acetate	35926-04-6
1-hexen-3-yl butyrate	
1-hexen-3-yl hexanoate	
1-hexen-3-yl isobutyrate	
1-hexen-3-yl propionate	358366-27-5
2,4-hexadienyl butyrate	16930-93-1
2,4-hexadienyl isobutyrate	16491-24-0
2-ethylbutyl 2-cyclopentenylacetate	94278-39-4
2-ethylhexyl salicylate	118-60-5
2-hydroxypropyl phenylacetate	80550-09-0
2-hydroxypropyl valerate	59569-67-4
cyclotene acetate	1196-22-1
2-pentyl benzoate	
2-phenoxyethyl benzoate	
2-tert-butylcyclohexyl acetate	88-41-5
3-mercaptohexyl butyrate	136954-21-7
3-mercaptohexyl hexanoate	136954-22-8
5-hexenyl butyrate	108058-75-9
5-hexenyl hexanoate	108058-81-7
5-hexenyl isobutyrate	155514-56-0
5-hexenyl propionate	
5-methyl-2-furfuryl acetate	18091-24-2
5-methylhexyl isobutyrate	
dihydroperillyl acetate	
8-ocimenyl acetate	
8-p-menthen-7-yl acetate	56345-05-2
8-p-menthen-7-yl butyrate	
allyl cyclohexyloxyacetate	68901-15-5
allyl 3-(methylthio)propionate	
allyl benzoate	583-04-0
allyl 4- <i>tert</i> -butylphenylacetate	
alpha-campholene acetate	36789-59-0
ethyl 2-pentylacetoacetate	24317-94-0
benzyl anthranilate	82185-41-9
beta-ionyl acetate	22030-19-9
butyl 2-(acetylthio)propionate	
butyl 2-(butyrylthio)propionate	
butyl 2-(isobutyrylthio)propionate	
butyl 2-(propionylthio)propionate	
butyl 2-mercaptopropionate	7529-07-9
butyl 2-methylpentanoate	6297-41-2
butyl 3-ethylheptanoate	
butyl 5-decenoate	111044-74-7
butyl 5-octenoate	108058-79-3
butyl 4- <i>tert</i> -butylphenylacetate	
butyl vanillate	5348-74-3
carvyl octanoate	
	•

cinnamyl myristate cis-3-hexenyl 4-pentenoate	
cis-3-hexenyl 4-tert-butylphenylacetate	
· · · · · · · · · · · · · · · · · · ·	40107 17 7
cis-4-hexenyl acetate	42125-17-7
cyclododecyl acetate	6221-92-7
cyclododecyl propionate	000 05 1
cyclopentyl acetate	933-05-1
decyl 4-methylpentanoate	EE 07 0
diethyl diethylmalonate	77-25-8
2,6-dimethyl-7-octen-2-yl acetate	53767-93-4
2-methyl-1-phenyl-2-propyl hexanoate	891781-90-1
2-methyl-1-phenyl-2-propyl valerate	00000 40 6
dodecyl formate	28303-42-6
ethyl 2-(acetylthio)propionate	129975-20-8
ethyl 2-(butyrylthio)propionate	
ethyl 2-(hexanoylthio)propionate	
ethyl 2-(isobutyrylthio)propionate	
ethyl 2-(propionylthio)propionate	20170743
ethyl 2,5-dimethyl-3-oxo-4(2 <i>H</i>)-furyl carbonate	39156-54-2
ethyl 3-ethylheptanoate	1000 40 5
ethyl 4-pentenoate	1968-40-7
ethyl acetoacetate diethyl acetal	0000 00 0
ethyl cis-4,7-octadienoate	69925-33-3
ethyl cyclohexylacetate	5452-75-5
ethyl 3-(2-furyl)acrylate	623-20-1
ethyl isonicotinate	1570-45-2
ethyl methacrylate	97-63-2
ethyl N-acetylanthranilate	14000 00 5
ethyl 4-tert-butylphenylacetate	14062-22-7
5,9-dimethyl- <i>trans</i> -4,8-decadien-2-yl acetate hexadecyl lactate	35274-05-6
isobutyl trans-2-hexenoate	39274-09-6
isopropyl 4-pentenoate	
isopropyl 4-pentenoate isopropyl 4-methylpentanoate	25415-69-4
isopropyl 4-metnyipentanoate isopropyl salicylate	607-85-2
Frenthyl (10r2)-propyleneglycoyl carbonate	30304-82-6
I menthyl (1012) propyrenegrycoyr carbonate I menthyl 2-hydroxyethyl carbonate	156324-78-6
Fmenthyl valerate Figure 1 - Figure 1 - Figure 2 - Fig	89-47-4
menthyl decanoate	94020-93-6
· ·	
menthyl octanoate menthyl palmitate	93940-59-1 96097-19-7
· · ·	93919-01-8
menthyl stearate methyl 2-(acetylthio)propionate	95919-01-8
methyl 2-(butyrylthio)propionate methyl 2-(butyrylthio)propionate	
methyl 2-(hexanoylthio)propionate	
methyl 2-(nexanoyitmo/propionate methyl 2-(isobutyrylthio)propionate	
methyl 2-(isobutyryithio)propionate methyl 2-(propionylthio)propionate	
methyl 2-ethylhexanoate methyl 2-ethylhexanoate	816-19-3
methyl 2-ethyloctanoate	16493-48-4
methyl 2-mercaptopropionate	53907-46-3
methyl 3-ethylheptanoate	64226-53-5
methyl 3-oxooctanoate	22348-95-4
methyl beta-(4-methylphenethyl)glycidate	010-57-5
methyl 4-pentenoate	818-57-5
hydroxycitronellal methyl anthranilate	89-43-0
methyl N-butylanthranilate	
methyl trans-4-decenoate	990691-99-7
monomenthyl glutarate octyl benzoate	220621-22-7 94-50-8
octyr benzoate	J4 00 O

octyl 4-methylpentanoate	29289-91-6
octyl salicylate	6969-49-9
2-methylphenyl isobutyrate	36438-54-7
4-methylphenyl benzoate	614-34-6
4-methylphenyl heptanoate	71662-19-6
perillyl butyrate	
perillyl isobutyrate	
phenethyl <i>N</i> -methylanthranilate	
phenyl benzoate	93-99-2
phenyl valerate	20115-23-5
styralyl anthranilate	
propyl 2-(acetylthio)propionate	
propyl 2-(butyrylthio)propionate	
propyl 2-(isobutyrylthio)propionate	
propyl 2-(propionylthio)propionate	
propyl 2-mercaptopropionate	19788-50-2
propyl 3-(2-furyl)acrylate	623-22-3
propyl 3-ethylheptanoate	
propyl myristate	14303-70-9
propyl 4- <i>tert</i> -butylphenylacetate	
propyl <i>trans</i> -2-hexenoate	10380-79-7
propyleneglycol diisobutyrate	
propyleneglycol monoacetate	1331-12-0
S-(2,5-dimethyl-3-furyl) 2-thiofuroate	
Sethyl butanethioate	20807-99-2
S-ethyl pentanethioate	2432-92-0
S-ethyl propanethioate	2432-42-0
methyl 2-(furfurylthio)acetate	108499-33-8
S-methyl 2-methylbutanethioate	42075-45-6
S-methyl cinnamthioate	15081-18-2
S-methyl decanethioate	1680-29-1
S-methyl octanethioate	2432-83-9
S-methyl pentanethioate	42075-43-4
S-methyl propanethioate	5925-75-7
S-[2-(4-methyl-5-thiazolyl)ethyl] propanethioate	
tert butyl acetoacetate	1694-31-1
beta-caryophyllene butyrate	
beta-caryophyllene isobutyrate	
dibutyl adipate	105-99-7
dioctyl adipate	123-79-5
elemyl acetate	60031-93-8
ethyl 1-oxaspiro[2.5]octane-2-carboxylate	
methyl 3-furfuryl-2-mercaptopropionate	
pinocarvyl isobutyrate	929116-08-5
1-hydroxy-8-p-menthen-2-yl acetate	

65*	Ethers	
	Name	CAS No.
acetaldeh	yde 2,3-butanediol acetal	3299-32-9
acetaldeh	yde amyl butyl acetal	
acetaldeh	yde amyl hexyl acetal	
acetaldeh	yde amyl methyl acetal	73142-32-2
acetaldeh	yde benzyl ethyl acetal	66222-24-0
acetaldeh	yde benzyl hexyl acetal	
acetaldeh	yde benzyl 2-methoxyethyl acetal	7492-39-9
acetaldeh	yde butyl ethyl acetal	57006-87-8
acetaldeh	yde butyl hexyl acetal	

	T
acetaldehyde butyl methyl acetal	75677-94-0
acetaldehyde butyl phenethyl acetal	64577-91-9
acetaldehyde bis(2-methylbutyl) acetal	13535-43-8
acetaldehyde diamyl acetal	13002-08-9
acetaldehyde dibenzyl acetal	23556-90-3
acetaldehyde dibutyl acetal	871-22-7
acetaldehyde di-cis-3-hexenyl acetal	63449-64-9
acetaldehyde diethyl acetal	105-57-7
acetaldehyde dihexyl acetal	5405-58-3
acetaldehyde diisoamyl acetal	13002-09-0
acetaldehyde diisobutyl acetal	5669-09-0
acetaldehyde diisopropyl acetal	4285-59-0
acetaldehyde dimethyl acetal	534-15-6
acetaldehyde dipropyl acetal	105-82-8
acetaldehyde ethyl 3-hexenyl acetal	28069-74-1
acetaldehyde amyl ethyl acetal	13442-89-2
acetaldehyde ethyl hexyl acetal	54484-73-0
acetaldehyde ethyl isoamyl acetal	13442-90-5
acetaldehyde ethyl linalyl acetal	40910-49-4
acetaldehyde ethyl phenethyl acetal	2556-10-7
acetaldehyde ethyl <i>trans</i> -2-hexenyl acetal	
acetaldehyde ethyl vanillin acetal	
acetaldehyde glyceryl acetal	3674-21-3
acetaldehyde hexyl isoamyl acetal	233665-90-2
acetaldehyde isoamyl isobutyl acetal	75048-15-6
acetaldehyde phenethyl propyl acetal	7493-57-4
acetaldehyde propyleneglycol acetal	3390-12-3
acetoin dimethyl acetal	0.4000.00.0
acetoin propyleneglycol acetal	94089-23-3
acetone propyleneglycol acetal	1193-11-9
acetophenone diethyl acetal acetophenone propyleneglycol acetal	
4-acetoxy-3-pentyltetrahydropyran	18871-14-2
2-propenal diethyl acetal	3054-95-3
dodecahydro-3a,6,6,9a-tetramethylnaphtho[2,1-b]furan	6790-58-5
dodecanydro 5a,0,0,5a tetrametnymaphtho(2,1 D)fdran	3738-00-9
amyl benzyl ether	6382-14-5
alpha-amylcinnamaldehyde diethyl acetal	60763-41-9
alpha-amylcinnamaldehyde dimethyl acetal	91-87-2
anisaldehyde diethyl acetal	2403-58-9
anisaldehyde dimethyl acetal	2186-92-7
anisaldehyde hexyleneglycol acetal	2100 02 1
anisaldehyde propyleneglycol acetal	6414-32-0
benzaldehyde dibutyl acetal	0111 02 0
benzaldehyde diethyl acetal	774-48-1
benzaldehyde diisoamyl acetal	94231-95-5
benzaldehyde dimethyl acetal	1125-88-8
benzaldehyde glyceryl acetal	1319-88-6
benzaldehyde propyleneglycol acetal	2568-25-4
benzyl butyl ether	588-67-0
benzyl ethyl ether	539-30-0
benzyl methyl ether	538-86-3
di-2-furylmethane	1197-40-6
butanal diethyl acetal	3658-95-5
sec butyl ethyl ether	2679-87-0
2-hexanone propyleneglycol acetal	
2-sec butyl-3-methoxypyrazine	24168-70-5
2-butylfuran	4466-24-4
butanal dimethyl acetal	

beta-caryophyllene oxide	1139-30-6
1,4-cineole	470-67-7
cinnamaldehyde diethyl acetal	25226-98-6
ommamaruenyue uiemyi atetai	25226-98-6 7148-78-9
cinnamaldehyde dimethyl acetal	4364-06-1
cinnamaldehyde propyleneglycol acetal	4353-01-9
citral diethyl acetal	7492-66-2
citral dimethyl acetal	7549-37-3
citral hexyleneglycol acetal	68258-94-6
citral propyleneglycol acetal	10444-50-5
citronellal diethyl acetal	71662-17-4
citronellal dimethyl acetal	923-69-3
citronellal ethyleneglycol acetal	66512-92-3
citronellal propyleneglycol acetal	74094-64-7
ethyl 4-methylphenyl ether	622-60-6
cyclohexanone diethyl acetal	1670-47-9
decanal diethyl acetal	34764-02-8
decanal dimethyl acetal	7779-41-1
decanal propyleneglycol acetal	5421-12-5
dibenzyl ether	103-50-4
2,5-diethyltetrahydrofuran	41239-48-9
difurfuryl ether	4437-22-3
diisoamyl ether	544-01-4
2-ethyl-4,5-dimethyloxazole	53833-30-0
2-isopropyl-4,5-dimethyloxazole	19519-45-0
4,5-dimethyl-2-propyloxazole	53833-32-2
2,2-dimethyl-5-(1-methyl-1-propenyl)tetrahydrofuran	7416-35-5
2,6-dimethyl-5-heptenal propyleneglycol acetal	74094-63-6
2,5-dimethylfuran	625-86-5
2,5-dimethyltetrahydrofuran	1003-38-9
dodecanal diethyl acetal	53405-98-4
dodecanal dihexyl acetal	14000 70 1
dodecanal dimethyl acetal	14620-52-1
7,15-epoxy-3-caryophyllene	99797-14-7
2-ethoxy-(3or5or6)-methylpyrazine	32737-14-7 65504-94-1
	65504-94-1 67845-34-5
	53163-97-6
2-ethoxy-3-ethylpyrazine	35243-43-7
2-ethoxy-3-isopropylpyrazine	72797-16-1
2-ethylfuran	3208-16-0
ethyl geranyl ether	22882-91-3
	40267-72-9
2-butanone propyleneglycol acetal	2916-28-1
2-ethyl-3-methoxypyrazine	25680-58-4
propanal propyleneglycol acetal	4359-46-0
2-ethylhexanal diethyl acetal	
formadehyde diethyl acetal	462-95-3
furfuryl methyl ether	13679-46-4
piperonal propyleneglycol acetal	61683-99-6
heptanal propyleneglycol acetal	4351-10-4
heptanal dibutyl acetal	
heptanal diethyl acetal	688-82-4
heptanal dimethyl acetal	10032-05-0
2-heptanone propyleneglycol acetal	
4-heptenal diethyl acetal	18492-65-4
2-nonanone propyleneglycol acetal	
hexanal diamyl acetal	
hexanal dibutyl acetal	93892-07-0

hexanal diethyl acetal	3658-93-3
hexanal dihexyl acetal	33673-65-3
hexanal diisoamyl acetal	93892-09-2
hexanal dimethyl acetal	1599-47-9
hexanal ethyl isoamyl acetal	1999 47 9
hexanal hexyl isoamyl acetal	896447-13-5
hexanal propyleneglycol acetal	1599-49-1
nexanai propytenegiycoi acetai	26563-74-6
cis-3-hexenal diethyl acetal	73545-18-3
trans-2-hexenal diethyl acetal	67746-30-9
hexenal dihexyl acetal	01140 00 0
trans-2-hexenal dimethyl acetal	18318-83-7
trans-2-hexenal propyleneglycol acetal	94089-21-1
hexyl methyl ether	4747-07-3
2-hexyl-3-methoxypyrazine	1111 01 0
2-phenylpropanal diethyl acetal	15295-60-0
2-phenylpropanal ethyleneglycol acetal	4362-22-5
2-phenylpropanal glyceryl acetal	1902 22 0
2-phenylpropanal dimethyl acetal	90-87-9
2-phenylpropyl methyl ether	
hydroxycitronellal dibutyl acetal	
hydroxycitronellal ethyleneglycol acetal	
hydroxycitronellal propyleneglycol acetal	
isoamyl phenethyl ether	56011-02-0
isobutanal diethyl acetal	1741-41-9
isobutanal propyleneglycol acetal	67879-60-1
2-isobutyl-3-methoxypyrazine	24683-00-9
isobutanal dimethyl acetal	21000 00 0
2-isopropoxy-3-methylpyrazine	94089-22-2
3-methyl-2-butanone propyleneglycol acetal	
2-isopropyl-(3or5or6)-methoxypyrazine	93905-03-4
isobutanal 2,3-butanediol acetal	
isovaleraldehyde dibutyl acetal	
isovaleraldehyde diethyl acetal	3842-03-3
isovaleraldehyde dimethyl acetal	
isovaleraldehyde dipropyl acetal	
isovaleraldehyde propyleneglycol acetal	18433-93-7
2-ethenyl-2,6,6-trimethyltetrahydropyran	7392-19-0
d-8-p-menthene-1,2-epoxide	
ethyl linalyl ether	72845-33-1
menthofuran	494-90-6
2-methoxy-(3or5or6)-methylpyrazine	2847-30-5
	2882-21-5
	68378-13-2
	63450-30-6
2-methoxy-2-methylpropane	1634-04-4
2-methoxy-3,5-dimethylpyrazine	
2-isopropyl-3-methoxypyrazine	25773-40-4
methoxypyrazine	3149-28-8
methylphenyl phenyl ether	1706-12-3
	3991-61-5
	3586-14-9
6-methyl-5-hepten-2-one propyleneglycol acetal	68258-95-7
methyl phenethyl ether	3558-60-9
butanal propyleneglycol acetal	4352-99-2
2-methyl-6-propoxypyrazine	67845-28-7
2-methylbutanal diethyl acetal	3658-94-4
2-methylbutanal propyleneglycol acetal	
2-methylfuran	534-22-5

(4-mothylphonyl)acotaldohyda pyonylonoglygol acotal	1
(4-methylphenyl)acetaldehyde propyleneglycol acetal 2-methyltetrahydrofuran	96-47-9
2-methylundecanal diethyl acetal	30 41 3
2-methylundecanal directlyl acetal	68141-17-3
nerol oxide	1786-08-9
1-furfurylpyrrole	1438-94-4
2,6-nonadienal diethyl acetal	67674-36-6
nonanal diethyl acetal	54815-13-3
nonanal dimethyl acetal	18824-63-0
nonanal propyleneglycol acetal	68391-39-9
ocimene oxide	69103-20-4
octanal diethyl acetal	54889-48-4
octanal dimethyl acetal	10022-28-3
octanal ethyleneglycol acetal	4359-57-3
octanal propyleneglycol acetal	74094-61-4
1,3,5-trimethyl-2,4,6-trioxane	123-63-7
2-pentylfuran	3777-69-3
perillaldehyde propyleneglycol acetal	121199-28-8
phenylacetaldehyde diethyl acetal	6314-97-2
phenylacetaldehyde diisobutyl acetal	68345-22-2
phenylacetaldehyde dimethyl acetal	101-48-4
phenylacetaldehyde dimenyl acetal	29895-73-6
phenylacetaldehyde propyleneglycol acetal	5468-05-3
3-phenylpropanal dimethyl acetal	30076-98-3
2-phenylpropanal propyleneglycol acetal	67634-23-5
piperonal dimethyl acetal	59259-90-4
ethyl 3-methyl-2-butenyl ether	22094-00-4
propanal diethyl acetal	4744-08-5
propanal diisobutyl acetal	1711 00 0
2-propylfuran	4229-91-8
4-methyl-2-(2-methyl-1-propenyl)tetrahydropyran	16409-43-1
terpineol ethyl ether	10100 10 1
tetrahydrofurfuryl alcohol	97-99-4
theaspirane	36431-72-8
4-methylbenzaldehyde glyceryl acetal	1333-09-1
4-methylbenzaldehyde propyleneglycol acetal	58244-29-4
tridecanal diethyl acetal	72934-16-8
triethoxymethane	122-51-0
2,4,5-trimethyl-3-oxazoline	22694-96-8
2,2,5-trimethyl-4-hexenal dimethyl acetal	
3,5,5-trimethylhexanal diethyl acetal	
2.4.5-trimethyloxazole	20662-84-4
undecanal diethyl acetal	53405-97-3
undecanal dimethyl acetal	52517-67-6
undecanal propyleneglycol acetal	74094-62-5
10-undecenal diethyl acetal	
10-undecenal dimethyl acetal	65405-66-5
valeraldehyde dibutyl acetal	13112-65-7
valeraldehyde diethyl acetal	3658-79-5
valeraldehyde dihexyl acetal	
valeraldehyde dimethyl acetal	26450-58-8
valeraldehyde propyleneglycol acetal	74094-60-3
vitispirane	65416-59-3
$(2S,4aR,8aS)\cdot3,4,4a,5,6,8a\cdot$ hexahydro-2,5,5,8a-tetramethyl-	
2 <i>H</i> -1-benzopyran	41678-32-4
1,2-di[(1'-ethoxy)ethoxy]propane	67715-79-1
1,2-dimethoxyethane	110-71-4
1-methoxy-2-propanol	107-98-2
2-(3-phenylpropyl)tetrahydrofuran	3208-40-0
- to promjipropji/vovianjarotatan	0=00 10 0

2,3-dihydrobenzofuran	496-16-2
2,4,6-trimethyl-4-phenyl-1,3-dioxane	5182-36-5
2,4-dimethyl-4-phenyltetrahydrofuran	82461-14-1
2,4-hexadienal diethyl acetal	27310-22-1
2,7-dimethyl-10-(1-methylethyl)-1-oxaspiro[4,5]deca-3,6-diene	89079-92-5
2-furfuyl-5-methylfuran	13678-51-8
2-heptylfuran	3777-71-7
2-methoxypyrrole	
2-methoxypyridine	1628-89-3
2-methylbenzofuran	4265-25-2
3-(5-methyl-2-furyl)butanal propyleneglycol acetal	
4-ethyl-2,5-dimethyloxazole	30408-61-8
4-methoxypyridine	620-08-6
4-methylbenzaldehyde diethyl acetal	2403-59-0
6-methoxyquinoline	5263-87-6
acetophenone neopentylglycol acetal	5406-58-6
2-butenal diethyl acetal	10602-34-3
cyclamen aldehyde diethyl acetal	
cyclamen aldehyde propyleneglycol acetal	
cycloionone	5552-30-7
dodecanal propyleneglycol acetal	
furan	110-00-9
hexanal 1,3-octanediol acetal	202188-46-3
hexanal 2,3-butanediol acetal	155639-75-1
hexanal diisobutyl acetal	
hexanal ethyl hexyl acetal	
hexanal butyl hexyl acetal	
hexanal butyl isoamyl acetal	
4-methyl-2-pentanone propyleneglycol acetal	
methyl myrcenyl ether	
phenylacetaldehyde ethyleneglycol acetal	101-49-5
phenylacetaldehyde hexyleneglycol acetal	67633-94-7
piperonal diethyl acetal	40527-42-2
trans-2-hexenal dibutyl acetal	
isovaleraldehyde dihexyl acetal	
alpha-pinene oxide	1686-14-2
beta-pinene oxide	6931-54-0
2-ethenyl-5-isopropenyl-2-methyltetrahydrofuran	13679-86-2

123* Ketones	
Name	CAS No.
4-methoxyacetophenone	100-06-1
acetoin	513-86-0
acetol	116-09-6
acetone	67-64-1
acetovanillone	498-02-2
2,3-hexanedione	3848-24-6
4-methyl-2,3-pentanedione	7493-58-5
5-methyl-2,3-hexanedione	13706-86-0
2,3-pentanedione	600-14-6
2-acetyl-1-methylpyrrole	932-16-1
2-acetyl-1-pyrroline	
5-acetyl-2,4-dimethylthiazole	38205-60-6
3-acetyl-2,5-dimethylfuran	10599-70-9
3-acetyl-2,5-dimethylthiophene	2530-10-1
2-acetyl-2-thiazoline	29926-41-8
2-acetyl-3,4,5,6-tetrahydropyridine	27300-27-2

2-acetyl-3,(5or6)-dimethylpyrazine	72797-17-2
2-acetyl-3,5-dimethylpyrazine	54300-08-2
2-acetyl-3-ethylpyrazine 2-acetyl-3-ethylpyrazine	32974-92-8
2-acetyl-3-methylpyrazine	23787-80-6
2-acetyl-4-methylphiazole	7533-07-5
2-acetyl-5-methylfuran	1193-79-9
2-acetyl-5-methylthiophene	13679-74-8
4-acetyl-6- <i>tert</i> -butyl-1,1-dimethylindane	13171-00-1
2,4-pentanedione	123-54-6
acetylcedrene	32388-55-9
2-acetylfuran	1192-62-7
acetylpyrazine	22047-25-2
2-acetylpyridine	1122-62-9
3-acetylpyridine	350-03-8
4-acetylpyridine	1122-54-9
2-acetylpyrrole	1072-83-9
2-acetylthiazole	24295-03-2
2-acetylthiophene	88-15-3
8-acetylthio-p-menthan-3-one	57074-34-7
	94293-57-9
alpha-allylionone	79-78-7
2-aminoacetophenone	551-93-9
2-amyl-2-cyclopentenone	25564-22-1
anisylacetone	104-20-1
1-(4-methoxyphenyl)-2-propanone	122-84-9
2-hydroxy-1,2-diphenylethanone	119-53-9
benzophenone	119-61-9
1-phenyl-1,3-butanedione	93-91-4
4-methyl-1-phenyl-2-pentanone	5349-62-2
4-phenyl-3-buten-2-one	122-57-6
2-hexanone	591-78-6
2-sec butylcyclohexanone	14765-30-1
3-hepten-2-one	1119-44-4
1-phenyl-1-butanone	495-40-9
d-camphor	464-49-3
camphor	76-22-2
	21368-68-3
	464-49-3
d-carvone	2244-16-8
<i>I</i> -carvone	6485-40-1
carvone	99-49-0
1,6-epoxycarvone	33204-74-9
	18383-49-8
3-methyl-5-propyl-2-cyclohexenone	3720-16-9
9-cycloheptadecenone	542-46-1
cycloheptanone	502-42-1
cyclohexanone	108-94-1
cyclopentanone	120-92-3
2-cyclopentylcyclopentanone	4884-24-6
cyclotene	80-71-7
, , ,	765-70-8
alpha-damascenone	
beta-damascenone	23696-85-7
alpha-damascone	43052-87-5
beta-damascone	35044-68-9
	23726-92-3
	23726-91-2
delta-damascone	57378-68-4
3-decanone	928-80-3

3-decen-2-one	10519-33-2
2-dodecanone	6175-49-1
dehydronootkatone	5090-63-1
4-hydroxy-4-methyl-2-pentanone	123-42-2
diacetyl	431-03-8
1,3-diphenyl-2-propanone	102-04-5
4,5-dihydro-3(2 <i>H</i>)-thiophenone	1003-04-9
2,3-dihydro-3,5-dihydroxy-6-methyl-4 <i>H</i> -pyran-4-one	28564-83-2
3,4-dihydro-alpha-ionone	31499-72-6
dihydro-beta-ionone	17283-81-7
dihydrocarvone	5948-04-9
diffydrocarvofie	7764-50-3
	5524-05-0
3-methyl-2-pentyl-2-cyclopentenone	1128-08-1
1,10-dihydronootkatone	20489-53-6
1,3-dihydroxyacetone (monomer and dimer)	96-26-4
1,5 diffydroxyacetoffe (monomer and diffier)	62147-49-3
2,4-dimethyl-3-pentanone	565-80-0
3,4-dimethoxyacetophenone	1131-62-0
4-methoxy-2,5-dimethyl-3(2 <i>H</i>)-furanone	4077-47-8
3,4-dimethyl-1,2-cyclopentanedione	13494-06-9
3,4*dimethyl*1,2*cyclopentanedione	21835-00-7
3,5-dimethyl-1,2-cyclopentanedione	13494-07-0
5,5 difficulty 1,2 cyclopentaliedione	21834-98-0
2,5-dimethyl-3(2H)-furanone	14400-67-0
2,4-dimethylacetophenone	89-74-7
2,6-dimethyl-4-heptanone 2-hydroxy-6-isopropyl-3-methyl-2-cyclohexenone	108-83-8 490-03-9
2-hydroxy-6-isopropyi-3-metnyi-2-cyclonexenone 4-heptanone	123-19-3
2-propionylfuran	3194-15-8
3-octanone	106-68-3
3-heptanone	106-35-4
3-ethyl-2-hydroxy-2-cyclopentenone	21835-01-8
3-nonanone	925-78-0
ethyl maltol	4940-11-8
3-hexanone	589-38-8
1-penten-3-one	1629-58-9
5-ethyl-4-hydroxy-2-methyl-3(2 <i>H</i>)-furanone	27538-09-6
2-ethyl-5-methyl-1,3-dioxolan-4-one	21990 03 0
	762-29-8
farnesylacetone	1117-52-8
d-fenchone	4695-62-9
fenchone	1195-79-5
Tononono	7787-20-4
4-hydroxy-2,5-dimethyl-3(2 <i>H</i>)-furanone	3658-77-3
(2-furyl)-2-propanone	6975-60-6
4-(2-furyl)-3-buten-2-one	623-15-4
1-(2-furfurylthio)-2-propanone	58066-86-7
4-(furfurylthio)-4-methyl-2-pentanone	30000 00 1
geranyl acetone	3796-70-1
2-geranylcyclopentanone	68133-79-9
2-heptadecanone	2922-51-2
2,3-heptanedione	96-04-8
3,4-hexanedione	4437-51-8
6,10,14-trimethyl-2-pentadecanone	502-69-2
5-hexen-2-one	109-49-9
5-nexen-2-one 4-hexen-3-one	2497-21-4
4 Heach o one	50396-87-7
1-hexen-3-one	1629-60-3
I HEVELL O OHE	1040 00 0

2-hexylcyclopentanone	13074-65-2
hinokitiol	499-44-5
1-hydroxy-2-butanone	5077-67-8
4-hydroxy-2-butanone	590-90-9
2-hydroxy-2-cyclohexenone	10316-66-2
2-nydroxy-2-cyclonexenone 1-hydroxy-2-heptanone	17046-01-4
3-hydroxy-2-neptanone	37160-77-3
2-hydroxy-3,4-dimethyl-2-cyclopentenone	21835-00-7
2-hydroxy-3-pentanone	5704-20-1
1-hydroxy-4-methyl-2-pentanone	0104 40 1
5-hydroxy-4-metnyr-z-pentanone 5-hydroxy-4-octanone	496-77-5
1-hydroxy-5-methyl-2-hexanone	100 11 0
2-hydroxyacetophenone	118-93-4
3-hydroxy-2-pentanone	3142-66-3
alpha-ionone	127-41-3
beta-ionone	79-77-6
	14901-07-6
alpha-irone	79-69-6
6-methyl-3-heptanone	624-42-0
2-methyl-3-(2-pentenyl)-2-cyclopentenone	11050-62-7
disomenthone	491-07-6
alpha-isomethylionone	127-51-5
isophorone	78-59-1
4-isopropyl-2-cyclohexenone	500-02-7
5-isopropyl-3-nonene-2,8-dione	
5-isopropyl-8-methyl-6,8-nonadien-2-one	1937-54-8
4-isopropylacetophenone	645-13-6
isopulegone	29606-79-9
3-methyl-2-(<i>cis</i> -2-pentenyl)-2-cyclopentenone	488-10-8
3-methyl-2-(<i>trans</i> -2-pentenyl)-2-cyclopentenone	6261-18-3
4-(2-butenylidene)-3,5,5-trimethyl-2-cyclohexenone	13215-88-8
p-menthan-2-one	499-70-7
	59471-80-6
menthone	89-80-5
	14073-97-3
	10458-14-7
3-mercapto-2-butanone	40789-98-8
3-mercapto-2-pentanone	67633-97-0
4-mercapto-4-methyl-2-pentanone	19872-52-7
4-methyl-3-penten-2-one	141-79-7
4-(4-methoxyphenyl)-3-buten-2-one	943-88-4
methyl 2-oxopropyl disulfide	122861-78-3
2-heptanone	110-43-0
1-(4-methoxyphenyl)-1-penten-3-one	104-27-8
2-butanone	78-93-3
2-nonanone	821-55-6
2-octanone	111-13-7
methylionone	1335-46-2
5-methyl-2-hexanone	110-12-3
4-methyl-2-pentanone	108-10-1
3-methyl-2-butanone	563-80-4
1-acetylnaphthalene	941-98-0
2-undecanone	112-12-9
2-decanone	693-54-9
2-pentanone	107-87-9
2-tridecanone	593-08-8
3-buten-2-one	78-94-4
3-methyl-2-cyclopentenone	2758-18-1
1-(5-methyl-2-furyl)-1,2-propanedione	1197-20-2

1-(5-methyl-2-furyl)-2-propanone	13678-74-5
6-methyl-2-heptanone	928-68-7
5-methyl-2-hepten-4-one	81925-81-7
3-methyl-2-hexanone	2550-21-2
3-methyl-2-pentanone	565-61-7
2-acetyl-(3or4)-methylthiophene	
7-methyl-3,4-dihydro-2 <i>H</i> -1,5-benzodioxepin-3-one	28940-11-6
3-methyl-3-buten-2-one	814-78-8
5-methyl-3-heptanone	541-85-5
5-methyl-3-hexen-2-one	5166-53-0
alpha-methylionone	127-42-4
	7779-30-8
3-methyl-1,2-cyclohexanedione	3008-43-3
3-methylcyclohexanone	591-24-2
3-methylcyclopentadecanone	541-91-3
6-methyl-3,5-heptadien-2-one	1604-28-0
6-methyl-5-hepten-2-one	110-93-0
3-methyl-2,4-nonanedione	113486-29-6
2-methyltetrahydrothiophen-3-one	13679-85-1
2-methyltetrahydrofuran-3-one	3188-00-9
2,6,6-trimethyl-1-[3-(methylthio)butyryl]cyclohexene	
4-(methylthio)-4-methyl-2-pentanone	23550-40-5
4-(methylthio)-2-butanone	34047-39-7
3-methylthio-1-(2,6,6-trimethyl-1,3-cyclohexadienyl)-	
2-buten-1-one	
8-(methylthio)-p-menthan-3-one	32637-94-8
3-acetylpyrrole	1072-82-8
4-nonanone	4485-09-0
3-nonen-2-one	14309-57-0
nootkatone	4674-50-4
3,5-octadien-2-one	30086-02-3
1,5-octadien-3-one	65213-86-7
3-octen-2-one	1669-44-9
1-octen-3-one	4312-99-6
2-octen-4-one	4643-27-0
4-oxoisophorone	1125-21-9
2-pentadecanone	2345-28-0
3-pentanone	96-22-0
3-penten-2-one	625-33-2
2-hexanoylfuran	14360-50-0
1-phenyl-1,2-propanedione	579-07-7
pinocamphone	547-60-4
pinocamphone	18358-53-7
piperitenone	491-09-8
d-piperitenee	6091-50-5
piperitone	89-81-6
piperitone piperonyl acetone	55418-52-5
4-hydroxyhexan-3-one	4984-85-4
1-(1-p-menthen-6-yl)-1-propanone	31375-17-4
2-propionylpyrrole	1073-26-3
2-propionylpyrrole 2-propionylthiophene	13679-75-9
1-phenyl-1-propanone	93-55-0
	<i>შ</i> Ე ᲛᲔ U
3-(propylthio)-4-heptanone	00-09-7
pulegone	89-82-7
9-overnone of	15932-80-6
2-oxopropanal	78-98-8
raspberry ketone	5471-51-2
4-tert-butylcyclohexanone	98-53-3
4- <i>tert</i> -butylacetophenone	943-27-1

4-tert-amylcyclohexanone	16587-71-6
2-tetradecanone	2345-27-9
cis-7-tetradecen-2-one	2010 21 0
6,10-dimethyl-9-undecen-2-one	4433-36-7
tetramethyl ethylcyclohexenone	17369-60-7
theaspirone	19377-59-4
	77841-36-2
8-mercapto-p-menthan-3-one	38462-22-5
12-tridecen-2-one	60437-21-0
3,5,5-trimethyl-1,2-cyclohexanedione	57696-89-6
1-(2,4,4-trimethyl-2-cyclohexenyl)-trans-2-buten-1-one	39872-57-6
2-hydroxy-2,6,6-trimethylcyclohexanone	7500-42-7
2,2,6-trimethylcyclohexanone	2408-37-9
3,3,5-trimethylcyclohexanone	873-94-9
2,3-undecanedione	7493-59-6
6-hydroxy-5-decanone	6540-98-3
verbenone	80-57-9
zingerone	122-48-5
1-(2-thienyl)-1,2-propanedione	13678-69-8
10-undecen-2-one	36219-73-5
2,2,6-trimethyl-1,4-cyclohexanedione	20547-99-3
2,3-octanedione	585-25-1
2,5-dimethyl-4-(1-pyrrolidinyl)-3(2 <i>H</i>)-furanone	440.40.4
2,5-hexanedione	110-13-4
6-ethenyl-2,2,6-trimethyltetrahydropyran-3-one	33933-72-1
2,6-dihydroxyacetophenone	699-83-2
2-acetyl-1,4,5,6-tetrahydropyridine	25343-57-1
2-acetyl-4-isopropenylpyridine 2-cyclohexenone	020-68-7
2-hepten-4-one	930-68-7 4643-25-8
2-hexylidenecyclopentanone	17373-89-6
2-hydroxy-5-methylacetophenone	1450-72-2
2-methyl-3-pentanone	565-69-5
2-methyl-5-propionylfuran	10599-69-6
2-methylacetophenone	577-16-2
2-propionylthiazole	43039-98-1
3,5,5-trimethyl-1-(2-oxopropylidene)-2-cyclohexene	16695-72-0
Typical Control of the Control of th	16995-73-1
3,5,5-trimethyl-4-methylene-2-cyclohexenone	20548-00-9
4-(2,3,6-trimethylphenyl)-3-buten-2-one	56681-06-2
4,4a,5,6-tetrahydro-7-methylnaphthalen-2(3 <i>H</i>)-one	34545-88-5
4,5-octanedione	5455-24-3
4,7-dimethyl-6-octen-3-one	2550-11-0
4-acetyl-2-isopropenylpyridine	
4-ethylacetophenone	937-30-4
4-hydroxy-2,5-dimethylthiophen-3-one	26494-10-0
5,6-decanedione	5579-73-7
5,6-epoxy-beta-ionone	23267-57-4
5-methyl-5-hexen-2-one	3240-09-3
6-methyl-4,5-heptadien-2-one	
6-hydroxycarvone	51200-86-3
7-octen-2-one	3664-60-6
8,9-dehydrotheaspirone	85248-56-2
8-nonen-2-one	5009-32-5
3-ethyl-2-hydroxy-4-methyl-2-cyclopentenone	42348-12-9
2-hexyl-2-cyclopentenone	95-41-0
4-ethoxyacetophenone	1676-63-7
4-hydroxyacetophenone	99-93-4
piperitone oxide	5286-38-4

1-(3-furyl)-4-methylpentan-1-one	553-84-4
8-hydroxy-4-p-menthen-3-one	
5-nonanone	502-56-7
pinocarvone	16812-40-1
	30460-92-5
neohesperidine dihydrochalcone	20702-77-6
naringin dihydrochalcone	18916-17-1

166* Fatty Acids	
Name	CAS No.
acetic acid	64-19-7
aconitic acid	499-12-7
adipic acid	124-04-9
(5or6)-decenoic acid	85392-04-7
	85392-03-6
angelic acid	565-63-9
citronellic acid	502-47-6
4-methylphenoxyacetic acid	
2-butenoic acid	3724-65-0
	107-93-7
cyclohexylacetic acid	5292-21-7
cyclohexylcarboxylic acid	98-89-5
3-cyclohexylpropionic acid	701-97-3
(2-cyclopentenyl)acetic acid	13668-61-6
decanoic acid	334-48-5
2-decenoic acid	3913-85-7
	334-49-6
4-decenoic acid	26303-90-2
	505-90-8
9-decenoic acid	14436-32-9
2-dodecenoic acid	32466-54-9
	4412-16-2
ethoxyacetic acid	627-03-2
4-ethyl-2-octenoic acid	60308-75-0
·	60308-76-1
	90464-78-1
2-ethylbutyric acid	88-09-5
2-ethylhexanoic acid	149-57-5
4-ethyloctanoic acid	16493-80-4
formic acid	64-18-6
2-furoic acid	88-14-2
geranic acid	459-80-3
heptadecanoic acid	506-12-7
heptanoic acid	111-14-8
2-heptenoic acid	18999-28-5
2-hexadecenoic acid	629-56-1
2-hexenoic acid	1191-04-4
3-hexenoic acid	4219-24-3
	1577-18-0
	1775-43-5
trans-2-hexenoic acid	13419-69-7
hexyloxyacetic acid	57931-25-6
4'-hydroxy-3'-methoxycinnamic acid	1135-24-6
2-hydroxy-3-methylpentanoic acid	488-15-3
2-hydroxy-4-methylpentanoic acid	498-36-2
3-hydroxybutyric acid	300-85-6
3-hydroxyhexanoic acid	10191-24-9

isobutyric acid	
isovaleric acid	79-31-2 503-74-2
lactic acid	50-21-5
Tactic acid	598-82-3
	79-33-4
	10326-41-7
lauric acid	143-07-7
levulinic acid	123-76-2
linoleic acid	60-33-3
linolenic acid	463-40-1
malonic acid	141-82-2
2-mercaptopropionic acid	79-42-5
3-mercaptopropionic acid	107-96-0
3-methylpentanoic acid	105-43-1
3-methyl-2-oxopentanoic acid	39748-49-7
5 methyl 2 oxopentanoic acid	1460-34-0
2-methyl-2-pentenoic acid	3142-72-1
2-methyl-4-pentenoic acid	1575-74-2
2-methylbutyric acid	116-53-0
3-methyl-2-butenoic acid	541-47-9
2-methylheptanoic acid	1188-02-9
2-methylneptanoic acid 2-methylhexanoic acid	4536-23-6
5-methylhexanoic acid	628-46-6
8-methylnonanoic acid	
, and the second	5963-14-4 54947-74-9
4-methyloctanoic acid	54947-74-9
4-(methylthio)butyric acid	040.01.7
3-(methylthio)propionic acid	646-01-5
2-methylpentanoic acid	97-61-0
4-methylpentanoic acid	646-07-1
myristic acid	544-63-8
nonanoic acid	112-05-0
2-nonenoic acid	3760-11-0
9	14812-03-4
3-nonenoic acid	4124-88-3
octanoic acid	124-07-2
2-octenoic acid	1470-50-4
3-octenoic acid	1871-67-6 1577-19-1
trans-3-octenoic acid	5163-67-7
oleic acid	
	112-80-1 600-18-0
2-oxobutyric acid	
2-oxopentanedioic acid palmitic acid	328-50-7 57-10-3
pentadecanoic acid	1002-84-2
2-pentenoic acid	13991-37-2 626-98-2
A-nontonoia agid	591-80-0
4-pentenoic acid perillic acid	
*	7694-45-3 122-59-8
phenoxyacetic acid	103-82-2
phenylacetic acid	
2-phenylpropionic acid	492-37-5
3-phenylpropionic acid	501-52-0
pivalic acid	75-98-9
pyruvic acid	127-17-3
sorbic acid	110-44-1
stearic acid	57-11-4
ethanethioic S acid	507-09-5
2-mercaptoacetic acid 2-mercaptobutanedioic acid	68-11-1
	70-49-5

propanethioic Sacid	1892-31-5
tiglic acid	80-59-1
tridecanoic acid	638-53-9
3,5,5-trimethylhexanoic acid	3302-10-1
undecanoic acid	112-37-8
10-undecenoic acid	112-38-9
valeric acid	109-52-4
11-dodecenoic acid	65423-25-8
12-tridecenoic acid	6006-06-0
2,4-dimethyl-2-pentenoic acid	66634-97-7
2-ethyloctanoic acid	25234-25-7
2-pentylcyclopropylcarboxylic acid	5075-48-9
3-decenoic acid	15469-77-9
3-ethylheptanoic acid	14272-47-0
3-isopropenyl-6-oxoheptanoic acid	4436-82-2
3-isopropenyl-1,5-pentanedioic acid	6839-75-4
3-ethyl-4-methyl-4-pentenoic acid	
4-methylnonanoic acid	45019-28-1
4-octenoic acid	18294-89-8
	18776-92-6
4-phenylbutyric acid	1821-12-1
5-oxodecanoic acid	624-01-1
5-oxododecanoic acid	3637-16-9
5-oxooctanoic acid	3637-14-7
6-[(5or6)-decenoyloxy]decanoic acid	85392-06-9
	85392-05-8
6-phenylhexanoic acid	5581-75-9
cis-4-heptenoic acid	41653-95-6
cis-4-nonenoic acid	49580-58-7
cis-5-decenoic acid	84168-28-5
cis-5-octenoic acid	41653-97-8
cis-5-undecenoic acid	62472-76-8
hydroxyacetic acid	79-14-1
2'-methoxycinnamic acid	6099-03-2
trans-4-dodecenoic acid	55928-67-1
trans-5-undecenoic acid	67270-85-3
trans-6-dodecenoic acid	52957-04-7
3-mercapto-2-methylpropionic acid	26473-47-2

167* Aliphatic Higher Alcohols	
Name	CAS No.
acetone glyceryl acetal	100-79-8
ambrinol	41199-19-3
alpha-bisabolol	515-69-5
borneol	507-70-0
2-butoxyethanol	111-76-2
alpha-campholenol	1901-38-8
<i>I</i> -carveol	2102-59-2
carveol	99-48-9
beta-caryophyllene alcohol	472-97-9
cedrenol	28231-03-0
cedrol	77-53-2
<i>I</i> -citronellol	7540-51-4
cyclohexanol	108-93-0
2-cyclohexylethanol	4442-79-9
2,4-decadienol	18409-21-7
14507-02-9	

3-decanol	1565-81-7
2-decenol	22104-80-9
2 decenor	18409-18-2
9-decenol	13019-22-2
4-decenol	57074-37-0
dihydrocarveol	619-01-2
7,8-dihydro-beta-ionol	3293-47-8
3,7-dimethyl-6-octen-3-ol	2270-57-7
18479-51-1	2210 31 1
dihydromyrcenol	18479-58-8
uniyuromyreenor	53219-21-9
	18479-59-9
dihydroperillyl alcohol	18479-64-6
2,5-dihydroxy-2,5-dimethyl-1,4-dithiane	55704-78-4
2,6-dimethyl-4-heptanol	108-82-7
3,7-dimethyl-1,5,7-octatrien-3-ol	20053-88-7
o, ramony 1,0, robustion o of	29957-43-5
	54831-37-7
	53834-70-1
2,6-dimethyl-2-heptanol	13254-34-7
3,6-dimethyl-3-octanol	151-19-9
2,4-dimethyl-3-pentanol	600-36-2
2,4-dimethyl-4-nonanol	74356-31-3
2-dodecanol	10203-28-8
dodecanol	112-53-8
2-dodecenol	22104-81-0
elemol	639-99-6
2-ethylbutanol	97-95-0
2-ethylfenchol	18368-91-7
2-ethylhexanol	104-76-7
farnesol	4602-84-0
fenchyl alcohol	14575-74-7
	1632-73-1
	512-13-0
geranyllinalool	1113-21-9
heptadecanol	1454-85-9
heptanal glyceryl acetal	72854-42-3
	1708-35-6
2-heptanol	543-49-7
3-heptanol	589-82-2
4-heptanol	589-55-9
heptanol	111-70-6
1-hepten-3-ol	4938-52-7
2-heptenol	33467-76-4
	22104-77-4
3-heptenol	10606-47-0
cis-4-heptenol	6191-71-5
hexadecanol	36653-82-4
2,4-hexadienol	111-28-4
hexanal glyceryl acetal	4379-20-8
2-hexanol	626-93-7
3-hexanol	623-37-0
hexanol	111-27-3
4-hexenol	6126-50-7
1-hexen-3-ol	4798-44-1
trans-2-hexenal glyceryl acetal	214220-85-6
	897630-96-5
	897672-50-3
	897672-51-4
	001012 01 1

## Shexenel	2-hexenol	2305-21-7
cis 2 hexcend 928-94-9 cis 3 hexcend 928-96-1 cis 4 hexcend 928-91-6 cis 4 hexcend 928-95-0 cis 4 hexcend 928-97-2 trans 4 hexcend 928-97-2 hydroxycitronellal diethyl acetal 107-74-4 alpha ionol 25312-34-9 beta ionol 2209-76-1 isoboraced 18675-35-9 isodifydrocarveol 18675-35-9 isogeraniol 1 isophytol 505-32-8 isophytol 505-32-8 isovaleraldehyde giveryl acetal 5155-74-7 lavandulol 498-16-8 8-7 prenthene 1,2-diol 1916-00-5 lalaod acetal 1365-19-1 lavandulol 498-16-8 2-y menthene 1,2-diol 1916-00-5 lalaod acetal 1365-19-1		
228-96-1		
cis+bexenol 928-91-6 trans* bexenol 928-97-2 trans* bexenol 7779-94-4 hydroxystronellol 107-74-4 alpha-tonol 22029-76-1 beta-ionol 22029-76-1 isobdracel 124-76-5 isodhydrocarveol isoff5-55-9 isogeraniol 18675-35-9 isophytol 505-32-8 isovaleraldehyde glyceryl acetal 51335-74-7 lavandulol 498-16-8 8-y-mentheme-1,2-diol 194-60-5 linalcol oxide 194-60-5 2-y mentheme-1,2-diol 194-60-5 linalcol oxide 195-19-1 2-y menthani-1-ol 22771-44-4 1,8-y menthadien-1-ol 22771-44-4 1,8-y menthadien-1-ol 319-02-1 2-8 y menthaliani-1-ol 319-02-1 y menthani-2-ol 499-69-4 y menthani-2-ol 499-69-4 <td></td> <td></td>		
trans 2 besend 928-95-0 trans 3 besend 928-92-7 trans 4 besend 928-92-7 hydroxycitronellal dicityl acetal 7779-94-4 hydroxycitronellol 107-74-4 alpha ionol 22032-76-1 isoborneol 124-76-5 isodhydrocarveol 18675-85-9 isogeniol 505-32-8 isopulegol 89-79-2 isovaleraldehyde glyceryl acetal 54355-74-7 lavandulol 498-16-8 8.7 menthene 1,2 diol 1946-00-5 linalool oxide 1366-19-1 2.7 menthen 1 ol 22771-44-4 2.8 y menthadien 1 ol 22771-44-4 1.8 y menthadien 1 ol 22771-44-4 1.8 y menthadien 1 ol 2271-14-4 1.8 y menthan 2 ol 499-69-4 6030-28-7 9 pmenthun 7-0 5502-75-0 pmenthun 7-0 5502-75-0 pmenthan 7-0 <td></td> <td></td>		
trans: a hexenol 928-97-2 hydroxycitronellal dicthyl acetal 7779-94-4 hydroxycitronellal dicthyl acetal 7779-94-4 hydroxycitronellal dicthyl acetal 107-74-4 alpha-ionol 25012-31-9 beta-ionol 22029-76-1 isoborneol 124-76-5 isodhydrocarveol 18675-35-9 isogeraniol 505-52-8 isopulogol 80-79-2 isopulogol 80-79-2 isopulogol 80-79-2 isovaloraldehyde glyceryl acetal 4335-74-7 lavandulol 498-16-8 8-y-menthene 1,2-idiol 1946-00-5 linalool oxide 1365-19-1 2-y-menthene 1,0-1 227-14-4 2.8y-menthadien-1-ol 227-14-4 1.8y-menthadien-1-ol 319-02-1 2.8y-menthani-2-ol 319-02-1 2.8y-menthani-1-ol 3289-90-7 y-menthani-2-ol 498-69-4 pmenthani-2-ol 498-69-4 pmenthani-2-ol 498-69-4 pmenthani-2-ol 18479-64-6 3-yme		
trans t-besend 928-927 hydroxycitronellal diethyl acetal 7779-94-4 hydroxycitronellol 107-74-4 alpha ionol 28312-34-9 beta-ionol 1267-65 isodhydrocarvel 18675-35-9 isogeraniol 555-32-8 isophytol 89-79-2 isoplegol 89-79-2 isovaleraldehyde glyceryl acetal 51355-74-7 lavandulol 498-16-8 8-y-menthene 1,2 diol 1946-00-5 linalool oxide 1385-19-1 2-y-menthalien-1 ol 22771-44-4 1,8-y-menthadien-1 ol 2369-90-7 menthadien-1 ol 319-02-1 28-y-menthalien-1 ol 3269-90-7 p-menthan-2 ol 499-69-4 60320-28-7 9-menthalien-1 ol 1,8-y-menthalien-1 ol 1502-7		
hydroxycitronellal diethyl acetal 1779-94-4		
hydrosyctronellol		
alpha-inoal 25312-34-9 beta-inoal 22029-76-1 isoburneal 124-76-5 isodihydrocarvool 18675-35-9 isogeraniol 18675-35-9 isogeraniol 18675-35-9 isopulegol 89-70-2 50373-86-9 50373-86-9 isovaleraldehyde glyceryl acetal 498-16-8 8-p methene-1,2-diol 1946-00-5 inlacol oxide 1365-19-1 2-p methene-1-10 619-62-5 2-g menthadien-1-0 22771-44-4 1,8 p menthadien-4-0 3419-02-1 menthadienol 3269-90-7 p menthan-7-ol 499-69-4 p menthan-7-ol 499-69-4 p menthan-7-ol 498-81-7 s p mentheny-1,2-propanediol 18479-64-6 3-(menthoxy-1,2-propanediol 1872-66-5 3-(menthy-2-pentanol 1872-66-6 5-(methy-1-3-hexanol 1872-66-6 5-(methy-1-3-hexanol 1872-66-6 5-(methy-1-3-hexanol 1872-66-6 5-(methy-1-3-hexanol 1559-60-4 2-(methy-1-3-hexanol 1569-60-4 3-(methy-1-3-hexanol 1575-66-9 3-(methy-1-3-he		
beta-inon 22029-76-1 isoborneol 124-76-5 isodinydrocarveol 18675-35-9 isoparticle 18675-35-9 isovaleraldehyde glyceryl acetal 54355-74-7 asvandulol 498-16-8 8-p-menthane-1,2-diol 1946-00-5 inalool oxide 1365-19-1 2-p-menthane-1,2-diol 1946-00-5 inalool oxide 1365-19-1 2-p-menthane-1-ol 22771-44-4 1,8-p-menthadien-4-ol 3419-02-1 menthadienol 3289-90-7 pmenthan-2-ol 499-69-4 menthadienol 3289-90-7 pmenthan-2-ol 499-69-4 60320-28-7 pmenthan-8-ol 498-81-7 8-p-menthan-7-ol 18479-64-6 3-(menthoxyl-1,2-propanediol 87061-04-9 3-methyl-2-pentanol 456-60-6 4-methyl-3-pentanol 457-40-7 4-methyl-3-pentanol 457-40-7 5-methyl-3-pentanol 457-40-7 5-methyl-3-pentanol 457-9-8 3-methyl-3-pentanol 457-9-8 4-methyl-3-pentanol 457-9-8 5-methyl-3-pentanol 457-9-8	Ų Ų	
isobnroal 124-76-5 isodihydrocarvol 18675-35-9 isodihydrocarvol 18675-35-9 isodihydrocarvol 18675-35-9 isopyloto 189-79-2 50373-36-9 isovaleraldehyde glyceryl acetal 54355-74-7 lavandulol 498-16-8 **P menthene-1,2-diol 1946-00-5 inialool oxide 1365-19-1 2**P menthadien-1-ol 22771-44-4 1,8**p menthadien-1-ol 22771-44-4 1,8**p menthadien-1-ol 23412-82-7 menthadienol 3269-90-7 pmenthan-2-ol 499-69-4 60320-28-7 pmenthan-7-ol 5502-75-0 pmenthan-8-ol 498-81-7 **P menthan-8-ol 1870-64-6 3'(menthyl-2-pentanol 108-11-2 6'methyl-3-pentanol 18720-66-6 6'methyl-3-pentanol 18720-66-6 5'methyl-3-pentanol 18720-66-6 5'methyl-3-pentanol 177-74-7 6'methyl-3-pentanol 165-90-6 5'methyl-3-pentanol 165-90-6 5'methyl-4-pentanol 165-90-6 5'methyl-4-pentano		
isodihydrocarveol 18675-35-9		
Sogeraniol Sophytol Sophyto		
isophytel 505-23-8 isopulegol 89-79-2 50373-36-9 isovaleraldehyde glyceryl acetal 54355-74-7 lawandulol 498-16-8 8-ymenthene-1,2-diol 1946-00-5 inalool oxide 1365-19-1 2-ymenthene-1-10 619-62-5 2.8-ymenthadien-1-10 22771-44-4 1.8-ymenthadien-1-10 22771-44-4 1.8-ymenthadien-1-10 22771-44-4 1.8-ymenthadien-1-10 229-90-7 ymenthadien-1-10 499-69-4 60320-28-7 ymenthan-2-0 499-69-4 60320-28-7 ymenthan-3-0 498-81-7 xymenthan-3-0 498-81-7	·	18675-35-9
Sepulegol Sep-79-2 So373-36-9 So373-36-	Ü	
50373-36-9 1sovaleraldehyde glyceryl acetal 54355-74-7 1avandulol 498-16-8 8-p-menthene-1,2-diol 1946-00-5 1inalool oxide 1365-19-1 2-p-menthen-1-ol 22771-44-4 1,8-p-menthadien-1-ol 22771-44-4 1,8-p-menthadien-1-ol 24771-44-4 1,8-p-menthadien-1-ol 24771-44-4 1,8-p-menthadien-1-ol 2496-9-7 1,8-p-menthadien-1-ol 2496-9-7 1,8-p-menthadien-1-ol 2496-9-7 28342-82-7 29-menthan-2-ol 499-69-4 60320-28-7 29-menthan-3-ol 498-81-7 29-menthan-3-ol 498-81-7 29-menthan-3-ol 498-81-7 3-menthay-1,2-p-opanediol 498-81-7 3-menthay-1,2-p-opanediol 498-81-7 3-menthy-1-2-p-opanediol 565-60-6 4-methyl-2-p-opanediol 565-60-6 4-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-66-6 3-methyl-3-heptanol 18720-65-5 3-methyl-3-heptanol 1699-60-4 3-methyl		
isovaleraldehyde glyceryl acetal 49816-8 88 16-18 88 16-18 88 16-18 88 16-18 88 16-18 1946-00-5 110 10	isopulegol	
$ \begin{array}{c} a \text{ lavandulol} \\ 8p \text{ methene-1,2-ioli} \\ 1946-00-5 \\ 1 \text{ linalool oxide} \\ 2p \text{ methen-1-ol} \\ 2p \text{ methen-1-ol} \\ 2p \text{ methen-1-ol} \\ 2p \text{ methene-1-ol} \\ 2p \text{ methadien-1-ol} \\ 2p \text{ methan-2-ol} \\ 2p \text{ methan-3-ol} \\ 2p \text{ methal-2-postanol} \\ 2p \text{ methal-2-postanol} \\ 2p \text{ methal-2-pentanol} \\ 2p \text{ methal-3-heptanol} \\ 2p methal-3-hept$		
8-p-menthene-1,2-diol 1946-00-5 linalool oxide 1365-19-1 2-p-menthen-1-ol 619-62-5 2,8-p-menthadien-1-ol 22771-44-4 1,8-p-menthadien-1-ol 3419-02-1 1,8-p-menthadien-1-ol 3269-90-7 menthadienol 3269-90-7 p-menthan-2-ol 499-69-4 60320-28-7 60320-28-7 p-menthan-7-ol 5502-75-0 p-menthan-8-ol 498-81-7 8-p-menthen-7-ol 18479-64-6 3-(menthoxy)-1,2-propanediol 87061-01-9 3-methyl-2-pentanol 18720-66-6 4-methyl-2-pentanol 18720-66-6 5-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-66-5 2-methyl-3-heptanol 77-74-7 6-methyl-3-heptanol 77-74-7 6-methyl-3-heptanol 617-29-8 3-methyl-3-pentanol 627-98-5 5-methyl-3-heptan-2-ol 1569-60-4 2-methylp-pentanol 627-98-5 5-methylp-betanol 515-36-6 3-methylp-entanol 627-98-5 3-methylp-entanol 51755-66-9		
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		
2·p menthacien·1·ol 619·62·5 2.8·p menthadien·1·ol 22771·44·4 1,8·p menthadien·1·ol 3419·02·1 28342·82·7 menthadienol menthadienol 3269·90·7 pmenthan·2·ol 499·69·4 60320·28·7 60320·28·7 pmenthan·8·ol 498·81·7 8·p menthen·7·ol 18479·64·6 3·(menthoxy)·1,2·propanediol 87061·04·9 3·methyl·2·pentanol 565·60·6 4·methyl·2·pentanol 108·11·2 6·methyl·3·heptanol 18720·66·6 5·methyl·3·heptanol 18720·65·5 2·methyl·3·heptanol 617·29·8 3·methyl·3·pentanol 67·29·8 6·methyl·3·heptanol 67·29·8 3·methyl·3·pentanol 627·98·5 2·methyl·3·heptanol 627·98·5 2·methylpentanol 627·98·5 3·methylpentanol 589·35·5 4·methylpentanol 589·35·5 4·methylpentanol 5175·6·6·9 myrtenol 5175·6·6·9 myrtenol 5175·6·6·9 myrtenol 516·5·6·9 myrtenol 106·25·2 <td></td> <td>1946-00-5</td>		1946-00-5
2.8 p menthadien 1-ol 22771-44-4 1.8 p menthadien 4-ol 3419-02-1 28342-82-7 menthadienol p menthan 2-ol 499-69-4 60320-28-7 60320-28-7 p menthan 7-ol 5502-75-0 p menthan 8-ol 498-81-7 8-p menthen 7-ol 18479-64-6 3-(menthoxy)-1,2-propanediol 87061-04-9 3-methyl-2-pentanol 555-60-6 4-methyl-2-pentanol 108-11-2 6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-66-5 5-methyl-3-heptanol 617-29-8 3-methyl-3-heptanol 617-29-8 3-methyl-3-heptanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 1569-60-4 2-methylp-tanol 627-98-5 2-methylp-tanol 589-35-5 4-methylp-pentanol 515-50-6 3-methylp-tanol 515-50-6 4-methylp-pentanol 515-50-6 4-methylp-pentanol 515-50-6	linalool oxide	1365-19-1
1,8*p* menthadien*ol 3419*02*1 28342*82*7 28342*82*7 menthadienol 3269*90*7 p*menthan*2*ol 499*69*4 60320*28*7 60320*28*7 p*menthan*8*ol 498*81*7 8*p*menthen*7*ol 18479*64*6 3*(menthoxy)*1,2*propanediol 87061*04*9 3*methyl-2*pentanol 565*60*6 4*methyl-2*pentanol 108*11*2 6*methyl-3*heptanol 18720*66*6 5*methyl-3*heptanol 18720*66*6 5*methyl-3*heptanol 18720*66*5 2*methyl-3*hexanol 77*74*7 6*methyl-3*hexanol 77*74*7 6*methyl-5*hepten*2*ol 1569*60*4 2*methyl-5*hepten*2*ol 1569*60*4 2*methyl-5*hepten*2*ol 1569*60*4 2*methylpentanol 627*98*5 2*methylpentanol 589*35*5 4*methylpentanol 589*35*5 4*methylpentanol 589*35*5 4*methylpentanol 543*39*5 3*(methylthio)hexanol 515*00*4 neodihydrocarveol 18675*34*8 d*neomenthol 491*01*0 nerolidol </td <td>2-p-menthen-1-ol</td> <td>619-62-5</td>	2-p-menthen-1-ol	619-62-5
1,8*p* menthadien*ol 3419*02*1 28342*82*7 28342*82*7 menthadienol 3269*90*7 p*menthan*2*ol 499*69*4 60320*28*7 60320*28*7 p*menthan*8*ol 498*81*7 8*p*menthen*7*ol 18479*64*6 3*(menthoxy)*1,2*propanediol 87061*04*9 3*methyl-2*pentanol 565*60*6 4*methyl-2*pentanol 108*11*2 6*methyl-3*heptanol 18720*66*6 5*methyl-3*heptanol 18720*66*6 5*methyl-3*heptanol 18720*66*5 2*methyl-3*hexanol 77*74*7 6*methyl-3*hexanol 77*74*7 6*methyl-5*hepten*2*ol 1569*60*4 2*methyl-5*hepten*2*ol 1569*60*4 2*methyl-5*hepten*2*ol 1569*60*4 2*methylpentanol 627*98*5 2*methylpentanol 589*35*5 4*methylpentanol 589*35*5 4*methylpentanol 589*35*5 4*methylpentanol 543*39*5 3*(methylthio)hexanol 515*00*4 neodihydrocarveol 18675*34*8 d*neomenthol 491*01*0 nerolidol </td <td>2,8-p-menthadien-1-ol</td> <td>22771-44-4</td>	2,8-p-menthadien-1-ol	22771-44-4
menthadienol 3269-90-7 pmenthan-2·ol 499-69-4 pmenthan-7·ol 60320-28-7 pmenthan-8·ol 498-81-7 8·pmenthen-7·ol 18479-64-6 3·(menthoxy)-1,2·propanediol 87061-04-9 3·methyl-2·pentanol 565-60-6 4-methyl-2·pentanol 18720-66-6 5·methyl-3·heptanol 18720-66-6 5·methyl-3·heptanol 18720-66-5 2·methyl-3·heptanol 177-74-7 6-methyl-5·hepten-2·ol 1569-60-4 2·methyl-5·hepten-2·ol 1569-60-4 3·methyl-3·heptanol 627-98-5 2·methyl-5·hepten-2·ol 1569-60-4 3·methyl-3·heptanol 627-98-5 2·methyl-bentanol 105-30-6 3·methylpentanol 589-35-5 4-methylpentanol 589-35-5 4-methylpentanol 51755-66-9 myrcenol 51755-66-9 myrcenol 51755-66-9 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d'neomenthol 491-01-0 nerolidol <td></td> <td>3419-02-1</td>		3419-02-1
pmenthan-2·ol 499:69-4 pmenthan-7·ol 5502:75-0 pmenthan-8·ol 498:81-7 8·pmenthen-7·ol 18479-64-6 3·(menthoxy)·1,2·propanediol 87061-04-9 3·methyl-2·pentanol 565:60-6 4·methyl-2·pentanol 108:11-2 6·methyl-3·heptanol 18720-66-6 5·methyl-3·heptanol 18720-66-5 2·methyl-3·heptanol 617-29-8 3·methyl-3·pentanol 77-74-7 6·methyl-5·hepten-2·ol 156-60-4 2·methyl-5·hepten-2·ol 5-60-6 2·methyl-bentanol 627-98-5 2·methylpentanol 627-98-5 2·methylpentanol 589-35-5 4·methylpentanol 589-35-5 3·methylpentanol 589-35-5 4·methylpentanol 5175-66-9 myrcenol 513-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d'neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 c'srnerolidol 40716-66-3	, ,	28342-82-7
60320-28-7 pmentham-8-0 5502-75-0 pmentham-8-0 498-81-7 8-pmenthem-7-0 18479-64-6 3-(menthoxy)-1,2-propanediol 565-60-6 3-methyl-2-pentanol 108-11-2 6-methyl-3-pentanol 108-11-2 6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 105-30-6 3-methyl-pentanol 627-98-5 2-methyl-pentanol 598-35-5 4-methyl-pentanol 598-35-5 4-methyl-pentanol 51755-66-9 myrcenol 543-39-5 myrtenol 543-39-5 myrtenol 18675-34-8 d-neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 49716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7	menthadienol	3269-90-7
60320-28-7 pmentham-8-0 5502-75-0 pmentham-8-0 498-81-7 8-pmenthem-7-0 18479-64-6 3-(menthoxy)-1,2-propanediol 565-60-6 3-methyl-2-pentanol 108-11-2 6-methyl-3-pentanol 108-11-2 6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 105-30-6 3-methyl-pentanol 627-98-5 2-methyl-pentanol 598-35-5 4-methyl-pentanol 598-35-5 4-methyl-pentanol 51755-66-9 myrcenol 543-39-5 myrtenol 543-39-5 myrtenol 18675-34-8 d-neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 49716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		499-69-4
pmenthan-7·ol 5502-75·0 pmenthan-8·ol 498-81·7 8·pmenthen-7·ol 18479-64·6 3·(menthoxy)·1,2·propanediol 87061-04·9 3·methyl-2·pentanol 565-60·6 4·methyl-2·pentanol 108·11·2 6·methyl-3·heptanol 18720-66·6 5·methyl-3·heptanol 18720-65·5 2·methyl-3·heptanol 617-29·8 3·methyl-3·heptanol 77-74·7 6·methyl-5·hepten·2·ol 1569-60·4 2·methyl-5·hepten·2·ol 1569-60·4 2·methyl-5·hepten·2·ol 5 3·methylpentanol 627-98·5 2·methylpentanol 589-35·5 4·methylpentanol 589-35·5 4·methylpentanol 589-35·5 3·(methylthiohexanol 51755-66·9 myrcenol 543-39·5 myrtenol 18675-34·8 d·neodihydrocarveol 18675-34·8 d·neomenthol 491-01·0 nerol 216-52·6 neomenthol 491-01·0 nerolidol 40716-66·3 nerolidol 729-78		
prmenthan-8·ol 498·81·7 8·p·menthen·7·ol 18479·64·6 3·(menthoxy)·1,2-propanediol 87061·04·9 3·methyl·2-pentanol 565·60·6 4·methyl·2-pentanol 108·11·2 6·methyl·3-heptanol 18720·66·6 5·methyl·3-heptanol 617·29·8 3·methyl·3-pentanol 77·74·7 6·methyl·5-hepten·2·ol 1569·60·4 2·methyl·5-hepten·2·ol 2 5·methylbeanol 627·98·5 2·methyl-pentanol 105·30·6 3·methylpentanol 589·35·5 4·methylpentanol 626·89·1 3·(methylthiohexanol 51755·66·9 myrcenol 543·39·5 myrtenol 515·00·4 neodihydrocarveol 18675·34·8 d'neomenthol 491·01·0 nerolidol 40710·25·2 cis·nerolidol 40716·66·3 nerolidol 7212·44·4 2,4·nonadienol 6248·56·6 3,6·nonadienol 76649·25·7	p-menthan-7-ol	
8·p menthen·7·ol 18479·64·6 3·menthoxy)·1,2·propanediol 87061·04·9 3·methyl·2·pentanol 565-60·6 4·methyl·2·pentanol 108·11·2 6·methyl·3·heptanol 18720·66·6 5·methyl·3·heptanol 18720·65·5 2·methyl·3·heptanol 617·29·8 3·methyl·3·pentanol 77·74·7 6·methyl·5·hepten·2·ol 1569·60·4 2·methyl·5·hepten·2·ol 105·30·6 3·methylpentanol 627·98·5 2·methylpentanol 589·35·5 4·methylpentanol 589·35·5 4·methylpintanol 51755·66·9 myreenol 543·39·5 myrtenol 515·00·4 neodihydrocarveol 18675·34·8 d·neomenthol 491·01·0 nerol 106·25·2 cisnerolidol 142·50·7 3790·78·1 trans nerolidol 40716·66·3 nerolidol 7212·44·4 2,4·nonadienol 62488·56·6 3,6·nonadienol 76649·25·7	*	
3'(menthoxy)-1,2-propanediol 87061-04-9 3-methyl-2-pentanol 565-60-6 4-methyl-2-pentanol 108-11-2 6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 2-methyl-5-hepten-2-ol 5-methylhexanol 627-98-5 2-methylpentanol 105-30-6 3-methylpentanol 589-35-5 4-methylpentanol 589-35-5 4-methylpentanol 51755-66-9 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d'neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 trans-nerolidol 4071-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7	*	
3-methyl-2-pentanol 565-60-6 4-methyl-2-pentanol 108-11-2 6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 5 2-methyl-bentanol 627-98-5 2-methylpentanol 589-35-5 4-methylpentanol 589-35-5 4-methylpentanol 51755-66-9 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 18675-34-8 d-neomenthol 2216-52-6 neomenthol 491-01-0 neof 106-25-2 cis-nerolidol 142-50-7 trans nerolidol 40716-6-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
4-methyl-2-pentanol 108-11-2 6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol - 5-methylbexanol 627-98-5 2-methylpentanol 105-30-6 3-methylpentanol 589-35-5 4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 4-neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis nerolidol 142-50-7 trans nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
6-methyl-3-heptanol 18720-66-6 5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol - 5-methylhexanol 627-98-5 2-methylpentanol 589-35-5 3-methylpentanol 589-35-5 4-methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarvel 18675-34-8 d'neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis nerolidol 142-50-7 trans nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
5-methyl-3-heptanol 18720-65-5 2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol - 5-methyl-shepten-2-ol 627-98-5 2-methyl-gentanol 105-30-6 3-methyl-gentanol 589-35-5 4-methyl-gentanol 626-89-1 3-methyl-gentanol 51755-66-9 myrcenol 543-39-5 myrtenol 1515-00-4 neodihydrocarveol 18675-34-8 d'neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
2-methyl-3-hexanol 617-29-8 3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol		
3-methyl-3-pentanol 77-74-7 6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol		
6-methyl-5-hepten-2-ol 1569-60-4 2-methyl-5-hepten-2-ol 627-98-5 5-methylpentanol 105-30-6 3-methylpentanol 589-35-5 4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d'neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 trans-nerolidol nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
2-methyl-5-hepten-2-ol 5-methylhexanol 627-98-5 2-methylpentanol 105-30-6 3-methylpentanol 589-35-5 4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 18675-34-8 d-neodihydrocarveol 18675-34-8 d-neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 3790-78-1 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
5-methylhexanol 627-98-5 2-methylpentanol 105-30-6 3-methylpentanol 589-35-5 4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d-neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 3790-78-1 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		1000 00 1
2-methylpentanol 105-30-6 3-methylpentanol 589-35-5 4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d-neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		627-98-5
3-methylpentanol 589-35-5 4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d'neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 3790-78-1 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
4-methylpentanol 626-89-1 3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d-neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 3790-78-1 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
3-(methylthio)hexanol 51755-66-9 myrcenol 543-39-5 myrtenol 515-00-4 neodihydrocarveol 18675-34-8 d-neomenthol 2216-52-6 neomenthol 491-01-0 nerol 106-25-2 cis-nerolidol 142-50-7 3790-78-1 3790-78-1 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
$\begin{array}{c} \text{myrcenol} & 543 \text{-} 39 \text{-} 5 \\ \text{myrtenol} & 515 \text{-} 00 \text{-} 4 \\ \text{neodihydrocarveol} & 18675 \text{-} 34 \text{-} 8 \\ \hline d \text{-} \text{neomenthol} & 2216 \text{-} 52 \text{-} 6 \\ \text{neomenthol} & 491 \text{-} 01 \text{-} 0 \\ \text{nerol} & 106 \text{-} 25 \text{-} 2 \\ \hline c is \text{-} \text{nerolidol} & 142 \text{-} 50 \text{-} 7 \\ \hline 3790 \text{-} 78 \text{-} 1 \\ \hline trans \text{-} \text{nerolidol} & 7212 \text{-} 44 \text{-} 4 \\ \hline 2,4 \text{-} \text{nonadienol} & 62488 \text{-} 56 \text{-} 6 \\ \hline 3,6 \text{-} \text{nonadienol} & 76649 \text{-} 25 \text{-} 7 \\ \hline \end{array}$		
$\begin{array}{c} \text{myrtenol} & 515\text{-}00\text{-}4 \\ \text{neodihydrocarveol} & 18675\text{-}34\text{-}8 \\ d\text{-} \text{neomenthol} & 2216\text{-}52\text{-}6 \\ \text{neomenthol} & 491\text{-}01\text{-}0 \\ \text{nerol} & 106\text{-}25\text{-}2 \\ cis \text{-} \text{nerolidol} & 142\text{-}50\text{-}7 \\ 3790\text{-}78\text{-}1 \\ trans \text{-} \text{nerolidol} & 40716\text{-}66\text{-}3 \\ \text{nerolidol} & 7212\text{-}44\text{-}4 \\ 2,4\text{-} \text{nonadienol} & 62488\text{-}56\text{-}6 \\ 3,6\text{-} \text{nonadienol} & 76649\text{-}25\text{-}7 \\ \end{array}$		
neodihydrocarveol $18675-34-8$ d-neomenthol $2216-52-6$ neomenthol $491-01-0$ nerol $106-25-2$ cis-nerolidol $142-50-7$ $3790-78-1$ $3790-78-1$ trans-nerolidol $40716-66-3$ nerolidol $7212-44-4$ $2,4$ -nonadienol $62488-56-6$ $3,6$ -nonadienol $76649-25-7$		
$\begin{array}{c} d \text{-neomenthol} & 2216-52-6 \\ \hline \text{neomenthol} & 491 \cdot 01 \cdot 0 \\ \hline \text{nerol} & 106-25-2 \\ \hline \textit{cis} \cdot \text{nerolidol} & 142-50-7 \\ \hline \textit{3790-78-1} \\ \hline \textit{trans} \cdot \text{nerolidol} & 40716-66-3 \\ \hline \text{nerolidol} & 7212-44-4 \\ \hline \textit{2},4 \cdot \text{nonadienol} & 62488-56-6 \\ \hline \textit{3},6 \cdot \text{nonadienol} & 76649-25-7 \\ \hline \end{array}$		
neomenthol $491 \cdot 01 \cdot 0$ nerol $106 \cdot 25 \cdot 2$ cis nerolidol $142 \cdot 50 \cdot 7$ $3790 \cdot 78 \cdot 1$ $trans$ nerolidol $40716 \cdot 66 \cdot 3$ nerolidol $7212 \cdot 44 \cdot 4$ $2,4$ nonadienol $62488 \cdot 56 \cdot 6$ $3,6$ nonadienol $76649 \cdot 25 \cdot 7$		
$\begin{array}{c} \text{nerol} & 106\text{-}25\text{-}2 \\ \text{cis-nerolidol} & 142\text{-}50\text{-}7 \\ & 3790\text{-}78\text{-}1 \\ \\ \text{trans-nerolidol} & 40716\text{-}66\text{-}3 \\ \\ \text{nerolidol} & 7212\text{-}44\text{-}4 \\ \\ 2\text{,}4\text{-nonadienol} & 6248\text{-}56\text{-}6 \\ \\ 3\text{,}6\text{-nonadienol} & 76649\text{-}25\text{-}7 \\ \end{array}$		
cis-nerolidol 142-50-7 3790-78-1 3790-78-1 trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
trans-nerolidol 40716-66-3 nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7	cis-nerolidol	
nerolidol 7212-44-4 2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7	1111	
2,4-nonadienol 62488-56-6 3,6-nonadienol 76649-25-7		
3,6-nonadienol 76649-25-7		
trans,cis-2,6-nonadienol 28069-72-9		
, ,	trans,cis-2,6-nonadienol	28069-72-9

1. 1	EE00.44.0
nonadienol	7786-44-9
1	63450-36-2
nonanol	143-08-8
2-nonanol	628-99-9
3-nonanol	624-51-1
1-nonen-3-ol	21964-44-3
3-nonenol	10340-23-5
6-nonenol	35854-86-5
cis-2-nonenol	41453-56-9
trans-2-nonenol	31502-14-4
2,6-dimethyl-5,7-octadien-2-ol	5986-38-9
1,5-octadien-3-ol	83861-74-9
octadecanol	112-92-5
3,5-octadienol	70664-96-9
1,3-octanediol	23433-05-8
2-octanol	123-96-6
3-octanol	589-98-0
octanol	111-87-5
1-octen-3-ol	3391-86-4
2-octen-4-ol	4798-61-2
2-octenol	22104-78-5
3-octenol	20125-84-2
	18185-81-4
cis-5-octenol	64275-73-6
cis-9-octadecenol	143-28-2
pentadecanol	629-76-5
perilla alcohol	536-59-4
phytol	150-86-7
pinocarveol	5947-36-4
piperitol	491-04-3
rhodinol	6812-78-8
alpha-santalol	115-71-9
sclareol	515-03-7
1-terpineol	586-82-3
4-terpineol	562-74-3
alpha-terpineol	98-55-5
beta-terpineol	138-87-4
4-tert-butylcyclohexanol	98-52-2
tetradecanol	112-72-1
tetrahydrocuminol	5502-72-7
3,7-dimethyloctanol	106-21-8
3,7-dimethyloctanol	78-69-3
2,6-dimethyl-2-octanol	18479-57-7
3-thujanol	21653-20-3
	35732-37-7
arkinana kudusta	3284-85-3
sabinene hydrate	546-79-2
tridecanol	112-70-9
2-tridecenol	68480-25-1
3,3,5-trimethylcyclohexanol	116-02-9
3,5,5-trimethylhexanol	3452-97-9
2,4-undecadienol	59376-58-8
2-undecanol	1653-30-1
undecanol	112-42-5
cis,cis-1,5,8-undecatrien-3-ol	35389-48-1
10-undecenol	112-43-6
2-undecenol	37617-03-1
verbenol	473-67-6
vetiverol	68129-81-7

	89-88-3
viridiflorol	552-02-3
3-(I-menthoxy)-2-methylpropane-1,2-diol	195863-84-4
citral glyceryl acetal	5694-82-6
menthone 1,2-glyceryl acetal	63187-91-7
1-p-menthen-9-ol	18479-68-0
1,2-dihydrolimonen-10-ol	5502-99-8
2,3,4-trimethyl-3-pentanol	3054-92-0
2,4-dimethylcyclohexylmethanol	68480-15-9
2-methyl-1-hepten-3-ol	
2-tert butylcyclohexanol	13491-79-7
3-ethyl-3-octanol	2051-32-3
4-isopropylcyclohexanol	4621-04-9
5-hexenol	821-41-0
5-octene-1,3-diol	
6-hydroxydihydrotheaspirane	57967-68-7
	65620-50-0
8-ethyl-1,5-dimethylbicyclo[3.2.1]octan-8-ol	84681-92-5
cis-3-heptenol	1708-81-2
cis-4-octenol	54393-36-1
cyclododecanol	1724-39-6
d-limonen-10-ol	38142-45-9
d-trans,cis-1(7),8-p-menthadien-2-ol	
3,7-dimethyl-1,6-nonadien-3-ol	10339-55-6
linalool oxide (pyranoid)	14049-11-7
<i>1-trans</i> -2- <i>p</i> -menthenol	53399-74-9
nerolidol oxide	
nootkatol	
p-menthane-3,8-diol	42822-86-6
santalol	11031-45-1
tetrahydronootkatol	

168* Aliphatic Higher Aldehydes (except those generally recognized as highly toxic)	
Name	CAS No.
campholenic aldehyde	4501-58-0
	91819-58-8
citronellyloxyacetaldehyde	7492-67-3
cyclocitral	52844-21-0
	432-25-7
2,4-decadienal	2363-88-4
trans,trans-2,4-decadienal	25152-84-5
2-decenal	3913-71-1
4-decenal	30390-50-2
9-decenal	39770-05-3
cis-4-decenal	21662-09-9
trans-2-decenal	3913-81-3
trans-4-decenal	65405-70-1
cis-7-decenal	21661-97-2
2,6-dimethyloctanal	7779-07-9
dimethylcyclohexenylcarbaldehyde	68737-61-1
2,4-dodecadienal	13162-47-5
	21662-16-8
	21662-15-7
2,6-dodecadienal	21662-13-5
dodecanal	112-54-9
2-dodecenal	4826-62-4
trans-2-dodecenal	20407-84-5

2-ethyl-2-hexenal	
ů.	645-62-5 07-06-1
	97-96-1
, ,	41448-29-7
	19780-25-7
	123-05-7
	141-27-5
S ,	35405-73-4
· · · · · · · · · · · · · · · · · · ·	4313-03-5
	5910-85-0
*	111-71-7
	2463-63-0
cis-4-heptenal	6728-31-0
*	18829-55-5
trans-4-heptenal	929-22-6
hexadecanal	629-80-1
trans,trans-2,4-hexadienal	142-83-6
hexanal	66-25-1
2-hexenal 5	505-57-7
	4440-65-7
	6789-80-6
	6728-26-3
	69112-21-6
	13019-16-4
V	472-66-2
· · · · · · · · · · · · · · · · · · ·	31906-04-4
	1335-66-6
· ·	
U A U U U	37677-14-8
A AU	35158-25-9
	106-72-9
1,3-p-menthadien-7-al	
	3613-30-7
A V	58102-02-6
, , ,	99910-84-6
	85407-25-6
V V A	40878-73-7
	623-36-9
V I	5362-56-1
· ·	19009-56-4
2-methyloctanal	7786-29-0
	123-15-9
2-[(methylthio)methyl]-2-butenal	40878-72-6
12-methyltridecanal	75853-49-5
2-methylundecanal	110-41-8
· ·	564-94-3
	106-26-3
	6750-03-4
,	557-48-2
	26370-28-5
	5910-87-2
	17587-33-6
3.6-nonadienal	11001 00 0
	194-10-6
	124-19-6
	2463-53-8
	2277-19-2
	18829-56-6
	31823-43-5
	5577-44-6
	56767-18-1
trans,trans-2,4-octadienal	30361-28-5

2-octenal	2363-89-5
trans-2-octenal	2548-87-0
cis-3-octenal	78693-34-2
octyloxyacetaldehyde	53488-14-5
perillaldehyde	2111-75-3
1-p-menthen-9-al	29548-14-9
safranal	116-26-7
alpha-sinensal	17909-77-2
beta-sinensal	60066-88-8
tetradecanal	124-25-4
tridecanal	10486-19-8
2-tridecenal	7774-82-5
trans-2-tridecenal	7069-41-2
2,6,10-trimethyl-5,9-undecadienal	
3,5,5-trimethylhexanal	5435-64-3
2,4-undecadienal	13162-46-4
trans,trans-2,4-undecadienal	30361-29-6
undecanal	112-44-7
10-undecenal	112-45-8
2-undecenal	2463-77-6
trans-2-undecenal	53448-07-0
1,2-dihydroperillaldehyde	137886-38-5
2-(5-ethenyl-5-methyltetrahydrofuran-2-yl)propanal	67920-63-2
	51685-39-3
2,3-epoxyoctanal	51007-38-6
2,4-dimethyl-3-cyclohexenylcarbaldehyde	68039-49-6
2,6,10-trimethyl-9-undecenal	141-13-9
5-(methylthio)-2-[(methylthio)methyl]-2-pentenal	59902-01-1
2-ethylidenehexanal	25409-08-9
3,6-dimethyl-3-cyclohexenylcarbaldehyde	67801-65-4
3,7-dimethyloctanal	5988-91-0
3-(methylthio)hexanal	38433-74-8
dihydroperillaldehyde	
cis-4-hexenal	4634-89-3
dimethyl-3-cyclohexenylcarbaldehyde	27939-60-2
trans-2-methyl-6-methylene-2,7-octadienal	17015-30-4

169* Aliphatic Higher Hydrocarbons (except those generally recognized as highly toxic)	
Name	CAS No.
campholenic aldehyde	4501-58-0
	91819-58-8
citronellyloxyacetaldehyde	7492-67-3
cyclocitral	52844-21-0
	432-25-7
2,4-decadienal	2363-88-4
trans,trans-2,4-decadienal	25152-84-5
2-decenal	3913-71-1
4-decenal	30390-50-2
9-decenal	39770-05-3
cis-4-decenal	21662-09-9
trans-2-decenal	3913-81-3
trans-4-decenal	65405-70-1
cis-7-decenal	21661-97-2
2,6-dimethyloctanal	7779-07-9
dimethylcyclohexenylcarbaldehyde	68737-61-1
2,4-dodecadienal	13162-47-5
	21662-16-8

	01000 17 7
9 C-dadasa dianal	21662-15-7
2,6-dodecadienal	21662-13-5 112-54-9
dodecanal	
2-dodecenal	4826-62-4
trans-2-dodecenal	20407-84-5
2-ethyl-2-hexenal	645-62-5
2-ethylbutanal	97-96-1
3,7-dimethyl-2,6-nonadienal	41448-29-7
2-ethyl-2-butenal	19780-25-7
2-ethylhexanal	123-05-7
geranial	141-27-5 65405-73-4
geranoxyacetaldehyde	
trans,trans-2,4-heptadienal 2,4-heptadienal	4313-03-5 5910-85-0
heptanal	111-71-7
	2463-63-0
2-heptenal cis-4-heptenal	6728-31-0
trans-2-heptenal	18829-55-5
trans-2-neptenal trans-4-heptenal	929-22-6
hexadecanal	629-80-1
trans,trans-2,4-hexadienal	142-83-6
hexanal	66-25-1
2-hexenal	505-57-7
3-hexenal	4440-65-7
cis 3-hexenal	6789-80-6
trans-2-hexenal	6728-26-3
trans-3-hexenal	69112-21-6
2-butyl-2-octenal	13019-16-4
2,6,6-trimethyl-1-cyclohexene-1-acetaldehyde	472-66-2
4-(4-hydroxy-4-methylpentyl)-3-cyclohexenylcarbaldehyde	31906-04-4
isocyclocitral	1335-66-6
1-(4-methyl-3-pentenyl)-1-cyclohexenyl-4-carbaldehyde	37677-14-8
2-isopropyl-5-methyl-2-hexenal	35158-25-9
2,6-dimethyl-5-heptenal	106-72-9
1,3-p-menthadien-7-al	100 12 9
7-methoxy-3,7-dimethyloctanal	3613-30-7
alpha-methyl ional	58102-02-6
4-methyl-2-[(methylthio)methyl]-2-hexenal	99910-84-6
5-methyl-2-[(methylthio)methyl]-2-hexenal	85407-25-6
4-methyl-2-[(methylthio)methyl]-2-pentenal	40878-73-7
2-methyl-2-pentenal	623-36-9
4-methyl-2-pentenal	5362-56-1
2-methyldecanal	19009-56-4
2-methyloctanal	7786-29-0
2-methylpentanal	123-15-9
2-[(methylthio)methyl]-2-butenal	40878-72-6
12-methyltridecanal	75853-49-5
2-methylundecanal	110-41-8
myrtenal	564-94-3
neral	106-26-3
2,4-nonadienal	6750-03-4
2,6-nonadienal	557-48-2
	26370-28-5
trans,trans-2,4-nonadienal	5910-87-2
trans,trans 2,4 nonadienal	17587-33-6
3,6-nonadienal	2.00.000
nonanal	124-19-6
2-nonenal	2463-53-8
cis-6-nonenal	2277-19-2
CIO O HOHOHOI	## 1

trans-2-nonenal	18829-56-6
cis-3-nonenal	31823-43-5
2.4-octadienal	5577-44-6
2.6-octadienal	56767-18-1
trans.trans-2.4-octadienal	30361-28-5
2-octenal	2363-89-5
trans-2-octenal	2548-87-0
cis-3-octenal	78693-34-2
octyloxyacetaldehyde	53488-14-5
perillaldehyde	2111-75-3
1-p-menthen-9-al	29548-14-9
safranal	116-26-7
alpha-sinensal	17909-77-2
beta-sinensal	60066-88-8
tetradecanal	124-25-4
tridecanal	10486-19-8
2-tridecenal	7774-82-5
trans-2-tridecenal	7069-41-2
2,6,10-trimethyl-5,9-undecadienal	
3,5,5-trimethylhexanal	5435-64-3
2,4-undecadienal	13162-46-4
trans,trans-2,4-undecadienal	30361-29-6
undecanal	112-44-7
10-undecenal	112-45-8
2-undecenal	2463-77-6
trans-2-undecenal	53448-07-0
1,2-dihydroperillaldehyde	137886-38-5
2-(5-ethenyl-5-methyltetrahydrofuran-2-yl)propanal	67920-63-2
	51685-39-3
2,3-epoxyoctanal	51007-38-6
2,4-dimethyl-3-cyclohexenylcarbaldehyde	68039-49-6
2,6,10-trimethyl-9-undecenal	141-13-9
5-(methylthio)-2-[(methylthio)methyl]-2-pentenal	59902-01-1
2-ethylidenehexanal	25409-08-9
3,6-dimethyl-3-cyclohexenylcarbaldehyde	67801-65-4
3,7-dimethyloctanal	5988-91-0
3-(methylthio)hexanal	38433-74-8
dihydroperillaldehyde	
cis-4-hexenal	4634-89-3
dimethyl-3-cyclohexenylcarbaldehyde	27939-60-2
trans-2-methyl-6-methylene-2,7-octadienal	17015-30-4

227* Thioethers (except those generally recognized as highly toxic)		
	Name	CAS No.
acetaldeh	yde difurfuryl thioacetal	
allyl meth	nyl disulfide	2179-58-0
allyl meth	nyl sulfide	10152-76-8
allyl meth	ayl trisulfide	34135-85-8
allyl prop	yl disulfide	2179-59-1
allyl prop		27817-67-0
allyl prop	yl trisulfide	33922-73-5
benzothia	zole	95-16-9
benzyl me	ethyl disulfide	699-10-5
benzyl me	ethyl sulfide	766-92-7
bis(2-met)	hyl-3-furyl) disulfide	28588-75-2
3,5-bis(2-1	methyltetrahydrofuryl-3)spiro-1,2,4-trithiolane	
butyl prop	pyl disulfide	72437-64-0

2-butyl-4,5-dimethylthiazole	76572-48-0
2-sec butylthiazole	18277-27-5
2-butylthiophene	1455-20-5
butanal dibenzyl thioacetal	101780-73-8
diallyl disulfide	2179-57-9
diallyl polysulfides	72869-75-1
diallyl sulfide	592-88-1
dibenzyl disulfide	150-60-7
dibutyl sulfide	544-40-1
dicyclohexyl disulfide	2550-40-5
diethyl disulfide	110-81-6
diethyl sulfide	352-93-2
difurfuryl disulfide	4437-20-1
difurfuryl sulfide	13678-67-6
diisoamyl disulfide	2051-04-9
diisopropyl disulfide	4253-89-8
diisopropyl sulfide	625-80-9
dimethyl sulfide	75-18-3
dimethyl tetrasulfide	5756-24-1
dimethyl trisulfide	3658-80-8
3,5-dimethyl-1,2,4-trithiolane	23654-92-4
2,5-epoxy-2,5-dimethyl-1,4-dithiane	
2-ethyl-4,5-dimethylthiazole	873-64-3
2-isobutyl-4,5-dimethyl-3-thiazoline	65894-83-9
4,5-dimethyl-2-propylthiazole	41981-72-0
2,4-dimethylthiazole	541-58-2
2,5-dimethylthiazole	4175-66-0
4,5-dimethylthiazole	3581-91-7
2,5-dimethylthiophene	638-02-8
3,4-dimethylthiophene	632-15-5
dinonyl sulfide	929-98-6
bis(2-methylphenyl) disulfide	4032-80-8
dipropyl polysulfides	
dipropyl sulfide	111-47-7
dipropyl trisulfide	6028-61-1
di- <i>tert</i> -amyl disulfide	34965-30-5
di-2-thienyl disulfide	6911-51-9
2-ethoxythiazole	15679-19-3
ethyl 2-hydroxyethyl sulfide	110-77-0
2-ethyl-4-methylthiazole	15679-12-6
ethyl 1-propenyl sulfide	36784-55-1
5-ethyl-4-methylthiazole	31883-01-9
4-ethyl-5-methylthiazole	52414-91-2
2-ethylthiazole	15679-09-1
2-ethylthiophene	872-55-9
2,4-dithiapentane	1618-26-4
furfuryl isopropyl sulfide	1883-78-9
furfuryl methyl sulfide	1438-91-1
2-hexylthiophene	18794-77-9
2-isobutyl-4,5-dimethylthiazole	53498-32-1
2-isobutyl-4-methylthiazole	61323-24-8
2-isobutyl-5-methylthiazole	72611-71-3
2-isobutylthiazole	18640-74-9
2-isopropyl-4-methylthiazole	15679-13-7
lenthionine	292-46-6
methional	3268-49-3
methional diethyl acetal	16630-61-8
methional glyceryl acetal	
methional propyleneglycol acetal	59007-89-5
T TV T SQ V T T T T T T T T T T T T T T T T T T	

methionol	505-10-9
methionol methyl 1-propenyl sulfide	505-10-2 10152-77-9
methyl 1-propenyl suinde methyl 2-methyl-3-furyl disulfide	65505-17-1
methyl 5-methyl-2-furyl disulfide methyl 5-methyl-2-furyl sulfide	13678-59-6
methyl 5-methylfurfuryl disulfide	78818-78-7
butyl methyl sulfide	628-29-5
dimethyl disulfide	624-92-0
ethyl methyl disulfide	20333-39-5
ethyl methyl sulfide	624-89-5
furfuryl methyl disulfide	57500-00-2
methyl octyl sulfide	3698-95-1
methyl 2-methylphenyl disulfide	35379-09-0
methyl phenyl disulfide	14173-25-2
methyl propyl disulfide	2179-60-4
methyl propyl sulfide	3877-15-4
methyl propyl trisulfide	17619-36-2
2-methyl-2-thiazoline	2346-00-1
2-(furfurylthio)-(3or5or6)-methylpyrazine	65530-53-2
2-methyl-(3or5or6)-(methylthio)pyrazine	2882-20-4
a monty (ootooto) (monty to mo) pyrazmic	67952-65-2
	68378-12-1
2-methyl-3-furyl 2-methyl-3-tetrahydrofuryl disulfide	252736-40-6
methyl 2-methyl-3-furyl sulfide	63012-97-5
2-methyl-4-propyl-1,3-oxathiane	67715-80-4
5,7-dihydro-2-methylthieno[3,4-d]pyrimidine	36267-71-7
5-ethenyl-4-methylthiazole	1759-28-0
2-methylthiazole	3581-87-1
4-methylthiazole	693-95-8
5-methylthiazole	3581-89-3
2-methylthiazolidine	24050-16-6
2-ethyl-3-(methylthio)pyrazine	72987-62-3
3-(methylthio)butanal	16630-52-7
4-(methylthio)butanol	20582-85-8
2-(methylthio)ethanol	5271-38-5
2-methylthiophene	554-14-3
3-methylthiophene	616-44-4
3-(methylthio)propylamine	4104-45-4
(methylthio)pyrazine	21948-70-9
2-pentylthiophene	4861-58-9
diphenyl disulfide	882-33-7
1-propenyl propyl disulfide	5905-46-4
1-propenyl propyl sulfide	
dipropyl disulfide	629-19-6
2-propylthiazole	17626-75-4
2-propylthiazolidine	24050-10-0
spiro[2,4-dithia-1-methyl-8-oxa-bicyclo[3.3.0]octane-3,3'-	38325-25-6
(1'-oxa-2'-methyl)cyclopentane] and spiro[dithia-6-methyl	38325-26-7
-7-oxa-bicyclo[3.3.0]octane-3,3'-(1'-oxa-2'-methyl)cyclopentane]	
thiolane	110-01-0
thiazole	288-47-1
thiazolidine-2,4-dione	2295-31-0
methyl phenyl sulfide	100-68-5
thiophene	110-02-1
5,6-dihydro-2,4,6-trimethyl-1,3,5-dithiazine	638-17-5
2,8-epithio-p-menthane	68398-18-5
2,4,5-trimethylthiazole	13623-11-5
2,2,4,4,6,6-hexamethyl-1,3,5-trithiane	828-26-2
2,3,5-trithiahexane	42474-44-2
1,2,4-trithiolane	289-16-7

2-sec-butyl-4,5-dimethyl-3-thiazoline	65894-82-8
2-(furfurylthio)-3-methylpyrazine	59303-07-0
2-(methylthio)benzothiazole	615-22-5
2,4,6-triethyldihydro-1,3,5-dithiazine	
2-isopropyl-3-(methylthio)pyrazine	67952-59-4
2-methyl-1,3-dithiolane	5616-51-3
2-(methylthio)acetaldehyde	23328-62-3
2-methylthiolane	1795-09-1
2-(methylthio)thiazole	5053-24-7
4-methyl-2-pentylthiazole	96693-92-4
2-pentylthiazole	37645-62-8
4-methyl-2-propylthiazole	52414-87-6
3,4,5,6-tetrahydro-2,4,6-trimethyl-(2 <i>H</i>)-1,3,5-thiadiazine	
3,5-diethyl-1,2,4-trithiolane	54644-28-9
3-methyl-1,2,4-trithiane	43040-01-3
3-thienylcarboxylic acid	88-13-1
2-ethyl-4,5-dimethyl-3-thiazoline	76788-46-0
benzothiophene	95-15-8
bis(2-methylbutyl) disulfide	
diallyl trisulfide	2050-87-5
dibutyl disulfide	629-45-8
dihydro-2-methylthiazole	
diisobutyl disulfide	1518-72-5
dipentyl disulfide	112-51-6
di-sec-butyl disulfide	5943-30-6
isobutyl methyl disulfide	67421-83-4
mintsulfide	72445-42-2

228* Thiols (Thioalcohols) (except those generally recognized as highly toxic)	
Name	CAS No.
2-propenethiol	870-23-5
benzenethiol	108-98-5
benzenemethanethiol	100-53-8
2,3-butanedithiol	4532-64-3
butanethiol	109-79-5
2-butanethiol	513-53-1
cyclohexanethiol	1569-69-3
cyclopentanethiol	1679-07-8
1,2-ethanedithiol	540-63-6
2,3-dimercaptopropanol	59-52-9
2,5-dimethyl-3-furanthiol	55764-23-3
3,3-dimethylbutanethiol	
dodecanethiol	112-55-0
ethanethiol	75-08-1
2-(ethylthio)phenol	29549-60-8
2-furanmethanethiol	98-02-2
heptanethiol	1639-09-4
hexadecanethiol	2917-26-2
1,6-hexanedithiol	1191-43-1
3-methylbutanethiol	541-31-1
2-propanethiol	75-33-2
3-[(2-mercapto-1-methylpropyl)thio]-2-butanol	54957-02-7
3-hydroxy-2-butanethiol	37887-04-0
	54812-86-1
2-methoxybenzenethiol	7217-59-6
2-hydroxyethanethiol	60-24-2
3-mercaptohexanol	51755-83-0

pyrazinylmethanethiol	59021-02-2
(2or3or10)-mercaptopinane	23832-18-0
4-methoxy-2-methyl-2-butanethiol	94087-83-9
methanethiol	74-93-1
2-methyl-3-furanthiol	28588-74-1
2-methyl-3-tetrahydrofuranthiol	57124-87-5
2-methyl-4,5-dihydro-3-furanthiol	26486-13-5
(4-methylphenyl)methanethiol	4498-99-1
3-methyl-2-butanethiol	2084-18-6
2-methylbutanethiol	1878-18-8
2-methyl-2-propanethiol	75-66-1
2-naphthalenethiol	91-60-1
1,9-nonanedithiol	3489-28-9
1,8-octanedithiol	1191-62-4
octanethiol	111-88-6
2,4,4,6,6-pentamethyl-2-heptanethiol	111 00 0
2-pentanethiol	2084-19-7
pentanethiol	110-66-7
2-phenylethanethiol	4410-99-5
1-p-menthen-8-thiol	71159-90-5
1,2-propanedithiol	814-67-5
propanethiol	107-03-9
2-pyrazinylethanethiol	35250-53-4
2-pyridinylmethanethiol	2044-73-7
thioterpineol	
2-thienylmethanethiol	6258-63-5
2-thiophenethiol	7774-74-5
1-(2-thienyl)ethanethiol	94089-02-8
thiogeraniol	39067-80-6
thiolinalool	39707-47-6
2-methylbenzenethiol	137-06-4
1,4-butanedithiol	1191-08-8
2-mercaptobenzothiazole	149-30-4
3-{[(2or4),5-dihydro-2-methyl-3-furyl]thio}-2-methyltetrahydrofuran-3-thiol	38325-24-5
2-thiazoline-2-thiol	96-53-7
3-mercapto-2-methylbutanol	227456-33-9
3-mercapto-2-methylpentanol	227456-27-1
3-mercapto-3-methylbutanol	34300-94-2
4-ethoxy-2-methyl-2-butanethiol	
ethanedithiol	26914-40-9
hexanethiol	111-31-9
2-methylpropanethiol	513-44-0
mercaptoacetaldehyde diethyl acetal	
3-methyl-2-butenethiol	5287-45-6
1,1-dimethylheptanethiol	25360-10-5
2,6-dimethylbenzenethiol	118-72-9
(S)-1-methoxy-3-heptanethiol	400052-49-5

238* Terpene Hydrocarbons	
Name	CAS No.
allo-ocimene	673-84-7
alpha-bisabolene	17627-44-0
bisabolene	495-62-5
beta-bourbonene	5208-59-3
delta-cadinene	483-76-1
camphene	79-92-5
3-carene	13466-78-9

alpha-humulene	6753-98-6
beta-caryophyllene	87-44-5
alpha-cedrene	469-61-4
p-cymene	99-87-6
1-isopropenyl-4-methylbenzene	1195-32-0
cis-3,7-dimethyl-1,3,6-octatriene	3338-55-4
delta-elemene	20307-84-0
beta-elemene	33880-83-0
	515-13-9
alpha-farnesene	125037-13-0
	502-61-4
beta-farnesene	18794-84-8
	77129-48-7
farnesene	
germacrene D	23986-74-5
beta-guaiene	88-84-6
d-limonene	5989-27-5
Flimonene	5989-54-8
limonene	138-86-3
longifolene	475-20-7
myrcene	123-35-3
beta-ocimene	13877-91-3
alpha-phellandrene	99-83-2
alpha-pinene	80-56-8
beta-pinene	127-91-3
sabinene	3387-41-5
alpha-terpinene	99-86-5
gamma-terpinene	99-85-4
terpinolene	586-62-9
thujopsene	470-40-6
valencene	4630-07-3
alpha-copaene	3856-25-5
isocaryophyllene	118-65-0
pinene dimer	6993-66-4

309* Phenol Ethers (except those generally recognized as highly toxic)		
Name	CAS No.	
trans-anethole	4180-23-8	
anethole	104-46-1	
anisic acid	100-09-4	
anisole	100-66-3	
anisyl ethyl ether	5076-72-2	
benzyl eugenyl ether	57371-42-3	
1,2-diethoxybenzene	2050-46-6	
1,3-dimethoxybenzene	151-10-0	
1,4-dimethoxybenzene	150-78-7	
4-ethenyl-1,2-dimethoxybenzene	6380-23-0	
1,2-dimethoxy-4-methylbenzene	494-99-5	
2,3-dimethylbenzofuran	3782-00-1	
diphenyl ether	101-84-8	
estragole	140-67-0	
1-ethoxy-2-methoxybenzene	17600-72-5	
ethyl 2-methoxybenzyl ether	64988-06-3	
ethyl isoeugenyl ether	7784-67-0	
isobutyl 2-naphthyl ether	2173-57-1	
amyl isoeugenyl ether	10484-36-3	
benzyl isoeugenyl ether	120-11-6	

1-methoxy-3-methylbenzene	100-84-5
methyl 2-naphthyl ether	93-04-9
isoeugenyl methyl ether	93-16-3
1-methoxy-2-methylbenzene	578-58-5
1-methoxy-4-methylbenzene	104-93-8
eugenyl methyl ether	93-15-2
butyl 2-naphthyl ether	10484-56-7
ethyl 2-naphthyl ether	93-18-5
1-methoxy-4-propylbenzene	104-45-0
methyl thymol ether	1076-56-8
1,2,3-trimethoxybenzene	634-36-6
1,2-dimethoxybenzene	91-16-7
3,4-dimethoxybenzoic acid	93-07-2
1-ethenyl-4-methoxybenzene	637-69-4
4- <i>tert</i> -butyl-1-methoxy-3-methylbenzene	31268-79-8
4-isopropyl-2-methoxy-1-methylbenzene	6379-73-3
ethyl phenyl ether	103-73-1

310* Phenols (except those generally recognized as highly toxic)		
	Name	CAS No.
4-allyl-2,6-	dimethoxyphenol	6627-88-9
4-allylphei	nol	501-92-8
carvacrol		499-75-2
2-hydroxy)	ohenol	120-80-9
creosol		93-51-6
3-methylp	henol	108-39-4
2-methylp	henol	95-48-7
4-methylp	henol	106-44-5
2-methoxy	-4-propylphenol	2785-87-7
2,6-dimeth	noxyphenol	91-10-1
2,3-dimeth	ylphenol	526-75-0
2,6-dimeth	nylphenol	576-26-1
3,5-dimeth	nylphenol	108-68-9
4-ethoxypl	nenol	622-62-8
ethyl euge	nyl ether	1755-54-0
4-ethyl-2-r	nethoxyphenol	2785-89-9
2-ethylphe	enol	90-00-6
3-ethylphe	enol	620-17-7
4-ethylphe	enol	123-07-9
ethylvanil	lin propyleneglycol acetal	68527-76-4
guaiacol		90-05-1
4-hydroxyl	benzoic acid	99-96-7
4-hydroxyl	benzyl alcohol	623-05-2
4-(ethoxyn	nethyl)phenol	57726-26-8
4-(methoxy	ymethyl)phenol	5355-17-9
4-hydroxyj	phenethyl alcohol	501-94-0
2-isopropy	lphenol	88-69-7
4-isopropy	lphenol	99-89-8
3-methoxy-5-methylphenol		3209-13-0
3-methoxyphenol		150-19-6
4-methoxy	phenol	150-76-5
4-(1-hydroxyethyl)phenol		2380-91-8
2,6-dimethoxy-4-methylphenol		6638-05-7
3,4-methyl	lenedioxyphenol	533-31-3
2-methoxy-5-methylphenol		1195-09-1
4-(methylthio)phenol		1073-72-9
phenol		108-95-2

4-propylphenol	645-56-7
3,4-dihydroxybenzoic acid	99-50-3
3-hydroxyphenol	108-46-3
salicylic acid	69-72-7
4-hydroxy-3,5-dimethoxybenzoic acid	530-57-4
thymol	89-83-8
2-(methylthio)phenol	1073-29-6
vanillic acid	121-34-6
vanillin propyleneglycol acetal	68527-74-2
4-hydroxy-3-methoxybenzyl alcohol	498-00-0
4-(butoxymethyl)-2-methoxyphenol	82654-98-6
4-(ethoxymethyl)-2-methoxyphenol	13184-86-6
2-ethoxy-5-(1-propenyl)phenol	94-86-0
4-ethenyl-2-methoxyphenol	7786-61-0
4-ethenylphenol	2628-17-3
2,4-dimethylphenol	105-67-9
2,5-dimethylphenol	95-87-4
3,4-dimethylphenol	95-65-8
4-tert-butylphenol	98-54-4
2,3,6-trimethylphenol	2416-94-6
2-propylphenol	644-35-9
3- <i>tert</i> -butylphenol	585-34-2

318*	Furfurals/its derivatives (except those generally recognized as highly toxic)	
	Name	CAS No.
furfural		98-01-1
furfural diethyl acetal		13529-27-6
furfural diisoamyl acetal		18091-14-0
furfural glyceryl acetal		
furfural propyleneglycol acetal		4359-54-0
5-(hydroxymethyl)-2-furfural		67-47-0
5-methylfurfural		620-02-0

337* Aromatic Alcohols	
Name	CAS No.
alpha-amylcinnamyl alcohol	101-85-9
anisyl alcohol	105-13-5
cuminyl alcohol	536-60-7
<i>p</i> -cymen-8-ol	1197-01-9
4-isopropenylbenzyl alcohol	
3-phenylpropanol	122-97-4
2,4-dimethylbenzyl alcohol	16308-92-2
2-methyl-1-phenyl-2-propanol	100-86-7
1-(4-methylphenyl)ethanol	536-50-5
2-ethoxybenzyl alcohol	71672-75-8
4-ethoxybenzyl alcohol	6214-44-4
furfuryl alcohol	98-00-0
2-phenylpropanol	1123-85-9
4-methyl-1-phenyl-2-pentanol	7779-78-4
2-methoxybenzyl alcohol	612-16-8
3-(4-methoxyphenyl)propanol	5406-18-8
4-methyl-2-phenylpentanol	
2-methyl-4-phenyl-2-butanol	103-05-9
2-(hydroxymethyl)-5-methylpyrazine	61892-95-3
4-methylbenzyl alcohol	589-18-4

5-methylfurfuryl alcohol	3857-25-8
phenethyl alcohol	60-12-8
3-methyl-1-phenyl-3-pentanol	10415-87-9
2-phenoxyethanol	122-99-6
1-phenylpropanol	93-54-9
2-phenyl-2-propanol	617-94-7
4-phenylbutan-2-ol	2344-70-9
piperonyl alcohol	495-76-1
styralyl alcohol	98-85-1
2-(4-methyl-5-thiazolyl)ethanol	137-00-8
2-thienylmethanol	636-72-6
3,4-dimethoxybenzyl alcohol	93-03-8
2,3-dimethoxybenzyl alcohol	5653-67-8

338*	338* Aromatic Aldehydes (except those generally recognized as highly toxic)	
	Name	CAS No.
2-methox	ybenzaldehyde	135-02-4
4-butoxyb	penzaldehyde	5736-88-9
alpha-but	ylcinnamaldehyde	7492-44-6
cuminalde	ehyde	122-03-2
cyclamen	aldehyde	103-95-7
3-phenylp	propanal	104-53-0
3,4-dihyd:	roxybenzaldehyde	139-85-5
2,4-dimet	hylbenzaldehyde	15764-16-6
2-ethoxyb	enzaldehyde	613-69-4
4-ethoxyb	enzaldehyde	10031-82-0
1-ethyl-2-	pyrrolylcarbaldehyde	
4-ethylber	nzaldehyde	4748-78-1
3-(2-furyl))-2-propenal	623-30-3
5-(2-furyl))-2,4-pentadienal	5916-94-9
alpha-hex	xylcinnamaldehyde	101-86-0
2-phenylp	propanal	93-53-8
2-hydroxy	y-4-methylbenzaldehyde	698-27-1
4-hydroxy	benzaldehyde	123-08-0
3-(2-furyl))-2-isopropyl-2-propenal	
2-(4-isopr	opylphenyl)propanal	34291-99-1
4'-methox	y-alpha-methylcinnamaldehyde	65405-67-6
3-methox	ybenzaldehyde	591-31-1
2'-methox	zycinnamaldehyde	1504-74-1
4'-methox	zycinnamaldehyde	1963-36-6
4-methox	yphenylacetaldehyde	5703-26-4
3-(5-meth	yl-2-furyl)butanal	31704-80-0
5-methyl-	2-phenyl-2-hexenal	21834-92-4
4-methyl-	2-phenyl-2-hexenal	26643-92-5
4-methyl-	2-phenyl-2-pentenal	26643-91-4
5-methyl-	2-thienylcarbaldehyde	13679-70-4
3-(3,4-me	thylenedioxyphenyl)-2-methylpropanal	1205-17-0
2-methyl-	3-(4- <i>tert</i> -butylphenyl)propanal	80-54-6
2-methyl-	3-(4-methylphenyl)propanal	41496-43-9
alpha-me	thylcinnamaldehyde	101-39-3
2-(4-meth	ylphenyl)propanal	99-72-9
(4-methyl	phenyl)acetaldehyde	104-09-6
3-methylbenzaldehyde		620-23-5
1-methyl-2-pyrrolylcarbaldehyde		1192-58-1
1-pheneth	nyl-2-pyrrolylcarbaldehyde	49795-42-8
2-phenyl-	2-butenal	4411-89-6
2-phenyl-	4-pentenal	24401-36-3

3-phenyl-4-pentenal	939-21-9
phenylacetaldehyde	122-78-1
2-pyrrolylcarbaldehyde	1003-29-8
salicylaldehyde	90-02-8
3-thienylcarbaldehyde	498-62-4
2-thienylcarbaldehyde	98-03-3
2-methylbenzaldehyde	529-20-4
4-methylbenzaldehyde	104-87-0
methylbenzaldehyde	1334-78-7
4-ethoxy-3-methoxybenzaldehyde	120-25-2
3,4-dimethoxybenzaldehyde	120-14-9
2,3-dimethoxybenzaldehyde	86-51-1
alpha-ethylcinnamaldehyde	28467-92-7
5-methyl-2-pyrrolylcarbaldehyde	1192-79-6
2-hydroxy-3-methoxybenzaldehyde	148-53-8
2-methyl-4-phenylbutanal	40654-82-8
3-hydroxy-4-methoxybenzaldehyde	621-59-0
3-methyl-2-thienylcarbaldehyde	5834-16-2
3-(4-ethylphenyl)-2,2-dimethylpropanal	67634-15-5
4- <i>tert</i> -butylbenzaldehyde	939-97-9
3-(2-furyl)-2-methyl-2-propenal	874-66-8

376* Lactones (except those generally recognized as highly toxic)		
Name	CAS No.	
ambrettolide	123-69-3	
	7779-50-2	
alpha-angelicalactone	591-12-8	
3-butylidenephthalide	551-08-6	
gamma-butyrolactone	96-48-0	
15-pentadecanolide	106-02-5	
delta-decalactone	705-86-2	
gamma-decalactone	706-14-9	
7-decen-4-olide	67114-38-9	
9-decen-5-olide	74585-00-5	
2-decen-5-olide	54814-64-1	
7-decen-5-olide	25524-95-2	
	34686-71-0	
dihydroactinidiolide	15356-74-8	
	17092-92-1	
	19432-05-4	
	81800-41-1	
16-hexadecanolide	109-29-5	
dihydrocoumarin	119-84-6	
2-hydroxy-3,3-dimethyl-4-butanolide	79-50-5	
2,3-dimethyl-2-nonen-4-olide	10547-84-9	
delta-dodecalactone	713-95-1	
gamma-dodecalactone	2305-05-7	
6-dodecen-4-olide	18679-18-0	
epsilon-decalactone	5579-78-2	
epsilon-dodecalactone	16429-21-3	
2-hydroxy-3-methyl-2-hexen-4-olide	698-10-2	
1,4-dioxacycloheptadecane-5,17-dione	105-95-3	
delta-heptalactone	3301-90-4	
gamma-heptalactone	105-21-5	
2-heptyl-4-pentanolide	40923-64-6	
gamma-hexadecalactone	730-46-1	
delta-hexadecalactone	7370-44-7	

delta-hexalactone	823-22-3
gamma-hexalactone	695-06-7
4-methyl-cis-7-decen-4-olide	70851-61-5
2-hydroxy-3-methyl-2-penten-4-olide	28664-35-9
8-undecen-5-olide	68959-28-4
8-decen-5-olide	32764-98-0
(R)-2-decen-5-olide	51154-96-2
menthone lactone	499-54-7
4-methyl-4-decanolide	7011-83-8
2-methyl-4-butanolide	1679-47-6
3-methyl-4-octanolide	39212-23-2
3,6-dimethyl-5,6,7,7a-tetrahydro-2(4 <i>H</i>)-benzofuranone	38049-04-6
	13341-72-5
delta-nonalactone	3301-94-8
2-nonen-4-olide	21963-26-8
delta-octadecalactone	1227-51-6
octahydro-2 <i>H</i> -1-benzopyran-2-one	4430-31-3
delta-octalactone	698-76-0
gamma-octalactone	104-50-7
2,4-decadien-5-olide	27593-23-3
3-propylidenephthalide	17369-59-4
sclareolide	564-20-5
delta-tetradecalactone	2721-22-4
delta-tridecalactone	7370-92-5
delta-undecalactone	710-04-3
delta-valerolactone	542-28-9
gamma-valerolactone	108-29-2
4-methyl-5-hexen-4-olide	1073-11-6
2,3-dimethyl-2,4-nonadien-4-olide	774-64-1
2-buten-4-olide	497-23-4
3-decen-4-olide	81715-81-3
3-methyl- <i>trans</i> -5-decen-4-olide	
3-nonen-4-olide	51352-68-2
4-butyl-4-octanolide	7774-47-2
3-ethyl-2-oxo-4-butanolide	
beta-angelicalactone	591-11-7
3-methyl-4-nonanolide	33673-62-0
cis-7-decen-4-olide	63095-33-0
<i>a</i> (-)-2-hydroxy-3,3-dimethyl-4-butanolide	599-04-2
3,6-dimethyl-2(3 <i>H</i>)-hexahydrobenzofuranone	92015-65-1
2-oxothiolane	1003-10-7

Table FA02 Food Additives with Standards of Use

Note: The substances marked with *1 belong to "Existing Food Additives." See Table FA04 (List of Existing Food Additives).

Anticaking agents

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium	Salt	Not more than 0.02		
Ferrocyanide		g/kg salt as		
		anhydrous sodium		
Potassium		ferrocyanide (in case		
Ferocyanide		used in		
		combination, total		
Sodium		level shall not		
Ferrocyanide		exceed this level.)		
Silicon Dioxide		Not more than 2 %	Not permitted in	
(Fine)		in food as silicon	substitute for	
		dioxide	mother's milk and	
			weaning food	

Antifoaming agent

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Silicone Resin		Not more than 0.05 g/kg	Restricted for the purpose of	
			antifoaming	

Antimold agents (preservatives)

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Diphenyl	Grapefruit Lemon Oranges	Less than 0.070 g/kg (residual level)	Restricted for use in pieces of papers to be inserted in packaging for storage or transportation.	
Imazalil	Citrus fruits (excluding citrus UNSHU, mandarin orange) Banana	Not more than 0.005 g/kg (residual level) Not more than 0.002 g/kg		Refer to section of residual pesticides.
o-Phenylphenol Sodium o-Phenylphenate	Citrus fruits	(residual level) Not more than 0.01 g/kg (residual level as o-phenylphenol)		
Thiabendazole (TBZ)	Banana (whole)	Not more than 0.003 g/kg (residual level)		
	Banana (pulp)	Not more than 0.0004 g/kg (residual level)		
	Citrus fruits	Not more than 0.01 g/kg (residual level)		

Antioxidants

Antioxidants				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Butylated Hydroxyanisole (BHA)	Dipping solution for frozen fish and shellfish (other than frozen fish, shellfish, and oyster to be served raw), and frozen whale meat (other than frozen whale meat to be	Not more than 1 g/kg (for dipping solution; in case used in combination with Butylated Hydroxytoluene, total level of both shall not exceed this level)		
	served raw) Butter Dried fish and shellfish Fats and oils Mashed potato (dried) Salted fish and shellfish	Not more than 0.2 g/kg (in case used in combination with Butylated Hydroxytoluene, total level of both shall not exceed this level)		
Butylated Hydroxytoluene (BHT)	Frozen fish and shellfish (other than frozen fish, shellfish, and oyster to be served raw) Frozen whale meat (other than frozen whale meat to be served raw) Butter Dried fish and shellfish Fats and oils Mashed potato (dried) Salted fish and shellfish Chewing gum	Not more than 1g/kg (for dipping solution; in case used in combination with Butylated Hydroxyanisole, total level of both shall not exceed this level) Not more than 0.2 g/kg (in case used in combination with Butylated Hydroxyanisole, total level of both shall not exceed this level) Not more than 0.75 g/kg		
Calcium Disodium Ethylenediamine -tetraacetate (EDTA-CaNa2) Disodium Ethylenediamine- tetraacetate (EDTA-Na2)	Canned or bottled nonalcoholic beverage Canned or bottled food (other than nonalcoholic beverage)	Not more than 0.035 g/kg (as EDTA-CaNa2) Not more than 0.25 g/kg (as EDTA-CaNa2)	Shall be converted to (EDTA-CaNa2) before preparation of final food.	
Erythorbic Acid Sodium Erythorbate	Fish paste products (excluding SURIMI) Bread. Other foods		Shall not be used for nutrition purpose Restricted to purposes of antioxidation	(Quality improver)

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Guaiac Resin*1	Fats/oils, Butter	Not more than 1 g/kg		
Isopropyl Citrate	Fats/oils, Butter	Not more than 0.1g/kg (as monoisopropyl citrate)		
Propyl Gallate	Fats and oils	Not more than 0.2g/kg		
	Butter	Not more than 0.1g/kg		
dl-α-Tocopherol (Vitamin E)			Restricted to purposes of antioxidation (except as an ingredient in preparation of \$\text{B-Carotene}, Vitamin A, Vitamin A Esters of Fatty Acids, or Liquid Paraffin)	

Bleaching agents

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Sodium Chlorite	Cherry Citrus peels (limited to those for confectionery) FUKI (butterbur) Grape Peach Eggs (limited to parts of egg shell) Seasoned and processed herring roe (excluding dried and frozen herring roe) Vegetables for direct consumption	0.5 g/kg dipping solution (as sodium chlorite)	Decompose or remove prior to preparation of final food.	
Potassium Pyrosulfite	AMANATTO (sweetened ADZUKI beans)	(residual level as sulfur dioxide) Less than 0.1 g/kg	Not permitted in sesame seed, bean, and	(antioxidant, preservative)
Sodium Hydrosulfite Sodium Pyrosulfite	Tapioca starch for saccharification	Less than 0.25 g/kg	vegetable.	Tapioca starch, for saccharification means the starch not
Sodium Sulfite	Cooked beans, sweetened	Less than 0.1 g/kg		consumed as direct food and used to
Sulfur Dioxide				prepare syrup of sugars derived from starch by hydrolysis, hydrogenation, etc.

•			•
Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Candied cherries	Less than 0.3 g/kg		Candied cherries
Dijon mustard	Less than 0.5 g/kg		means candied and pitted cherries or
Dried fruits (excluding raisins)	Less than 2 g/kg		such cherries with crystal sugar
Raisons	Less than 1.5 g/kg		applied on the surface or such immersed in the packing media of syrup.
Dried potatoes	Less than 0.5 g/kg		
Frozen raw shelled	Less than 0.1 g/kg		
Wine Miscellaneous	Less than 0.35 g/kg		Excluding fruit squeezings containing not less
Gelatin	Less than 0.5 g/kg		than 1% by volume of alcohol and
Molasses	Less than 0.3 g/kg		concentrate of the same used for
KAMPYOU (dried gourd shavings)	Less than 5 g/kg		manufacture of wine.
MIZUAME (starch syrup)	Less than 0.2 g/kg		
Natural fruit juice	Less than 0.15 g/kg		Natural fruit juice means the juice to
KONJAK flour (Devil's tongue root flour)	Less than 0.9 g/kg		be diluted to not less than a 1:5 ratio before serving.
Shelled prawn	Less than 0.1 g/kg		
Other foods	Less than 0.03 g/kg (provided, however, that in case the level of sulfiting agent in food (except konyaku) listed in the third column of the Table of General Standards of Use of Food Additives is not less than 0.03 g/kg (as sulfur dioxide), less than that residual level.)		Excluding from other foods, cherries used for the manufacture of candied cherries; hops used for the manufacture of beer; and fruit juice, fruit squeezings containing not less than 1 % by volume of alcohol and concentrate of the same used for manufacture of
	Candied cherries Dijon mustard Dried fruits (excluding raisins) Raisons Dried potatoes Frozen raw shelled crab Wine Miscellaneous alcoholic beverages Gelatin Molasses KAMPYOU (dried gourd shavings) MIZUAME (starch syrup) Natural fruit juice KONJAK flour (Devil's tongue root flour)	Candied cherries Dijon mustard Less than 0.3 g/kg Dried fruits (excluding raisins) Raisons Less than 2 g/kg (excluding raisins) Less than 1.5 g/kg Dried potatoes Less than 0.5 g/kg Frozen raw shelled crab Wine Miscellaneous alcoholic beverages Gelatin Less than 0.35 g/kg Molasses Less than 0.3 g/kg KAMPYOU (dried gourd shavings) MIZUAME (starch syrup) Natural fruit juice KONJAK flour (Devil's tongue root flour) Shelled prawn Less than 0.1 g/kg Less than 0.2 g/kg KONJAK flour (Devil's tongue root flour) Less than 0.15 g/kg Less than 0.9 g/kg (provided, however, that in case the level of sulfiting agent in food (except konyaku) listed in the third column of the Table of General Standards of Use of Food Additives is not less than 0.03 g/kg (as sulfur dioxide), less than that	Candied cherries Less than 0.3 g/kg Dijon mustard Less than 0.5 g/kg Dried fruits (excluding raisins) Raisons Less than 2 g/kg Frozen raw shelled crab Less than 0.1 g/kg Frozen raw shelled crab Less than 0.35 g/kg Mine Miscellaneous alcoholic beverages Gelatin Less than 0.5 g/kg Molasses Less than 0.3 g/kg KAMPYOU (dried gourd shavings) MIZUAME (starch syrup) Natural fruit juice Less than 0.2 g/kg KONJAK flour (Devil's tongue root flour) Shelled prawn Less than 0.9 g/kg Other foods Less than 0.03 g/kg (provided, however, that in case the level of sulfiting agent in food (except konyaku) listed in the third column of the Table of General Standards of Use of Food Additives is not less than 0.03 g/kg (as sulfur dioxide), less than that

Chewing gum bases

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium Carbonate	Chewing gum	Not more than 10% (as calcium)	Restricted in the case where its use is indispensable for manufacture or processing of food or for purpose of dietary supplement.	(Dietary supplement, raising agent, yeast nutrient)
Talc*1		Not more than 5% (residue)	Restricted in the case where its use is indispensable for manufacture of chewing gum	(Processing aids)
Calcium Monohydrogen Phosphate Tricalcium Phosphate		Not more than 1% in food (as calcium)	Restricted in the case where its use is indispensable for manufacture or processing of food or for purpose of dietary supplement.	(Dietary supplement, emulsifier, raising agent, yeast nutrient)
Ester Gum Polybutene Polyisobutylene Polyvinyl Acetate	Chewing gum bases		Restricted only for chewing gum bases	(Glazing agent)

Coagulants for TOFU, soybean curd

Coagulants for TOF	o, soybean curu			
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium Chloride		Not more than 1% in food (as calcium)	Restricted in the case where its use is indispensable for manufacture or processing of food.	(Dietary supplement)
Calcium Sulfate				(Dietary supplement, raising agent, yeast nutrient)

Coating materials

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Hydroxypropyl Cellulose Hydroxypropyl Methylcellurose	Food for special dietary use (Limited to coating capsules and tablets)			
Morpholine Salts of Fatty Acids Polyvinyl Acetate Sodium Oleate	Rind of fruit or fruit vegetable		Shall not use other purpose except as coating material.	(Chewing gum base)

Color

Color				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Colors (except chemically synthesized colors)	color		Not permitted to use in <i>kombu</i> (kelp), meat, raw fish and shellfish (including fresh whale meat), tea, <i>nori</i> (laver), beans, vegetables, and <i>wakame</i> , except gold in <i>nori</i>	
Annatto, Water-soluble Potassium Norbixin Sodium Norbixin			Not permitted to use in <i>kombu</i> (kelp), meat, raw fish and shellfish (including fresh whale meat), tea, <i>nori</i> (laver), bean, vegetable, and <i>wakame</i> (seaweed, <i>Undaria pinnatifida</i>)	
β-Carotene			Not permitted to use in kombu (sea tangle), meat, fresh fish and shellfish (including raw whale meat), tea, nori (laver), bean, vegetable, and wakame (seaweed, Undaria pinnatifida)	(Dietary supplement)
Copper Chlorophyll	Kombu, tangle Fruit and vegetable (stored goods) Chewing gum	Not more than 0.15 g/kg (as copper in dry matter) Not more than 0.1g/kg (as copper) Not more than 0.05g/kg (as copper)		
	Fish-paste product (excluding SURIMI) Pastry (excluding Confectionery bread)	Not more than 0.03g/kg (as copper) Not more than 0.0064 g/kg (as copper)		
	Chocolate, Fresh Cakes (except special soft bread)	Not more than 0.001g/kg (as copper)	Use for chocolate is limited to coloring chocolate base (including coating chocolate base with colored syrup).	
	Agar-agar gel in mitsumame (sweetened boiled bean mixture) packaged in cans or plastic packaging	Not more than 0.0004 g/kg (as copper)		

Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Kombu, tangle	Not more than 0.15 g/kg (as copper in dry matter)		
Fruit and vegetable (stored goods)	Not more than		
Syrup	Not more than		
Chewing gum	Not more than		
Fish-paste product	Not more than		
Candies	Not more than		
Chocolate, Pastry (excluding confectionery bread)	Not more than 0.0064 g/kg (as copper)		
Agar-agar gel in mitsumame	Not more than 0.0004 g/kg (as		
(sweetened boiled bean mixture)	copper)		
packaged in cans or plastic packaging			
in the following foods: beans, raw fish (including raw whale meat) and raw shellfish, fish pickles, kinako (roasted soybean flour), kombu (kelp) and wakame (seaweed), meat, meat pickles, marmalade, miso (fermented soybean paste), noodle (including wontons (Chinese flour dumpling with pork in them, served with soup), nori (laver), soy sauce, sponge cake (including castella and other types), tea, vegetables, and whale meat pickles.			
	Fruit and vegetable (stored goods) Syrup Chewing gum Fish-paste product (excluding surimi)) Candies Chocolate, Pastry (excluding confectionery bread) Agar-agar gel in mitsumame (sweetened boiled bean mixture) packaged in cans or plastic packaging Not permitted to use in the following foods: beans, raw fish (including raw whale meat) and raw shellfish, fish pickles, kinako (roasted soybean flour), kombu (kelp) and wakame (seaweed), meat, meat pickles, marmalade, miso (fermented soybean paste), noodle (including wontons (Chinese flour dumpling with pork in them, served with soup), nori (laver), soy sauce, sponge cake (including castella and other types), tea, vegetables, and	Not more than 0.15 g/kg (as copper in dry matter) Fruit and vegetable (stored goods) Not more than 0.1g/kg (as copper)	Kombu, tangle Kot more than Loug/kg (as copper) Not more than Loug/kg (

(Continued)	T	T		1
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Food Yellow No. 4 Aluminium Lake Food Yellow No. 5 (Sunset Yellow) Food Yellow No. 5 Aluminium Lake Preparations of Tar Colors Titanium Dioxide				Restricted for the purpose of coloring.
Sodium Iron Chlorophyllin			Not permitted to use in kombu (sea tangle), meat, fresh fish and shellfish (including raw whale meat), tea, nori (laver), bean, vegetable, and wakame (seaweed, Undaria pinnatifida).	parpose of coloring.
Iron Sesquioxide	Banana KONJAK			Restricted for use at section of carpophore of banana.
Colors other than chemically synthesized additives These colors can be found in the lists of "Existing Food Additive" and "Substances Generally Provided as Food and Used Also as Food Additives." Refer to the following tables.			Not permitted to use in kombu (sea tangle), meat, fresh fish and shellfish (including raw whale meat), tea, nori (laver), bean, vegetable, and wakame (seaweed, Undaria pinnatifida). However, use of gold on nori (laver) is permitted.	

*1

1) Colors in the list of "Existing Food Additive."

Items marked with $\, \mbox{\%} \,$ are candidates for future elimination from the list. The Ministry of Health, Labour and Welfare will publicize the new list in May, 2011.

2) Colors in the list of "Substances Generally Provided as Food and Used Also as Food Additives"

Colors in the list of "Existing Food Additives."

Annatto Extract Enzimatically modified Rutin Pecan Nut color Alkanet color% (extract) Phaffia color Fish Scale foil Powdered Annatto* Aluminium Bamboo Grass color 🛠 Gardenia blue Purple Sweet Potato color Gardenia red Purple Corn color Beet Red Gardenia yellow Bone Carbon Black Purple Yam color

Bone Carbon Black
Cacao color
Cacao Carbon Black
Caramel I

Gardenia yellow
Grape Skin color
Grape Skin color
Haematococcus Algae color
Japanese Persimon color

Purple Yam color
Sandalwood Red
Shea Nut color
Shikon color
Shikon color

Caramel II Kaoling color Silver
Caramel III Kooroo color Spirulina color

Caramel IV Krill color Sweet Potato Caroten X
Carthamus vellow Lac color Tamarind color

Carthamus yellow Lac color Tamarind color
Carthamus red Logwood color Tomato color
Carob Germ color Marigold color Turmeric

Carrot Carotene Monascus Yellow Vegetable Carbon Black*
Chlorophylline Monascus color Vegetable Oil Soot color

Chlorophyll Onion color
Cochineal extract Orange color
Crayfish color
Dunaliella Carotene
Paprika color

Colors in the list of "Substances Generally Provided as Food and Used Also as Food Additives"

American red raspberry colour Fruit juice(cont.) Olive Tea Paprika Azuki colour Elderberry juice Beefsteak plant colour Gooseberry juice Perilla colour Black berry colour Grape juice Plum colour Black currant colour Huckleberry juice Raspberry colour Black huckleberry colour Lemon juice Red cabbage colour Red currant colour Blueberry colour Loganberry juice Boysenberry colour Morello cherry juice Red radish colour Cherry colour Mulberry juice Red rice colour Chicory colour Orange juice Saffron

Cherry colour
Chicory colour
Chicory colour
Chlorella, powdered
Cocoa
Cowberry colour
Cowberry colour
Camberry colour
Raspberry juice
Red currant juice
Red rice colour
Saffron
Saffron colour
Salmonberry colour
Sepia colour
Strawberry colour

Dark sweet cherry colour Salmonberry juice Tea
Elderberry colour Strawberry juice Thimbleberry colour

Elderberry colour Strawberry juice Thimbleberry colour European dewberry colour Thimbleberry juice Turmeric

Fruit juice Uguisukagura juice Uguisukagura colour
Berry juice Whortleberry juice Vegetable juice

Black currant juice Gooseberry colour Beefsteak plant juice
Blackberry juice Grape juice colour Beet red juice
Blueberry juice Hibiscus colour Carrot juice
Boysenberry juice Hydrangea leaves extrac Onion juice
Cherry juice Layer colour Red cabbage juice

Cherry juice Laver colour Red cabbage juice
Cowberry juice Loganberry colour Tomato juice
Cranberry juice Malt extract Whortleberry colour

Dark sweet cherry juice Morello cherry colour
Dewberry juice Mulberry colour

Color fixatives

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Sodium Nitrite	Meat product Whale meat bacon	Not more than 0.07g/kg (residual level as NO2 ⁻)		
	Fish sausage and fish ham	Not more than 0.05g/kg (do.)		
	Salmon roe	Not more than 0.005g/kg (do.)		
	Ikura (salmon roe)	Not more than 0.005 g/kg (do.)		Tarako means cured roe of walleye pollack.
	Tarako (cod roe)	Not more than 0.005 g/kg (do.)		
Potassium Nitrate Sodium Nitrate	Meat products Whale meat bacon	Not more than 0.007 g/kg (do.)	Refer to Fermentation as to Cheese and SAKE	(Fermentation) Refer to Fermentation as to Cheese and sake

Color retention agents

Color retention agents					
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)	
Ferrous Gluconate	Table olive	Not more than 0.15 g/kg (as iron)		(Dietary supplement)	
Nicotinamide Nicotinic Acid			Shall not use in meat and raw fish and shellfish (including whale meat).	(Dietary supplement)	

Dietary supplements		T	T	I
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Biotin	Food for special dietary use		Use limited only for food for special dietary use	
Calcium Carbonate		Not more than 1% in food as calcium (excluding and food for special use under the Health	Restricted in the case where its use is indispensable for manufacture or processing of food or	(Chewing gum base, raising agent, yeast nutrient) Refer to chewing gum
Calcium Chloride		Promotion Act)	is for purpose of nutrition.	(Coagulant for TOFU)
Calcium Citrate				(Emulsifier, flavor (taste), raising agent)
Calcium Dihydrogen Phosphate			Restricted in the case where its use is indispensable for	(Yeast nutrient, emulsifier, raising agent)
Calcium Dihydrogen Pyrophosphate			manufacture or processing of food or is for purpose of nutrition.	(Emulsifier, raising agent)
Calcium Gluconate Calcium Glycerophosphate			Restricted in the case where its use is for purpose of nutrition.	
Calcium Hydroxide			Restricted in the case where its use is indispensable for manufacture or processing of food or is for purpose of nutrition.	
Calcium Lactate				(Flavor (taste), raising agent)
Calcium Monohydrogen Phosphate			Restricted in the case where its use is indispensable for manufacture or processing of food or is for purpose of nutrition.	(Chewing gum base, emulsifier, raising agent, yeast nutrient)
Calcium Pantothenate				
Calcium Sulfate			Restricted in the case where its use is indispensable for manufacture or processing of food or is for purpose of nutrition.	(Coagulant for tofu, raising agent, yeast nutrient)

(Continued)		T		
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
6-Carotine Sweet Potato carotene*1 Dunaliella carotene*1 Carrot carotene *1 Palmoil carotene*1			Not permitted to use in <i>kombu</i> (sea tangle), meat, fresh fish and shellfish (including raw whale meat), tea, <i>nori</i> (laver), bean, vegetable, and <i>wakame</i> (seaweed, <i>Undaria pinnatifida</i>).	(Color)
Cholecalciferol (Vitamin D3)				Standard for Storage: shall be stored in shaded and tight-sealed container with head space air replaced by inert gas in cool room.
Copper Salts Cupric Gluconate	Substitute for mother's milk	Not more than 0.6mg/L as copper in prepared milk at specified concentration		Excluding the case under special approval from Minister of Health, Labour and
	Food with Nutrient Function Claims	Restricted to less than 5 mg of Cu in estimated daily intake of that food.		Welfare (Milk/Milk products Ordinance) for use in specially
Cupric Sulfate		Not more than 0.6mg/L as copper in prepared milk at specified concentration		prepared dry milk.
L-Cysteine Monohydrochloride	Bread Natural juice			(Quality improver)
Ferrous Gluconate	Substitute for mother's milk Weaning food Dry milk for pregnant and lactating women			(Color retention agent)
Monocalcium Di-L-Glutamate			Restricted in the case where its use is for purpose of nutrition.	(Flavor (taste), raising agent)
Nicotinamide Nicotinic Acid			Shall not use in raw meat and raw fish and shellfish (including whale meat).	(Color retention agent)
all-rac-α-Tocopheryl Acetate	Food with Nutrient Function Claims	*	*Restricted to less than 150 mg of a-tocopherol of	
R,R,R-α-Tocopheryl Acetate			estimated daily intake of food.	

Continued)	1	T	T	T
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Tricalcium Phosphate		Not more than 1% in food as calcium (excluding food for special use under the Health Promotion Act)	Restricted in the case where its use is indispensable for manufacture or processing of food or is for purpose of nutrition.	(Chewing gum base, emulsifier, raising agent, yeast nutriment)
Vitamin A Fatty Acid Ester Vitamin Oil, Powdered Vitamin A				Standard for Storage: shall be stored in shaded and tight-sealed container with head space air replaced by inert gas in cool room.
Zinc Salts Zinc Gluconate	Substitute for mother's milk	Not more than 6mg/L as zinc in prepared milk at specified concentration		Excluding the case under special approval from Minister of Health, Labour and
7: 0.16	Food with Nutrient Function Claims	Restricted to less than 15 mg of Cu in estimated daily intake of that food.		Welfare (Milk/Milk products Ordinance) for use in specially
Zinc Sulfate	Substitute for mother's milk	Not more than 6mg/L as zinc in prepared milk at specified concentration		prepared dry milk.

Emulsifiers

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium Citrate Calcium Dihydrogen Phosphate Calcium Dihydrogen Pyrophosphate Calcium Monohydrogen	Processed cheese Cheese food Processed food derived from processed cheese	Not more than 1% in food as calcium (except special nutrition food under the Health Promotion Act)		(Dietary supplement, flavor (taste), raising agent) (Dietary supplement, raising agent, yeast nutrient) (Dietary supplement, raising agent) (Chewing gum base, dietary supplement,
Phosphate				raising agent, yeast nutrient)

Continued)				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium Stearoyl Lactylate	Mix powder for manufacture of <i>namagashi</i> (Pastry)	Not more than 10g/kg		Sponge cake means body of decoration cake, short cake, etc.
	Mix powder for manufacture of Butter cake, Sponge cake and mushipan	Not more than 8g/kg		Butter cake means Scotch cake, fruit cake, etc.
	(steamed bread) Bread and confectionery treated with fats and oils	Not more than 5.5g/kg		In this provision, confectionery is restricted to baked products prepared from wheat flour
	Confectionery (excluding butter cake and sponge cake) Mushimanju	Not more than 5g/kg Not more than		Namagashi (Pastry) is restricted to those made from rice.
	(steamed bean-jam bun) Namagashi (Pastry)	2.5g/kg Not more than 6g/kg		Mushipan (steamed bread) is restricted to that prepared
	Butter cake Sponge cake Mushipan (steamed	Not more than 5.5g/kg		from wheat flour. Dry noodles other
	bread) Noodles (excluding macaronis)	Not more than 4.5g/kg (in boiled		than instant noodles and macaroni are not referred to here.
	Baked confectionery (excluding butter cake and sponge cake) and	noodles) Not more than 4g/kg		Macaroni includes macaroni, spaghetti, vermicelli, lasagna, etc.
	confectionery treated with fats and oils Bread			Mushimanju is restricted to manju fermented and
	Macaronis	Not more than 4g/kg (in dry macaronis)	Moisture of dry macaroni is set to be 12%.	steamed using wheat flour as material
	Mushimanju, steamed bean-jam bun	Not more than 2g/kg (in dry matter)		Macaroni includes spaghetti, vermicelli, noodles
Sodium Stearoyl Lactylate	Mix powder for manufacture of <i>namagashi</i> (Pastry)	Not more than 10g/kg		and lasagna.
	Mix powder for manufacture of Butter cake, Sponge cake and mushipan (steamed bread)	Not more than 8g/kg		

Continued)	<u> </u>			
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
	Bread and confectionery treated with fats and oils	Not more than 5.5g/kg		
	Confectionery (excluding butter cake and sponge cake)	Not more than 5g/kg		
	Mushimanju (steamed bean-jam bun)	Not more than 2.5 g/kg		
	Namagashi (Pastry)	Not more than 6g/kg		
	Butter cake Sponge cake Mushipan (steamed bread)	Not more than 5.5g/kg		
	Noodles (excluding macaroni)	Not more than 4.5g/kg (in boiled noodles)		
	Baked confectionery (excluding butter cake and sponge cake) and confectionery treated with fats and oils Bread	Not more than 4g/kg		
	Macaronis	Not more than 4g/kg (in dry macaronis)		
	Mushimanju, steamed bean-jam bun	Not more than 2g/kg (in dry matter)		

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Polysorbate 20	Food in not normal form (capsules, tablet)	25 g/kg (as total of Polysorbate 80)	When more than two kinds of Polysorbate are	
Polysorbate 60	Cocoa and chocolate products	5 g/kg	used, the limit is the sum of them.	
	Additives to shortening and instant noodles Sauces Chewing guns		Except when permitted to use for special dietary foods	
Polysorbate 65	Milk fat replace Ice cream group Decoration on	3 g/kg		
	confectionary Sugar-added yoghurt			
	Dressing Mayonnaise Mixed powder			
	Baked confectionary Wet cakes			
	Candies Soup Flour paste Flavored ice	1 g/kg		
Polysorbate 80	Pickles of seaweed Chocolate drinks Pickled vegetables	0.5 g/kg		
	Unripened cheese Canned or bottled	0.08 g/kg		
	seaweed Canned or bottled vegetables	0.03 g/kg		
	Other foods	0.02 g/kg		
Tricalcium Phosphate	Process cheese Cheese food Processed food derived from	Not more than 1 % in food as calcium (except food for		(Chewing gum base dietary supplement raising agent, yeast nutrient)
	process cheese	special use under the Health Promotion Act)		nutrient)

Fermentation aids

rermentation ards				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Potassium Nitrate	Cheese	Not more than		(Color fixative)
		0.2g/L in raw milk		
		(as potassium or		
		sodium salt)		
Sodium Nitrate	Japanese SAKE (rice	Not more than		(Color fixative)
	wine)	0.1g/L in mash (as		
		potassium or		
		sodium salt)		

Flavorings		1	T	
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Acetaldehyde			Flavors listed in	
Acetophenone			this table shall	
Aliphatic Higher			not be used for	
Alcohols*2			purpose other	
Aliphatic Higher			than flavoring	
Aldehydes (except			unless pre	
substances generally			unicss pre	
recognized as highly toxic)*2				
Aliphatic Higher				
Hydrocarbons (except				
substances generally				
recognized as highly				
toxic)*2				
Allyl				
Cyclohexylpropionate				
Allyl Hexanoate				
Allyl Isothiocyanate Amylalcohol				
α-Amylcinnamaldehyde				
Anisaldehyde				
Aromatic Alcohols*2				
Aromatic Aldehydes				
(except substances				
generally recognized as				
highly toxic)*2				
Benzaldehyde				
Benzyl Acetate				
Benzyl Alcohol				
Benzyl Propionate				
d-Borneol				
Butanol Butal Acetata				
Butyl Acetate				
Butylamine Butyl Butyrate				
Butyraldehyde				
Butyric acid 1,8-Cineole				
Cinnamaldehyde				
Cinnamic Acid				
Cinnamic Acid Cinnamyl Acetate				
Cinnamyl Alcohol				
Citral				
Citronellal				
Citronellol				
Citronelly Acetate				
Citronelly Formate				
Cyclohexyl Acetate				
Cyclohexyl Butyrate				
Decanal				
Decanol				
2,3-Dimethylpyrazine				
2,5-Dimethylpyrazine 2,5-Dimethylpyrazine				
2,6-Dimethylpyrazine				
Esters*2				
Ethers*2				
			1	

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Ethyl Acetate				(Processing aids)
Ethyl Acetoacetate				
Ethyl Butyrate				
Ethyl Cinnamate				
Ethyl Decanoate				
2-Ethyl-3,(5or6)-				
dimethylpyrazine				
Ethyl Heptanoate				
Ethyl Hexanoate				
Ethyl Isovalerate				
2-Ethyl-3-methyl-				
pyrazine 2-Ethyl-5-methyl-				
pyrazine				
Ethyl Octanoate				
Ethyl Phenylacetate				
Ethyl Propionate				
2-Ethylpyrazine				
Ethylvanillin				
Eugenol				
Fatty Acids*2				
Frufural and its derivatives (except				
substances generally				
recognized as highly				
toxic)*2				
Geraniol				
Geranyl Acetate				
Geranyl Formate				
Hexanoic Acid				
Hydroxycitronellal				
Hydroxycitronellal				
Dimethylacetal Indole and its				
derivatives*2				
Ionone				
Isoamyl Acetate				
Isoamylalcohol				
Isoamyl Butyrate				
Isoamyl Formate				
Isoamyl Isovalerate				
Isoamyl				
Phenylacetate Isoamyl Propionate				
Isobutyl Phenylacetate				
Isobutylaldehyde				
Lsoeugenol				
Isopentylamine				
Isopropanol				
Isothiocyanates (except				
substances generally				
recognized as highly toxic)*2				
toxic)"2 Isovaleraldehyde				
Ketones*2				
110001100 1				

Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
			(Preservative)
	Permitted food	Permitted food Maximum level	Permitted food Maximum level Limitation of use

*2: [List of examples of flavorings used for food]

Among flavorings, 18 kinds of substances, i.e. Aliphatic Higher Alcohols, Aliphatic Higher Aldehydes, Aliphatic Higher Hydrocarbons, Aromatic Alcohols, Aromatic Aldehydes, Esters, Ethers, Fatty Acids, Furfural and its derivatives, Indole and its derivatives, Isothiocyanates, Ketones, Lactones, Phenols, Phenol Ethers, Terpene hydrocarbons, Thioethers and Thiols are designated not by each compound name but by class name.

The Ministry of Health and Welfare issues a publication about the examples of flavorings used for food in Japan based on the results of investigation. Please refer to below list FA01 for the detailed lists.

The latest lists are available from the Japan Food Chemical Research Foundation website at:

http://www.ffcr.or.jp/ (Japanese, English page)

Flavorings (for taste-related purpose), *choumiryou*

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
(Amino acid) Monocalcium Di-L-Glutamate		Not more than 1 % calcium (except food for special use under the Health		(Dietary supplement)
(Organic acids) Calcium Citrate		Not more than 1 % calcium (except special nutrition food under the Health		(Dietary supplement, emulsifier, raising agent)
Calcium Lactate		Promotion Act)		(Dietary supplement, raising agent)
D-Mannitol	Refer to Quality Improver section.			(Quality improver)

Flour treatment agents

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Ammonium Persulfate	Flour	Not more than 0.3g/kg		
Benzoyl Peroxide	Flour		Its use shall be limited as Diluted Benzoyl Peroxide after dilution with one or more of Aluminium Potassium Sulfate, Calcium Phosphates, Calcium Sulfate, Calcium Carbonate, Magnesium Carbonate, and starch.	
Chlorine Dioxide	Flour			
Diluted Benzoyl Peroxide	Flour	Not more than 0.3g/kg		
Potassium Bromate	Bread (restricted to that made by wheat flour)	Not more than 0.03g/kg		Decompose or remove prior to preparation of final food.

Humectant, emulsifier, and/or stabilizer

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Sodium Chondroitin	Dressing	Not more than		
Sulfate		20g/kg		
	Fish sausage	Not more than 3 g/kg		
	Mayonnaise	Not more than		
		20g/kg		

Insecticide

1110000101010				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Piperonyl Butoxide	Cereal	Not more than 0.024g/kg		

Mold release agent/antisticking agent

Tribia i cicase agenira	and agent		Word release agentrantisticking agent				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)			
Liquid Paraffin*1	Bread	Less than 0.1 % (residual level in bread)	Restricted for use to divide dough by automatic dividing implements and for the purpose of antisticking agent during the process of baking.				
Magnesium Stearate	Food for special dietary use (limited to capsules and tablets)						

Plasticizer for chewing gum

1 lasticizer for chewing guin					
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)	
Propylene Glycol	Chewing gum	Not more than 0.6 %		(Quality sustainer)	

Preservatives

Preservatives	I	1	I	
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Benzoic Acid Sodium Benzoate	Caviar	Not more than 2.5 g/kg (as benzoic acid)		Caviar means canned or bottled roe of sturgeon and is generally served raw and has not been pasteurized.
	Margarine	Not more than 1.0g/kg (as benzoic acid)	When used in margarine with Sorbic Acid, Potassium Sorbate, or Calcium Sorbate, total level of the additives as benzoic acid shall not be more than 1.0g/kg.	
	Nonalcoholic beverage, Syrup, Soy sauce	Not more than 0.60 g/kg (as benzoic acid)		
	(For following foods, only Sodium benzoate should be applied.) Fruit paste and fruit juices (including concentrated juice) for manufacture of confectionary	Not more than 1.0g/kg (as benzoic acid)		Fruit paste means thick pasty food made by crushing or straining fruits.
Butyl p-Hydroxybenzoate Isobutyl p-Hydroxy-	Rind of fruit or fruit vegetable	Not more than 0.012 g/kg (as p-hydroxybenzoic acid)		
benzoate Ethyl p-Hydroxybenzoate	Fruit sauce	Not more than 0.2g/kg (as p-hydroxybenzoic acid)		
Propyl p-Hydroxy- benzoate	Non-alcoholic beverage Syrup	Not more than 0.1g/kg (as p-hydroxybenzoic acid)		
Isopropyl p-Hydroxy- benzoate	Soy sauce	Not more than 0.25g/L (as p-hydroxybenzoic acid)		
	Vinegar	Not more than 0.1g/L (as p-hydroxybenzoic acid)		

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium Propionate Propionic Acid	Bread Cake	Not more than 2.5g/kg (as propionic acid)		(flavoring)
Sodium Propionate	Cheese	Not more than 3g/kg (as propionic acid)	When used in combination with Sorbic Acid or Potassium Sorbate or preparation of either of the additives, total level of the additives as propionic acid and as sorbic acid shall not be more than 3 g/kg.	
Nisin	Meat products Cheese (except Processed Cheese) Whipped Cream Products	Not more than 0.0125g/kg (as polypeptide including Nisin A)	When a product is permitted to be labeled as for special dietary use, this limit will not apply.	Whipped Cream Product means whipped food made of milk-fat-rich material.
	Sauces Dressing Mayonnaise	Not more than 0.01g/kg		
	Process Cheese Confectionary	Not more than 0.00625g/kg		
	Processed egg products Miso	Not more than 0.005g/kg		
	Wet confectionary with starch as the main material	Not more than 0.003g/kg		

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Sorbic Acid Potassium Sorbate Calcium Sorbate	Cheese	Not more than 3g/kg (as sorbic acid)	When used in combination with Propionic Acid, Calcium Propionate or Sodium Propionate, total level of the additives as sorbic acid and as propionic acid shall not be more than 3g/kg.	
	Fish-paste product (excluding surimi) Meat product Sea urchin Whale meat product	Not more than 2g/kg (as sorbic acid)		
	Smoked cuttlefish Smoked octopus	Not more than 1.5g/kg (as sorbic		
	An (sweetened adzuki bean or other bean paste) Candied cherry Dried fish and shellfish product (excluding smoked cuttlefish and smoked octopus) Flour paste Gnocchi, Jam Kasu-zuke (pickled in sake lees) Koji-zuke [(preserved in koji (malted rice)] Miso (fermented soy paste) Miso-zuke (preserved in miso) Nimame (sweetened cooked beans) Shio-zuke (salted pickle) Shouyu-zuke (pickled in soy sauce) Syrup Takuan-zuke (pickled radish in rice bran paste	acid) Not more than 1g/kg (as sorbic acid)		Candied cherry means candied and pitted cherries or such cherries with crystal of sugar applied on the surface or such immersed in the packing media of syrup Flour paste means heat-treated and pasteurized food in paste form prepared from the principal ingredients of flour, starch, nuts or their processed products, cocoa, chocolate, coffee, fruits or their juice and other ingredients which include sugar ,fats and oils, powdered milk, eggs, and flour and to be used as fillings of bread or confectionaries or applied on their surface. TAKUAN-ZUKE means pickled raw or dried
	or similar material) Tsukudani (storable food boiled down in soy sauce)			radish prepared by immersing in rice bran or wheat bran paste containing taste-related flavor, spice, food color, etc., after pickling in salt, excluding ITCHOU-ZUKE radish and HAYAZUKE radish

(Continued)	<u></u>			.
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
	Margarine	Not more than 1 g/kg (as sorbic acid)	When used in margarine with Benzoic Acid or Sodium Benzoate, total level of the additives as benzoic acid and as sorbic acid shall not be more than 1 g/kg.	
	Dried prune Ketchup Soup (excluding potage) Su-zuke (pickled in vinegar) Tare (grilled meat 's sauce) Tsuyu (Japanese soup preparation)	Not more than 0.5g/kg (as sorbic acid)	U. C	
	Amazake [(sweet drink made from fermented rice (restricted to be served after dilution to not less than 3 times in volume)] Fermented milk (for raw material for preparation of fermented milk drink) Fermented milk drink (for raw material for preparation of fermented milk drink (for raw material for preparation of fermented milk drink, excluding	Not more than 0.3g/kg (as sorbic acid)		
	pasteurized product) Wine Miscellaneous alcoholic beverage Fermented milk drink (excluding	Not more than 0.2g/kg (as sorbic acid) Not more than 0.05g/kg (as sorbic acid)		
	pasteurized product) (For following foods, only Potassium Sorbate and/or Calcium Sorbate should be applied. Sorbic acid should not be applied.) Fruit paste for manufacture of confectionery, and Fruit juice (including concentrated fruit	acid) Not more than 1 g/kg (as sorbic acid)		Fruit paste means thick pasty food made by crushing or straining fruits.

	juice)		
Sodium	Butter	Not more than	
Dehydroacetate	Cheese	0.5g/kg (as	
	Margarine	dehydroacetic acid)	

Processing aids

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Acetone	Guarana nuts fats and oils		Restricted for extraction of ingredients in Guarana nuts in the process of preparation of Guarana beverage and for fractionation of components of fats and oils Remove prior to preparation of final food.	
Acid Clay*1 Bentonite *1 Diatomaceous Earth *1 Kaolin*1 Perlite*1 Talc*1 Similar insoluble substances as above 6 substances *1		Not more than 0.5 % in food (residual level) (including the case where 2 or more substances are used) Not more than 5 % in chewing gum in the case where only Talc is used	Only in the case where its use is indispensable for manufacture or processing of food.	
Calcium Silicate		2 %*	Not permitted to use in food replacement for mother's milk or baby food. * When used with powdered SiO2, 2 % is the total.	

(Continued)				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Ethyl Acetate			Ethyl Acetate may be used for purpose of denaturalization of ethanol to be used as solvent for vinyl acetate resin, in the process of removal of the astringency of persimmons or preparation of granules or pellets of spice, as solvent of Butylated Hydroxytoluene, or Butylated Hydroxyanisole and as an ingredient for manufacture of edible vinegar, in manufacturing process of konyaku flour or crystalline fructose, or for stimulating purpose of yeast autolysis, in addition to its use as flavor. In the case for the purpose of yeast autolysis, remove prior to preparation of final food.	(Flavorings)
Hydrochloric Acid Ion Exchange Resin Oxalic acid Potassium hydroxide Sodium hydroxide Sulfuric acid Magnesium Silicate	(Fats and Oils)		Restricted for extraction of fats and oils in manufacturing process of edible fats and oils. Remove prior to preparation of final food. Neutralize or remove prior to preparation of final food. Magnesium Silicate and its products are	
			not to be used other than for use of fat/oil filtration.	
Magnesium Stearate				Restricted for use for nutrition functional capsules and pills
Oxalic Acid			Neutralize or remove prior to preparation of final food.	

(Continuea)				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Polyvinyl- polypyrrolidone			Restricted for purpose of filtration aid. Remove prior to preparation of final food.	
Potassium Hydroxide Potassium Hydroxide solution			Neutralize or remove prior to preparation of final food.	
Silicon Dioxide (Other than Silicon Dioxide, Fine)			Restricted for purpose of filtration aid. Remove prior to preparation of final food.	
Sodium Hydroxide Sodium Hydroxide Solution			Neutralize or remove prior to preparation of final food.	
Sodium Methoxide			Decompose prior to preparation of final food and remove resulting methanol.	
Sulfuric Acid			Neutralize or remove prior to preparation of final food.	
AluminumAmmonium Sulfate Aluminum Potassium Sulfate	(Raising agent)		Not to be used for miso (fermented soybeans).	

Propellant

тторенине				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Nitrous oxide	Whipped creams			Whipped creams mean foamed products prepared by use of either food using milk fat or substitute food of milk fat as principal ingredient.

Quality improver

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
L-Cysteine Monohydrochloride	Bread Natural fruit juice			(Dietary supplement)
Erythorbic Acid Sodium Erythorbate	Fish-paste products (excluding SURIMI) Bread		Shall not be used for purpose of nutrition.	(Antioxidants)
D-Mannitol	Furikake (sprinkles) restricted to those containing granules) Candies Rakugan (Rice flour cake) Tsukudani, storable food boiled down in soy sauce (restricted for those prepared from kombu tangle) Chewing gum	Not more than 50 % as an ingredient in granules Not more than 40 % Not more than 30 % Not more than 25% as residual level Not more than 20 %	When mixed with potassium chloride and glutamate to prepare product of flavoring purpose, content of D-Mannnitol in the mixture should be less than 80%.	(Flavorings) Furikake includes chazuke. Tsukudani refers only to those prepared from KOMBU, angle.
Potassium Bromate	Bread	Not more than 0.03g/kg of flour (as bromic acid)	Decompose or remove prior to preparation of final food.	Only for bread prepared from wheat flour

Quality sustainer

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Propylene Glycol	Uncooked noodle Smoked cuttlefish	Not more than 2 % (as added level of propylene glycol)		(Plasticizer for chewing gum)
	Crust of Chinese pastry or dumpling; shao mai, spring roll, won ton, and ziaozi (GYOUZA in Japanese)	Not more than 1.2 % (as added level of propylene glycol)		
	Other food	Not more than 0.6 % (as added level of propylene glycol)		

Raising agents (Baking powder)

taising agents (Da	ining powaetr			ı
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Aluminium			Shall not be used	(Processing aids)
Ammonium Sulfate			in MISO.	
Aluminium				
Potassium Sulfate				
Calcium Carbonate		Not more than 1 %		(Chewing gum base, dietary
		in food as calcium		supplement, yeast nutrient)
Calcium Citrate		(except special		(Dietary supplement,
		nutrition food		emulsifier, flavor (taste))
		under the Health		
		Promotion Act)		
Calcium				(Dietary supplement,
Dihydrogen				emulsifier, yeast nutrient)
Phosphate				(7)
Calcium				(Dietary supplement,
Dihydrogen				emulsifier)
Pyrophosphate				(D: + 1
Calcium Lactate				(Dietary supplement,
0.1:				flavouring/taste)
Calcium				(Chewing gum base, dietary
Monohydrogen				supplement, emulsifier, yeast nutrient)
Phosphate Calcium Sulfate				
Calcium Sulfate				(Coagulant for TOFU, dietary supplement, yeast nutrient)
Tricalcium				(Chewing gum base, dietary
Phosphate				supplement, emulsifier, yeast
1 nospnate				nutrient)
				1140115110/

Sterilizing agents

Dietilizing agents				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Hydrogen Peroxide			Decompose or remove prior to preparation of final food.	
Hypochlorous Acid Water			Shall be removed prior to preparation of final food.	
Sodium Chlorite				Refer to Bleaching agents
Sodium Hypochlorite			Shall not be used in sesame seeds.	

Surface treating agent of natural cheese

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Natanycin	Natural cheese (limited to be used on the surface area of hard and semihard cheeses	Less than 0.02 g/kg		Hard cheese is defined as cheese with MFFB (% of moisture on fat free basis) of 49 – 56 %, while semi-hard cheese is defined as cheese with MFFB of 54 –69 %.

Sweeteners

Sweeteners				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Acesulfame Potassium	Substitute for sugar	Not more than 15 g/kg		Substitute for sugar means those that are
	Food with nutritional function (limited to tablets)	Not more than 6 g/kg		directly added to coffee, black tea, etc. and are used as
	Chewing gum	Not more than 5 g/kg		substitute food for
	An confectionery (except Chewing gum) and Pastry	Not more than 2.5g/kg		- sugar.
	Ice cream products Jam Tare Tsuke-mono Ice candy Flour paste	Not more than 1 g/kg		
	Wine Miscellaneous alcoholic beverage Soft drinks Milk drink Lactic bacteria fermented beverage (when used for beverage to be served after dilution, the diluted beverage)	Not more than 0.5g/kg		
	Other foods	Not more than 0.35g/kg		
	Food for specified use under the Nutrition Improvement Act	Specified level under the Act.		
Disodium Glycyrrhizinate	Soy sauce, <i>miso</i> (fermented soy-bean paste)			
Saccharin	Chewing gum	Not more than 0.05 g/kg (as saccharin)		
Sodium Saccharin	Koji-zuke (preserved in koji, fermented rice) Su-zuke (pickled in vinegar) Takuan-zuke (preserved radish in rice bran paste)	Less than 2 g/kg (as residual level of sodium saccharin)		
	Powdered nonalcoholic beverage Fermented milk (as material in lactic acid drinks)	Less than 1.5 g/kg (do.)		

(Continued)				
Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
	Kasu-zuke (pick-led in sake lees) Miso-zuke (preserved in fermented soy-bean paste) Shouyu-zuke (preserved in soy sauce) Processed fish and shellfish (excluding surimi products, tsukudani, pickled food, and canned or bottled food)	Less than 1.2 g/kg (do.)		
	Nimame (cooked beans or peas, sweetened) Processed seaweed Soy sauce Tsukudani (preserved food boiled down in soy sauce) Edible ices	Less than 0.5 g/kg (do.)		Edible ices include
	Milk drinks Sauce Nonalcoholic beverage Fish-paste product Syrup Vinegar Lactic acid bacteria drinks	Less than 0.3 g/kg (less than 1.5 g/kg in case of materials for nonalcoholic beverage or lactic acid bacteria drinks or fermented milk product to be diluted not less than 5-fold before use, less than 0.9 g/kg in case of vinegar to be diluted not less than 3-fold before use) (do.)		sherbet, flavored ices and other similar products.
	An (adzuki bean paste) Fermented milk product (excluding fermented milk product to be used as ingredient for lactic acid bacteria beverage) Flour paste Ice cream products Jam Miso (fermented soybean paste)	Less than 0.2 g/kg (do.)		These levels shall also be applied to liquid mixes and mix powders that are the ingredients of confectionery, ice cream, or ice cakes.

(Continued)

1			1
Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Tsukemono (other than kasu-zuke, koji-zuke, miso-zuke, shouyu-zuke, su-zuke, takuan-zuke)			
Confectionery	Less than 0.1 g/kg (do.)		
Canned or bottled food (including all food not listed in this column and fish and shellfish product)	Less than 0.2 g/kg (do.)		
Food for special use under the Nutrition Improvement Act	Specified level under the Act		
Substitute for sugar			Substitute for sugar means that it is
Chewing gum	Not more than 2.6g/kg		directly added to coffee, black tea, etc.
Confectionery and Pastry	Not more than		and is used as substitute food for
Jam	Not more than 1 g/kg		sugar.
Japanese sake (rice wine) Compound sake (formulated rice wine) Wine Miscellaneous alcoholic beverage Soft drinks Milk drink Lactic acid bacteria drinks (when used for beverages to be served after dilution, the diluted beverage) Other foods	Not more than 0.4g/kg Not more than		When a product is permitted to be labeled as for special dietary use, this limit will not apply.
Specified level under	0.58g/kg Food for specified		
the act	use under the Nutrition		
	Tsukemono (other than kasu-zuke, koji-zuke, miso-zuke, shouyu-zuke, su-zuke, takuan-zuke) Confectionery Canned or bottled food (including all food not listed in this column and fish and shellfish product) Food for special use under the Nutrition Improvement Act Substitute for sugar Chewing gum Confectionery and Pastry Jam Japanese sake (rice wine) Compound sake (formulated rice wine) Wine Miscellaneous alcoholic beverage Soft drinks Milk drink Lactic acid bacteria drinks (when used for beverages to be served after dilution, the diluted beverage) Other foods Specified level under	Tsukemono (other than kasu-zuke, koji-zuke, miso-zuke, shouyu-zuke, su-zuke, takuan-zuke) Confectionery Canned or bottled food (including all food not listed in this column and fish and shellfish product) Food for special use under the Nutrition Improvement Act Substitute for sugar Chewing gum Chewing gum Confectionery and Pastry Japanese sake (rice wine) Wine Miscellaneous alcoholic beverage Soft drinks Milk drink Lactic acid bacteria drinks (when used for beverages to be served after dilution, the diluted beverage) Other foods Not more than 1 g/kg Not more than 0.4g/kg Not more than 0.4g/kg Not more than 0.58g/kg Specified level under the of or specified use under the	Tsukemono (other than kasu-zuke, koji-zuke, miso-zuke, shouyu-zuke, sur-zuke, takuan-zuke) Confectionery (do.) Canned or bottled food (including all food not listed in this column and fish and shellfish product) Food for special use under the Nutrition Improvement Act Substitute for sugar Chewing gum Not more than 12g/kg Chewing gum Not more than 1.8g/kg Jam Not more than 1.8g/kg Jam Not more than 1 g/kg Japanese sake (rice wine) Compound sake (formulated rice wine) Wine Miscellaneous alcoholic beverage Soft drinks Milk drink Lactic acid bacteria drinks (when used for beverages to be served after dilution, the diluted beverage) Other foods Not more than 0.58g/kg Specified level under the act Food for specified use under the Nutrition

Thickeners (stabilizers or gelling agents)

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium		Not more than 2 %	In the case where 2	
Carboxymethy-lcellu			or more of Calcium	
lose			Carboxymethyl-	
			cellulose,	
Methylcellulose			Methylcellulose,	
			Sodium	
Sodium			Carboxymethyl-	
Carboxymethylcellul			cellulose, or Sodium	
ose			Carboxymethyl-	
a			combination, the	
Sodium			total level shall not	
Carboxymethyl-star			be more than 2 %.	
ch		27		
Propylene Glycol		Not more than 1 %		
Alginate				
Sodium Polyacrylate		Not more than 0.2 %		

Yeast nutrients

Substance name	Permitted food	Maximum level	Limitation of use	Note (Principal other uses)
Calcium Carbonate		Not more than 1 % in food as calcium (except special	Restricted in the case where its use is indispensable for	(Chewing gum base, dietary supplement, raising agent)
Calcium Sulfate		nutrition food under the Health Promotion Act)	manufacture or processing of food or for purpose of	(Coagulant for tofu, dietary supplement, raising agent)
Calcium Dihydrogen Phosphate			dietary supplement.	(Dietary Supplement, emulsifier, raising agent)
Calcium Monohydrogen Phosphate Tricalcium Phosphate				(Dietary Supplement, chewing gum base, emulsifier, raising agent)

Table FA03 Food Additives with No Standards of Use

Meaning of parenthetical abbreviated names

AC: Anticaking agent AO: Antioxidant AR: Acidity regulator BA: Binding agent CB: Chewing gum bases

CD: Color developer (Color fixative) COA: Coagulant for TOFU, soybean curd

COL: Color

CR: Color retention agent DS: Dietary supplement

EM: Emulsifier FA: Food acid

 ${\rm FE}$: Fermentation aid

FT: CHOUMIRYOU, flavoring for taste-related purpose, excluding sweeteners and food acids

HU: Humectant

KA: Kansui, alkaline agent for the preparation of Chinese noodles

PA: Processing aid

PC: Plasticizer for chewing gum

QI: Quality improver

RA: Raising agent (baking powder)

SW: Sweetner TH: Thickener YN: Yeast nutrient

Anticaking agent

Magnesium carbonate (DS, RA)

Antioxidants

L-Ascorbic Acid (DS, QI, RA) L-Ascorbyl Palmitate (DS) L-Ascorbyl Stearate (DS) Calcium L-Ascorbate (DS) Sodium L-Ascorbate (DS, QI)

Acidity regulators

Acetic Acid (FA) Adipic Acid (FA, RA) Carbon Dioxide (FA) Citric Acid (FA, RA)

Dipotassium Hydrogen Phosphate (EM, FT, KA, RA) Disodium Dihydrogen Pyrophosphate (KA, RA) Disodium Hydrogen Phosphate (EM, KA, FT, RA)

Disodium Succinate (FA, FT) Disodium DL-Tartrate (FA, FT) Disodium L-Tartrate (FA, FT) Fumaric Acid (FA, RA) Glacial Acetic Acid (FA) Gluconic Acid (FA)

Glucono-δ-Lactone (COA, FA, RA)

Lactic Acid (FA, RA)
DL-Malic Acid (FA, RA)

Monosodium Fumarate (FA, RA) Monosodium Succinate (FA, FT) Phosphoric Acid (FA)

Potassium DL-Bitartrate (FT, RA) Potassium L-Bitartrate (FT, RA)

Potassium Carbonate (Anhydrous) (YN, KA, RA) Potassium Dihydrogen Phosphate (EM, FT, KA, RA)

Potassium Gluconate (EM, FA, FT, HU, YN)

Sodium Acetate (FA, FT) Sodium Bicarbonate (KA, RA) Sodium Carbonate (KA, RA)

Sodium Dihydrogen Phosphate (EM, KA, FT, RA)

Sodium Gluconate (EM, FA, FT, HU, YN)

Sodium Lactate (FA, FT) Sodium DL-Malate (FA, FT, RA) Succinic Acid (FA, FT) DL-Tartaric Acid (FA, RA)

DL-Tartaric Acid (FA, RA) L-Tartaric Acid (FA, RA) Trisodium Citrate (FA, FT) Binding agents

Disodium Hydrogen Phosphate Potassium Metaphosphate (EM, KA, RA) Potassium Polyphosphate (EM, KA, RA) Potassium Pyrophosphate (EM, KA, RA) Sodium Metaphosphate (EM, KA, RA) Sodium Polyphosphate (EM, KA, RA) Sodium Pyrophosphate (EM. KA, RA)

Chewing gum bases

Glycerol Esters of Fatty Acids (EM) Propylene Glycol Esters of Fatty Acids (EM) Sorbitan Esters of Fatty Acids (EM) Sucrose Esters of Fatty Acids (EM)

Coagulants for TOFU, soybean curd

Glucono-8-Lactone (FA, AR, RA) Magnesium Chloride (PA, YN, DS) Magnesium Sulfate (FE, DS)

Color

Riboflavin (DS) Riboflavin 5'-Phosphate Sodium (DS) Riboflavin Tetrabutyrate (DS)

Color retention agents

Ferrous Sulfate (DS)

Dietary supplement

[Amino acids] DL-Alanine (FT)

L-Arginine L-Glutamate (FT) L-Glutamic Acid (FT)

Glycine (FT)

L-Histidine Monohydrochloride (FT)

L-Isoleucine (FT)

L-Lysine L-Aspartate (FT) L-Lysine L-Glutamate (FT) L-Lysine Monohydrochloride (FT)

D-Methionine (FT)

[Minerals]

Calcium Stearate Ferric Ammonium Citrate

Ferric Chloride Ferric Citrate Ferric Pyrophosphate

Ferrous Sulfate (Crystal) (CD)

Iron Lactate

[Vitamins]

L-Ascorbic Acid (AO, QI, RA) L-Ascorbic Acid 2-Glucoside

L-Ascorbyl Palmitate (AO) L-Ascorbyl Stearate (AO)

Bisbentiamine 8-Carotene (COL) L-Methionine (FT)

Monosodium L-Aspartate (FT) Monosodium L-Glutamate (FT)

L-Phenylalanine (FT) L-Theanine (FT) DL-Threonine (FT) L-Threonine (FT) DL-Tryptophan (FT) L-Tryptophan (FT) L-Valine (FT)

Magnesium Carbonate (AC, RA) Magnesium Chloride (YN, PA, COA)

Magnesium Hydroxide Magnesium Oxide (PA) Magnesium Sulfate (COA, FE) Sodium Ferrous Citrate Trimagnesium Phosphate

Calcium L-Ascorbate (AO)

Cholecalciferol Dibenzoyl Thiamine

Dibenzoyl Thiamine Hydrochloride

Ergocalciferol Folic Acid Methyl Hesperidin Pyridoxine Hydrochloride Riboflavin (COL)

Riboflavin 5'-Phosphate Sodium (COL)

Riboflavin Tetrabutyrate (COL) Sodium L-Ascorbate (AO, QI)

Sodium Pantothenate Thiamine Dicetylsulfate Thiamine Dilaurylsulfate Thiamine Hydrochloride Thiamine Mononitrate

Thiamine Naphthalene-1,5-Disulfonate

Thiamine Thiocyanate

Vitamin A

Vitamin A Esters of Fatty Esters

Emulsifiers

Glycerol Esters of Fatty Acids (CB)

Lecithin (*1 Existing Food Additives)

Propylene Glycol Esters of Fatty Acids (CB)

Sorbitan Esters of Fatty Acids (CB)

Starch Sodium Octenylsuccinate (TH)

Sucrose Esters of Fatty Acids (CB)

[Emulsifiers (for use in processed cheese, cheese food, and food from processed cheese)]

Ammonium Dihydrogen Phosphate (YN, FE)
Diammonium Hydrogen Phosphate (YN, FE)
Dipotassium Hydrogen Phosphate (KA, RA, AR, FT)
Disodium Dihydrogen Pyrophosphate (KA)
Disodium Hydrogen Phosphate (KA, RA, AR, FT)
Potassium Dihydrogen Phosphate (KA, FT, AR, RA)
Potassium Gluconate (AR, FA, FT, HU, YN)
Potassium Metaphosphate (KA, BA, RA)
Potassium Polyphosphate (KA, BA, RA)

Potassium Pyrophosphate (KA, BA, RA)
Sodium Dihydrogen Phosphate (KA, RA, AR, FT)
Sodium Gluconate (AR, FA, FT, HU, YN)
Sodium Metaphosphate (KA, BA, RA)
Sodium Polyphosphate (KA, BA, RA)
Sodium Pyrophosphate (KA, BA, RA)
Trisodium Citrate (FA, FT, AR)
Trisodium Phosphate (KA, FT)
Tripotassium Phosphate (KA, FT)

Food acids

Acetic Acid (AR) Adipic Acid (AR) Carbon Dioxide (AR) Citric Acid (AR, RA)

Disodium Succinate (AR, FT) Disodium DL-Tartrate (AR, FT) Disodium L-Tartrate (AR, FT)

Fumaric Acid (AR, RA) Glacial Acetic Acid (AR) Gluconic Acid (AR)

Glucono-δ-Lactone (AR, COA, RA)

Lactic Acid (AR, RA)
DL-Malic Acid (AR, RA)
Monopotassium Citrate (AR)

Monosodium Fumarate (AR, FT, RA) Monosodium Succinate (AR, FT)

Phosphoric Acid (AR)

Potassium Gluconate (AR, EM, FT, HU, YN)

Sodium Acetate (AR, FT)

Sodium Gluconate (AR, EM, FT, HU, YN)

Sodium Lactate (AR, FT) Sodium DL-Malate (AR, FT, RA)

Succinic Acid (AR, FT)
DL-Tartaric Acid (AR, FT)
L-Tartaric Acid (AR, FT)
Tripotassium Citrate (AR)
Trisodium Citrate (AR, EM, FT)

Fermentation aids

Ammonium Dihydrogen Phosphate (YN) Ammonium Sulfate (YN)

Diammonium Hydrogen Phosphate (YN, EM)

Magnesium Sulfate (COA, DS) Trimagnesium Phosphate

Flavorings for taste-related purpose, CHOUMIRYOU, excluding sweeteners and food acids

[Amino acids]

DL-Alanine (DS)
L-Arginine L-Glutamate (DS)
L-Glutamic Acid (DS)

Glycine (DS)

L-Histidine Monohydrochloride (DS)

L-Isoleucine (DS)

L-Lysine L-Aspartate (DS) L-Lysine L-Glutamate (DS) L-Lysine Monohydrochloride (DS)

DL-Methionine (DS) L-Methionine (DS)

Monoammonium L-Glutamate

Monomagnesium Di-L-Glutamate Monopotassium L-Glutamate (DS) Monosodium L-Aspartate (DS) Monosodium L-Glutamate (DS) L-Phenylalanine (DS) L-Theanine (DS) DL-Threonine (DS) L-Threonine (DS) DL-Tryptophan (DS) L-Tryptophan (DS) L-Valine (DS)

[Inorganic salts]

Dipotassium Hydrogen Phosphate (AR, RA)

Potassium Chloride Potassium Dihydrogen Phosphate (KA, RA, AR, EM) Sodium Dihydrogen Phosphate (AR, RA, KA, EM) Disodium Hydrogen Phosphate (AR, RA, EM, KA) Tripotassium Phosphate (EM, KA) Trisodium Phosphate (EM, KA)

[Nucleotides]

Calcium 5'-Ribonucleotide Disodium 5'-Cytidylate Disodium 5'-Guanylate Disodium 5'-Inosinate Disodium 5'-Ribonucleotide Disodium 5'-Uridylate

[Organic acids]

Disodium Succinate (FA, AR) Disodium DL-Tartrate (FA, AR) Disodium L-Tartrate (FA, AR) Monopotassium Citrate (FA) Monosodium Fumarate (FA, AR) Monosodium Succinate (FA, AR) Potassium DL-Bitartrate (AR, RA) Potassium L-Bitartrate (AR, RA) Potassium Gluconate (AR, EM, FA, HU, YN) Sodium Acetate (FA, AR) Sodium Gluconate (AR, EM, FA, HU, YN) Sodium Lactate (FA, AR) Sodium DL-Malate (FA, AR) Succinic Acid (FA, AR) Tripotassium Citrate (FA) Trisodium Citrate (FA, EM, AR)

Humectant

Potassium Gluconate (AR, EM, FA, FT, YN) Sodium Gluconate (AR, EM, FA, FT, YN) D-Sorbitol (SW, PC)

KANSUI, alkaline agents for preparation of Chinese noodles

Dipotassium Hydrogen Phosphate (EM, RA, AR, FT) Disodium Dihydrogen Pyrophosphate (BA. EM, RA,

AR)

Disodium Hydrogen Phosphate (AR, EM, RA, FT) Potassium Carbonate (Anhydrous) (AR, RA, YN) Potassium Dihydrogen Phosphate (EM, RA, AR, FT) Potassium Metaphosphate (BA, EM, RA)

Potassium Polyphosphate (BA, EM, RA) Potassium Pyrophosphate (BA, EM, RA) Sodium Bicarbonate (AR, RA) Sodium Carbonate (AR, RA)

Sodium Dihydrogen Phosphate (AR, EM, RA, FT)

Sodium Metaphosphate (BA, EM, RA) Sodium Polyphosphate (BA, EM, RA) Sodium Pyrophosphate (BA, EM, RA) Tripotassium Phosphate (EM, FT) Trisodium Phosphate (AR, EM, FT)

<u>Pasteurizing Agent</u> High-Test Hypochlorite

Processing aids

Ammonia Hydroxylpropyl Cellulose Hydroxylpropyl Methylcellulose Magnesium Chloride (DS, YN, COA) Magnesium Oxide (DS) Sodium Caseinate Sodium Sulfate Plasticizers for chewing gum

Glycerol

D-Sorbitol (SW, HU)

Quality Improver

L-Ascorbic Acid (DS, AO, RA)

Sodium L-Ascorbate (DS, AO)

Raising agents

Adipic Acid (FA, AR) Ammonium Bicarbonate Ammonium Carbonate (YN) Ammonium Chloride (YN) L-Ascorbic Acid (DS, AO, QI) Citric Acid (FA, AR)

Dipotassium Hydrogen Phosphate (AR, FT, KA, EM) Disodium Dihydrogen Pyrophosphate (BA, KA, EM,

Disodium Hydrogen Phosphate (AR, FT, KA, EM)

Fumaric Acid (FA, AR) Glucono-δ-Lactone (COA, FA, AR) Lactic Acid (FA. AR)

DL-Malic Acid (FA. AR)

Magnesium Carbonate (AC, DS) Monosodium Fumarate (FA, AR, FT)

Potassium Carbonate (Anhydrous) (AR, KA. YN) Potassium Dihydrogen Phosphate (AR, FT, KA, EM)

Potassium DL-Bitartrate (AR, FT) Potassium L-Bitartrate (AR, FT)

Potassium Metaphosphate (BA, KA, EM) Potassium Polyphosphate (BA, KA. EM) Potassium Pyrophosphate (BA, KA. EM)

Sodium Bicarbonate (AR, KA) Sodium Carbonate (AR, KA)

Sodium Dihydrogen Phosphate (AR, FT, KA, EM)

Sodium DL-Malate (FA, FT, AR) Sodium Metaphosphate (BA, KA, EM) Sodium Polyphosphate (BA, KA, EM) Sodium Pyrophosphate (BA, KA, EM)

DL-Tartaric Acid (FA, AR) L-Tartaric Acid (FA, AR)

Sweeteners

Aspartame D-Sorbitol (PC, HU) Neotame **Xylitol**

Thickener (Stabilizer or gelling agent)

Acetylated Distarch Adipate Acetylated Distarch Phosphate Acetylated Oxidized Starch Ammonium Alginate Calcium Alginate Distarch Phosphate

Hydroxy propyl Distarch Phosphate

Hydroxypropyl Starch

Monostarch Phosphate Oxidized Starch Phosphated Distarch Phosphate

Potassium Alginate

Sodium Alginate Starch Acetate

Starch Sodium Octenyl Succinate (EM)

Yeast nutrients

Ammonium Carbonate(RA) Ammonium Chloride(RA)

Ammonium Dihydrogen Phosphate(FE,EM)

Ammonium Sulfate(FE)

Diammonium Hydrogen Phosphate(FE,EM)

Magnesium Chloride(COA,PA,DS)

Magnesium Sulfate(COA)

Potassium Carbonate(Anhydrous)(AR,KA,RA) Potassium Glivonstr(AR,EM,FA,FT, HU) Soodium Gliconate(AR,EM,FA,FT, HU)

Table FA04 Existing Food Additives

No food additive appearing in the list, or any food or preparation containing such food additives are subject to the provisions of Article 10 of the Food Sanitation Act as an interim measure in the amendment to the Act (No.101, 1995).

Notes:

- 1) The list is arranged in alphabetical order for the convenience of readers. Numbers in parentheses indicate the position in the original Japanese list.
- 2) Natural flavoring agents and substances generally provided as food and used as food additives are not subject to the provisions of Article 10. Therefore, they do not appear in the list.
- 3) Additives bearing * markings may be eliminated from the list in due course. The Ministry of Health and Welfare published a list of 80 candidate additives (18 May, 2010, Food Safety Office 0518 No.1). The forthcoming new list will be publicized in May 2011.

Absinth extract (270)

A substance obtained from the whole absinth grass.

α-Acetolactate decarboxylase (12) N-Acetylglucosamine (11)*

Acid clay (168)

Acid phosphatase (169)

Actinidine (4) Activated acid clay (68)

Active carbon (67)

Acylase (6)

5'-Adenylic acid (13)

Agarase (3)

Agrobacterium succinoglycan (5)

A substance obtained from the culture of bacteria belonging

to Agrobacterium.

L-Alanine (19)

Alginate lyase (26)

Alginic acid (25)

Alkanet colour (23)*

A substance obtained from alkanet roots.

Aloe extract (94)*

A substance obtained from the leaved of *Aloe arborescens*

MILL.

Aloe vera extract (28)*

A substance obtained from aloe leaves.

Aluminium (27)

Amino acid-sugar reaction product (224)

A substance obtained by heating the mixture of amino acids

and monosaccharides.

Aminopeptidase (16) α-Amylase (17)

β-Amylase (18)

Annatto extract (14)

A substance obtained from the seed coats of annatto.

Anthocyanase (29)

Arabino galactan (21)*

L-Arabinose (22)

L-Arginine (24)

Artemisia sphaerocephala seed gum Artemisia seed gum (167)

Ascorbate oxidase (7)
L-Asparagine (8)

L-Aspartic acid (9)

Aspergillus terreus glycoprotein (10)

A substance obtained from the culture of mold.

Aureobasidium cultured solution (1)

A substance obtained from the culture of bacteria belonging

to of Azotobacter vinelandii. Bacillus natto gum (263)

A substance obtained from the culture of bacteria belonging

to Bacillus natto.

Bamboo grass colour (165)*

A substance obtained from the leaves of bamboo grass.

Bees wax (366)

Beet red (292) Bentonite (347)

Betaine (332)

Bone carbon black (154)

A substance obtained by carbonizing bones.

Bone charcoal (153)

A substance obtained from bovine bones.

Brazilina licorice extract (311)

A substance obtained from Brazilian licorice roots.

Bromelain (318)

Buckwheat ash extract (211)

Butane (307)

Cacao carbon black (61)*

Cacao colour (60)

Caffeine (extract) (73)

A substance obtained from coffee beans or tea leaves.

Calcinated calcium (187)*

A substance obtained by calcinating sea urchin shells, shells, coral, whey, bones or eggshells.

Candelilla wax (90)

A substance obtained from the candelilla stems.

Cane wax (166)*

Capsicum water-soluble Extract (247)

Caramel I (plain) (78)

A substance obtained by heating food-grade carbohydrates including starch hydrolysates, molasses or saccharides excluding Caramel II (No.79), Caramel III (No.80). And Caramel IV (No.81).

Caramel II (caustic sulfite process) (79)

A substance obtained by adding sulfite compounds to, and heat-treating, food grade carbohydrates including starch-hydrolysates, molasses or saccharides, excluding Caramel IV (No.81).

Caramel III (ammonia process) (80)

A substance obtained by adding ammonium compounds to, and heat-treating, food grade carbohydrates including starch-hydrolysates, molasses or saccharides, excluding Caramel IV (No.81).

Caramel IV (sulfite ammonia process) (81)

A substance obtained by adding sulfite compound and ammonium compounds to, and heat-treating, food grade carbohydrates including starch-hydrolysates, molasses or saccharides.

Carboxypeptidase (84)

Carnauba wax [Brazil wax] (83)

A substance obtained from leaves of carnauba trees.

Carob bean gum [Locust bean gum] (86)

A substance obtained by grinding and dissolving and precipitating the seed albumins of locust bean beans.

Carob germ colour (85)

Carrageenan (74)

A substance obtained from the whole algae of IBARA-NORI (Hypneaceae Hypnea), KIRINNSAI (Solieriacea Eucheuma), GINNANSOU (Gingartenacea Iridaea), SUGI-NORI (Gingartinaceae Girartina) or TSHUNOMATA (Chondrus.).

Carrot carotene (274)

Carthamus red (336)

A substance obtained from safflower flowers.

Carthamus yellow (337)

Cassia gum (64)

A substance obtained by grinding the seed of EBISU-GUSA-MODOKI (Cassia tora LINN).

Catalase (66)

Catechin (70)*

Cellulase (208)

Charcoal (380)

A substance obtained by carbonizing bamboo or wood.

Chicle Chiquibul Crown gum Nispero (228)

A substance obtained from the secretion of sapodilla trees.

Chilte (233)*

A substance obtained from the secretion of chite trees

(Chidoscolus elasticus LUNDELL).

Chinese bayberry extract (387)

Chitin (96)

Chitinase (95)

Chitosan (98)

Chitosanase (97)

Chlorophyll (132)

Chlorophylline (131)

Cholesterol (248)*

A substance obtained from fish oil or lanolin (Refer to NO.

Lanolin).

Clove extract (130)

A substance obtained from the buds, leaves or flowers of

ciove

Cobalt (156)*

Cochineal extract [Carminic acid] (152)

A substance obtained from cochineal insects.

Coffee bean extract (265)

Copal resin (155)*

A substance obtained from the secretion of copal trees.

Copper (245)

Crayfish colour (72)*

A substance obtained from crayfish shells or eyes.

Cristobalite (115)

Crude magnesium chloride (sea water) (210)

A substance obtained by separating potassium chloride and sodium chloride from sea water.

Crude potassium chloride (sea water) (209)

A substance obtained by separating sodium chloride from sea water.

Curdlan (71)

A substance obtained from the culture of bacteria belonging to *Argobacterium* or *Alcaligenes*.

Cyanocobalamin Vitamin B₁₂ (173)

Cyclodextrin (178)

Cyclodextrin glucanotransferase (179)

L-Cystine (181)

5'-Cytidylic acid (184)

Dammar resin (227)*

A substance obtained from the secretion of dammar trees.

5'-Deaminase (237)

Depolymerized Natural rubber (238)*

A substance obtained by decomposing the secretion of para rubber trees.

Dextran (241)

Dextranase (240)

Diatomaceous earth (135)

Dokudami extract (249)*

A substance obtained from the leaves of DOKUDAMI (*Houttuynia cordata* THUNB).

Dunaliella carotene (243)

A substance obtained from the whole algae of dunaliella.

Elemi resin (47)

A substance obtained from the secretion of elemi trees.

Ellagic acid (46)*

Enzymatically decomposed apple extract (148)

A substance composed mainly of catechins and chlorogenic acid obtained by enzymatically decomposingapple fruits.

Enzymatically decomposed lecithin (149)

A substance composed mainly of phosphatidic acid and lysolechitin obtained from vegetable lecithin or yolk lecithin.

Enzymatically decomposed rice bran (162)*

A substance composed mainly of phytic acid and peptides obtained dewaxed rice bran.

Enzymatically decomposed rutin (406)*

A substance composed mainly of isoquercitrin and obtained from rutin.

Enzymatically hydrolyzed coix extract (147)*

A substance obtained by enzymatically hydrolyzing the seeds of Job's tears (*Coix lacryma-jobi var. ma-yuen* STAPF).

Enzymatically hydrolyzed guar gum (106)

A substance composed mainly of polysaccharides obtained by grinding and hydrolyzing guar seeds.

Enzymatically modified licorice extract (140)*

A substance composed mainly grycyrrheitinic acid-3-glucuronide obtained by enzymatically hydrolyzing a licorice extract.

Enzymatically modified hesperidin (143)

A substance obtained by adding glucose to hesperidin (Refer No. Hesperidin).

Enzymatically modified isoquercitrin (139)

A substance composed mainly $\alpha\text{-}\mathrm{glucosylquercetin}$ obtained from enzymatically decomposed rutin.

Enzymatically modified lecithin (145)

A substance mainly composed of phosphatidylglycerol obtained from vegetable lecithin) or yolk lecithin.

Enzymatically hydrolyzed licorice extract (146)

A substance obtained from the licorice

Enzymatically modified naringin (142)

A substance mainly composed of α -glucosylmaringin obtained from naringin.

Enzymatically modified rutin (extract) (144)

A substance mainly composed of α -glucosylrutin obtained from rutin extract.

Enzymatically modified tea extract (141) *

A substance obtained by adding glucose to a tea extract, using cyclodextrin glucosyltransferase.

Essential oil-removed fennel extract (199)

A substance obtained from fennel seeds.

Esterase (45)

Eucalyptus leaf extract (389)*

Exomaltotetraohydrolase (43)

Ferritin (304)

Ferulic acid (305)

Ficin (300)

Fish scale foil (101)

A substance obtained by extraction from the epithelium of fish.

Fractionated lecithin Cephalin Lipoinositol (320)

A substance composed mainly of sphingomyelin,

phosphatidiyl inositol, phosphatidyl choline obtained from vegetable lecithin (Refer to No. Vegetable lecithin) or yolk lecithin (Refer to No. Yolk Lecithin).

Fructosyl transferase (312)

Fukuronori extract (306)

A substance composed mainly of polysaccharides obtained from FUKURO-NORI (G $loiopeltis\ furcata$ POSTEL et RUPR).

Furcellaran (298)

A substance composed mainly of polysaccharides obtained from the whole algae of furcellaria.

α-Galactosidase (75)

 β -Galactosidase (Lactase) (76)

Gallic acid (352)

Garden balsam extract (348)*

A substance obtained from the leaves of garden balsam.

Gardenia blue (110)

A substance obtained from gardenia fruits and protein-decomposed substances.

Gardenia red (11)

A substance obtained by adding 8-glucosidase to the mixture of ester-hydrolysates of iridoid glycosides obtained from gardenia fruits and protein-decomposed substances.

Gardenia yellow (112)

A substance composed mainly of allylsulfides obtained from gardenia fruit.

Garlic extract (275)* Gastric mucin (65)*

A substance composed mainly of mucopolysaccharides obtained from mammals' gastric mucosae.

Gellan gum (176)

A substance composed mainly polysaccharides obtained from the culture of bacteria belonging to *Pseudomonas elodea*.

Gentian root extract (136)*

A substance obtained from gentian roots orrhizomes.

Ginger extract (186)
Glucanase (117)
Glucoamylase (118)
Glucosamine (119)
Glucose isomerase (124)
Glucose oxidase (125)
α-Glucosidase (120)
β-Glucosidase (121)

 $\alpha\text{-}Glucosyltransferase [4\text{-}\alpha\text{-}Glucanotransferase, 6\text{-}\alpha\text{-}Glucanotransferase]}$

nsferase] (122)

α-Glucosyltransferasetreated stevia (123)

A substance obtained from a stevia extract. (Refer to NO.

Stevia extract.) Glutaminase (126) L-Glutamine (127)

Gold (103)

Granite porphyry (63) Grape seed extract (310)

Grape skin-derived substance (309)

A substance composed mainly of polyphenols obtained from

the pericarps of American grapes.

Grape skin colourGrape skin extract (308)

Grapefruit seed extract (128)

Green tuff (116)* Guaiac resin (107)

A substance obtained from the trunks/branches of

Guajac resin (extract) (108)

A substance obtained from the secretion of guaiacum trees.

Guar gum (105)

A substance obtained from guar seeds, excluding enzymatically hydrolyzed guar gum.

Gum Arabic [Arabic gum, Acacia gum] (20)

Gum ghatti (69)

A substance obtained from the secretion of ghatti trees.

Gutta hang kang (113)*

A substance obtained from the secretion of gutta hang kang trees

Gutta percha (114)

A substance obtained from the secretion of gutta pecha trees.

Haematococcus algae colour (343)

A substance obtained from the whole algae

ofhaematococcus.

Hego-Ginkgo leaf extract (328)

A substance obtained by extraction from the leaves of HEGO and ginkgo.

Helium (346)
Heme iron (345)
Hemicellulase (344)
Heptane (341)
Hesperetin (331)*

Hesperidin Vitamin P (330)

Hesperidinase (329)

Hexane (324)

Higher fatty acid (137)

A substance obtained by hydrolyzing animal or vegetable fats/oils or their hardened fats and oils.

Himematsutake extract (295)*

L-Histidine (291) Hokosshi extract (349)

A substance obtained from the seed of HOKOSSHI (Psoralea

corylifolia O>KNZ). Horseradish extract (200) Hyaluronic acid (287) Hydrogen (192)

L-Hydroxyproline (293)

Inositol (36)
Inulinase (35)
Invertase (38)
Iron (242)

Iso-α-bitter acid (31)

A substance composed mainly isohumulones obtained from hop flowers.

Isoamylase (30)

Isodonis extract (288)*

A substance composed mainly of anmein obtained from the stems or leaves of HIKIOKOSHI (*Isodon japonicus* HARA).

Isomaltodextranase (32)

Itaconic acid (33)

Jamaica quassia extract (185)

A substance obtained from the tranks/branches or bark of Jamaicanquassia trees.

Japan wax (381)

A substance obtained from the fruits of Japanese wax trees. Japanese persimmon colour (62)

A substance obtained from Japanese persimmon fruits.

Japanese styrax benzoin extract (44)*

A substance composed mainly of benzoic acid obtained from the secretion of ANSOKLU-KO-NO-KI (*Styrax benzoin* DRY).

Jelutong (177)

A substance obtained from the secretion of julutong trees. Jojoba wax (353)

A substance composed mainly of icosanyl icosanata obtained from jjojoba fruits.

Kaorliang colour (151)

A substance composed mainly of apigeninidin and luteolindin obtained from kaoliang seeds.

Kaolin (59)

Karaya gum (82)

A substance composed mainly of polysaccharides obtained from the secretion of KRAYA trees (*Sterculia urens* ROXB) or silk cotton trees.

Kooroo colour, Matsudai colour (129)

A substance obtained by extraction from the roots of SOMEMONO-IMO (*Dioscorea matsudai* HAYATA.

Krill colour (49) *

Lac colour (394)

A substance composed mainly of laccaic acids obtained from the secretion of lac scale insects.

Lactoferrin concentrates (393)

A substance composed mainly of lactoferrin obtained from mammals' milk.

Lactoperoxidase (392)

Lanolin (395)

A substance composed mainly of esters of higher alcohols and $\alpha\text{--hydroxylic}$ acids obtained from waxy substances bearing the surface of sheep wool

Leche de vaca (410)*

A substance composed mainly of esters of amyrin obtained from the secretion of leche de vaca trees (Brosimum utile (H.B.K.)PITT).

Lemon peel extract (412)*

A substance composed mainly of geraniol and citrail obtained from lemon peels.

L-Leucine (414)

Levan (411)*

A substance composed mainly of polysaccharides obtained from the culture of bacteria belonging to *Bacillus subtilis*.

Licorice extract (88)

A substance composed mainly of glycyrrhizic acid obtained from the roots or rhizomes of Chinese licorice, Xinjiang licorice or licorice.

Licorice oil extract (89)

A substance composed mainly of flavonoids and obtained from the roots or rhizomes of Chinese licorice, Xinjiang licorice or licorice.

Linseed gum [Linseed extract] (15)

A substance composed mainly of polysaccharides obtained from linseed.

Linter cellulose (405)

A substance composed mainly of cellulose obtained from cotton single pilus.

Lipase (401)

Lipoxygenase (402)

Liquid paraffin (404)

Logwood colour (415)

A substance composed mainly of haematoxylin and obtained from the heart wood of logwood.

L-Lysine (399)

Lysozyme (400)

Macrophomopsis gum (357)

A substance composed mainly of polysaccharides obtained from the culture of microorganism belonging to

Macrophomopsis.

Maltose phosphorylase (362)

Maltotriohydrolase (363)

Mannentake extract (409)

A substance obtained by the extraction from the mycelium or fruit body of MANNAEN-TAKE (*Ganoderma lucidum* KARST) or its culture. Marigold colour (361)

A substance composed mainly of xanthophylis obtained from marigold flowers.

Massaranduba balata (360)*

A substance composed mainly of amyrin acetate and poly isoprenes obtained from the secretion of massarandula balata trees.

Massaranduba chocolate (359)*

A substance composed mainly of amyrin acetate and polyisoprenes obtained from the secretion of massarandula chocolate trees.

Mastic gum (358)

A substance composed mainly of masticadienoic acid and obtained from the secretion of mastic trees.

Melaleuca oil (375)

A substance composed mainly of essential oil obtained from mlaleuca leaves.

Menaquinone (extract) [Vitamin K2 (extract) (373)

A substance composed mainly of mnaquinone-4 from the culture of bacteria belonging to *Arthrobacter*.

Methylthioadenosine (372)*

A substance composed mainly of

5'-dehydory-5'-methylthioadenosine obtained from yeasts belonging to *Saccharomyces*.

Mevalonic acid (374)

Microcrystalline cellulose (289)

A substance composed mainly of crystalinee cellulose obtained from pulp.

Microcrystalline wax (356)

Microfibrillated cellulose (290)

A substance composed mainly of cellulose obtained by microfibrilillating pulp or cotton.

Milt protein (191)

A substance composed mainly of basic proteins obtained from fish testes.

Mixed tocopherols (365)

A substance composed mainly of d- α -, d- β -, d- β - and d- δ -tocopherols and obtained from vegetable oils.

Monascus colour (334)

A substance composed mainly of ankaflavin and monascolubrin obtained from the culture of mould belonging to ${\it Monascus}$.

Monascus yellow (333)

A substance composed mainly of xanthromonacins obtained from the culture of mould belonging to *Monascus*.

Montan wax (386)*

A substance composed mainly of esters of fatty acid arid tetracosyl-triacontanyl alcohol or hexacosyltriacontanyl alcohol obtained from brown coal or lignite.

Morin (385)*

Mousouchiku charcoal extract (377)*

A substance obtained by extraction from the cabonized stems of Mousouchiku bamboo.

Mousouchiku dry distillate (376)

A substance obtained by dry distillation from the stems of Mousouchiku bamboo.

Mousouchiku extract (378)

A substance composed mainly of

2,6-dimethoxy-1,4-benzoquinone obtained from the stem skins of Mousouchiku bamboo.

Mulberry bark extract (133)*

A substance composed mainly of stilbene derivatives ad flavonoids obtained from the rhizome skins of mulberry.

Muramidase (371)

Mustard extract (77)

A substance composed mainly of allylisothiocyanata obtained from Indian mustard seeds.

Myrrh (367)

A substance obtained by extraction from the secretion of myrrh trees.

Nagingin (267)

Nainginase (266)

Nickel (272)

Niger gutta (269)*

A substance composed mainly of amyrin acetate and polyiosprenes obtained from the secretion of niger gutta trees,

Nitrogen (229)

Non-calcinated calcium (364)

A substance composed mainly of calcium salts obtained by drying shells, pearl layers, coral, bones or eggshells.

Nystose (271)*

Olibanum (273) *

A substance composed mainly of α - and β -boswellic acids obtained from the secretion of Olibanum.

Oligo-N-acetylglucosamine (52)*

Oligogalacturonic acid (53)

Oligoglucosamine (54)*

Onion colour (218)

A substance composed mainly of quercetin obtained from onion bulbs.

Orange colour (57)

A substance composed mainly of carotene and xanthophylls obtained from the fruits or peels of AMA-DAIDAI(Citrus sinensis OSBECK).

Oregano extract (56)

A substance composed mainly of carvacrol and thymol obtained from oregano leaves.

γ-Oryzanol (55)

A substance composed mainly of booth esters consisting of each combination of sterols and ferulic acid and triterpene alcohols and feulic acid obtained from rice bran or germ oil.

Oxygen (170)

Ozokerite (50)

Ozone (51)

Paffia extract (281)*

A substance composed mainly of ecdysteroids and saponins obtained from the roots of paffia (*Pafiic iresinoides* SPRENGEL).

Palladium (284)

Palm oil carotene (282)

A substance composed mainly of CAROTENE obtained from oil palm fruits.

Pancreatin (286)

Papain (280)

Paprika colour [Paprika oleoresin] (246)

A substance composed mainly of capsanthins obtained from capsicum fruits.

Paraffin wax (285)

Peach gum (384)

A substance composed mainly of polysaccharides obtained from the secretion of peach trees.

Pecan nut colour (323)

A substance composed mainly of flavonoids obtained from the pericarps or astringent skins of pecan nuts.

Pectin (326)

Pectin digests (327)

A substance composed mainly of galacturonic acid obtained from pectin.

Pectinase (325)

Pepper extract (339)

A substance composed mainly of feruperines obtained from pepper fruits.

Pepsin (340)

Peptidase (342)

Perilla extract (182)

A substance composed mainly of terpenoids obtained from perilla seeds or leaves.

Perlite (283)

Peroxidase (278)

Petroleum naphtha (264)

Phaffia colour (299)

A substance composed mainly of astaxanthins obtained from the culture of yeast belonging to *Phaffia*.

Phellodendron bark extract (100)*

A substance composed mainly of berberine obtained from the bark of phellodendron trees.

Phosphodiesterase (350)

Phospholipase (351)

Phytase (301)

Phytic acid (302)

A substance composed mainly of inositol hexaphosphate obtained from rice bran or corn seeds.

Phytin (extract) (303)

A substance composed mainly of magnesium inositol hexa phosphate obtained from rice bran or corn seeds.

Pimento extract (296)

A substance composed mainly of eugenol and thymol obtained from pimento fruits.

Platinum (279)

ε-Polylysine (355)

Polyphenol oxidase (354)

Powdered annatto (335)*

A substance composed mainly of norbixin and bixin obtained from annatto seeds

Powdered bile (223)

A substance composed mainly of cholic acid and desoxycolic acid obtained from bile.

Powdered cellulose (321)

A substance composed mainly of cellulose obtained by decomposing pulp, excluding No.289 Mycrocrystalline cellulose.

Powdered rice hulls (322)

A substance composed mainly of cellulose obtained from rice hulls.

Powdered stevia (210)

A substance composed mainly of steviol glycosides obtained by grinding stevia leaves.

L-Proline (319)

Propane (316)

Propolis extract (317)

A substance composed mainly of flavonoids obtained from honeycomb.

Protease (315)

Psyllium seed gum (164)

A substance composed mainly of polysaccharides obtained from the seed coats of blond psyllium.

Pullulan (314)

Pullulanase (313)

Purple corn colour (369)

A substance composed mainly of cyanidine-3-glucoside obtained from corn seeds.

Purple sweet potato colour (368)

A substance composed mainly of cyanidine acylglucosides and penidin acylglucosides obtained from the tuberous roots of sweet potatoes.

Purple yam colour (370)

A substance composed mainly of cyanidine acylglucosides obtained from yam tuberous roots.

Quassia extract (268)

A substance composed mainly of quassin obtained from the trunks/branches or bark of NIGAKI trees.

Quercetin (109)

Quicklime (198)

Quillaja extract (102)

A substance composed mainly of saponins obtained from the bark of quillaja trees.

Rakanka extract (391)

A substance composed mainly of mogulosides obtained from rakanka fruits.

Redbark cinchona extract (99)

A substance composed mainly of quinidine, quininne and cinchorine obtained from the bark of redbark cinchona trees.

Rennet (413)

Resin of depolymerized natural rubber (160)*

A substance composed mainly of diterpenes, triterpenes and tetraterpenes obtained from rubber.

L-Rhamnose (397)

Rhamsan gum (396)

A substance composed mainly of polysaccharidesobtained from the culture of bacteria belonging to *Alcaligenes*.

D-Ribose (403)

Rice bran oil extract (161)

A substance composed mainly of ferulic acid obtained from rice bran oil.

Rice bran wax (163)

Rice straw ash extract (34)

A substance obtained from the ashes of rice stems or leaves.

Roasted rice bran extract (276)

A substance composed mainly of maltol obtained from roasted rice bran

Roasted soybean extract (277)

A substance composed mainly of maltol obtained from roasted soybean seeds.

Rosemary extract (418)

A substance composed mainly of carnosic acid, carnosol, and polyisoprenes obtained from rosemary leaves or flowers.

Rosidinha (416)*

A substance composed mainly of amyrin acetate and polyisopenes obtained from the secretion of rosidinha trees.

Rosin (417)

A substance composed mainly of abietic acid obtained from the secretion of pine trees.

Rubber (159)

A substance composed mainly of polyisoprenes obtained from the secretion of Pararubber trees, excluding No.238 Depolymerized natural rubber.

Rumput roman extract (87)

A substance composed mainly of capillin obtained from the whole grass of rumput roman.

Ruthenium (408)

Rutin (extract) (407)

A substance composed mainly of rutin obtained from the whole grass of AZUKI (*Azukia angularis* OHWI), the buds or flowers of Japanese pagoda trees or buckwheat grass.

Sage extract (204)

A substance composed mainly of carnosic acid and phenolic diterpenes obtained from

Salvia leaves.

Sandalwood red (183)

A substance composed mainly of santalin obtained from the trunks/branches of red sandalwood trees.

Sandarac resin (171)*

A substance composed mainly of sandaracopimaric acid obtained from the secretion of sandarac trees.

Sclero gum (193)*

A substance composed mainly of polusaccharides obtained from the culture of microorganism belonging to *Sclerotium glucannicum*.

Seaweed ash extract (58)

A substance composed mainly of pottassium iodide obtained from the ashes of brown algae.

Sepiolite (206)*

L-Serine (207)

Sesame seed oil unsaponified matter (157)

A substance composed mainly of seamolin obtained from sesame seeds

Sesame straw ash extract (158)

A substance obtained by extraction from the ashes of sesame stems or leaves.

Sesbania gum (205)*

A substance composed mainly of polysaccharides obtained from sesbania seeds.

Shea nut colour (172)

A substance obtained from the fruits or seed coats of shea.

Shellac (174)

A substance composed mainly of esters of aleuritic acid and shellolic acid or jalaric acid obtained from the secretion of scale insects.

Shellac wax (175)

A substance composed mainly was of obtained from the secretion of scale insects.

Shikon colour [Lithospermum root colour] (180)*

A substance composed mainly of shikonin obtained from the root of MURASAKI plant.

Silver (104)

Smoke flavourings (134)

A substance obtained by capturing the gas generated by burning sugar canes, bamboo, corn stalks or wood, or a substance obtained by dry distillation from such materials.

Sodium chloride-decreased brine (saline lake) (48)

A substance composed mainly of salts of alkaline metals or alkaline earth metals obtained by separating sodium chloride from saline lake water.

L-Sorbose (214)*

Sorva (Leche capsi) (212)*

A substance composed mainly of amyrin acetatre and polyisoprenes obtained from the secretion of sorvinha trees.

Sorvinha (213)*

Soybean saponin (215)

A substance composed mainly of saponins obtained from soybeans.

Sphingolipid (197)*

A substance composed mainly of sphingosine derivatives obtained from bovine or rice bran.

Spice extract (138)

Substances obtained by extraction or steam-

distillataion from

Hemp seeds,

asafetida,ajpwan,anise,angelica,fennel,turmeric,allspice,ore gano, orange peel, Chinese pepper, cassia, chamomile, mustard, cardamom, curry leaves, licorice, caraway, gardenia, cumin, cress, clove, poppy seeds, caper, pepper, sesame seeds, coriander, sassafras, saffron, savory, salvia, Japanese pepper, perilla, cinnamon, shallot, juniperberry, ginger, star anise, spearmint, horseradish, celery, sorrel, thyme, onion, tamarind, tarragon, chive, chevil, dill, capsicum, nutmeg, wormwood, nigella, carrot, garlic, basil, parsley, mint, vanilla, paprika, hyssop, fenugreek, peppermint, horsemint, marjoram, myouga (Zingiber Mioga (ROSC), lavender, linden, lemongrass, lemonbalm, rose, rosemary, laurel or wasabi (Japanese horseradish), excluding Turmeric oleoresin (No. 40), Oregano extract (56), Orange colour (57), Mustard extract (77), Licorice extract (88), Licorice oil extract (89), Gardenia yellow (112), Clove extract (130), Sesame seed oil unsaponified matter (157), Perilla extract (182), Ginger extract (196), Essential oil removed fennel extract (199), Horseradish extract (200), Sage extract (204), Onion colour (218), Tamarind colour (219), Tamarind seed gum (200), Tannin (extract) (226), Paprika colour (246), Capsicum water-soluble extract (247), Absinth extract (270), Carrot carotene (274), Garlic extract (275), Pepper extract (339)*, Rosemary extract (418), Wasabi extract (419)

Spirulina colour (196)

A substance composed mainly of phycocyanin obtained from the whole alga of spirulina.

Stevia extract (194)

A substance composed mainly of steviol glycosides obtained by extraction from stevia leaves.

Sunflower seed extract (294)

A substance composed mainly of isocholorogenic acid and chlorogenic acid obtained from sunflower seeds.

Sweet potato carotene (37)*

A substance composed mainly of carotene obtained from the tuberous roots of sweet potatoes.

Talc (222)

Tamarind colour (219)

A substance composed mainly of flavonoids obtained from tamarind seeds.

Tamarind seed gum (220)

A substance composed mainly of polysaccharides obtained from tamarind seeds

Tannase (225)

Tannin (extract) (226)

A substance composed mainly of tannin and tannic acid obtained from Japanese persimmon fruits, chestnut astringent skins*, Japanese gall, tamarind seed coats*, angelica powder, nutgall or silver wattle bark.

Tara gum (221)

A substance composed mainly of polusaccharides obtained from the seeds of tara trees.

Taurine (extract) (217)

A substance composed mainly of taurine obtained from the viscera or meat of fish or mammals.

Tea dry distillate (230)

A substance obtained by dry distillation from tea leaves.

Tea extract (232)

A substance composed mainly of catechins obtained from teal leaves

Tea seed saponin (231)*

A substance composed mainly of saponins obtained from tea seed.

Thaumatin (216)

A substance composed mainly of thaumatin obtained from the seeds of *Thaumatococcus danielli* BENTH.

Theobromine (239)

Thujaplicin (extract) (236)

A substance composed mainly of thujaplicins obtained from the trunks/branches or roots of HIBA trees.

Timber ash (382)

A substance obtained by ashing bamboo or wood. Timber ash extract (383)

d-α -tocopherol (251)

d-y -tocophero (252)

d-δ -tocophero (253)

Tocotrienol (250)

Tomato colour [Tomato lycopene] (254)

A substance composed mainly of lycopeneobtained from tomato fruits.

Tororoaoi (262)

A substance composed mainly of polusaccharides obtained from the roots of TORORO-AOI plant.

Tourmaline (244)*

Tragacanth gum (255)

A substance composed mainly of polysaccharides obtained from the secretion of tragacanth trees.

Transglucosidase (256)

Transglutaminase (257)

Trehalose (260)

Trehalose phosphorylase (261)

Triacylglycerol lipase Triacylglycerol lipase (258)*

Tripsin (259)

Tunu (235)*

A substance composed mainly of obtained from the secretion of tunu trees.

Turmeric oleoresin [Curcumin] (40)

A substance composed mainly of curcumin obtained from turmeric rhizomes.

L-Tyrosine (234)

Urease (42)

Urushi Wax (41)

A substance composed mainly of glycerol palmitate obtained from the fruits of Japanese lacquer trees.

Vegetable carbon black (189)

A substance composed mainly carbon of obtained by carbonizing plants.

Vegetable lecithin (190)

A substance composed mainly of lecithin obtained from rape seeds or soybeans.

Vegetable oil soot colour (388)*

A substance composed mainly of carbonobtained by burning vegetable oils.

Vegetable sterol (188)

A substance composed mainly of phytosterols obtained from oil seeds.

Venezuelan chicle (338)

A substance composed mainly of amyrin acetate and polyisoprenes obtained from the secretion of Venezuelan chicle trees

Vermiculite (297)

Wasabi extract (419)

A substance composed mainly of isothiocyanate obtained from the rhizomes or leaves of WASABI (*Wasabia japonica* MATSUM.).

Welan gum (39)

A substance composed mainly of polysaccharides obtained from the culture of bacteria belonging to Alcaligenes.

Wood chip (379)

A substance obtained by grinding the trunk/branches of Siberian filbert or BUNA (fagus crenata BLUME)

Xanthan gum (91)

A substance composed mainly of polysaccharides obtained from *Xvlanase* (92)

D-Xylose (93)

Yeast cell wall (150)

Table FA05 List of Source Material of Natural Flavoring Agents

"Natural Flavoring Agents" are defined as the food additives intended for use for flavoring food that are substances obtained from animals or plants, or mixtures thereof (the Food Sanitation Act, Article 4, Paragraph 3).

Natural Flavoring Agents shall be declared by the names of source substances or synonyms shown below. The phrase "flavoring agents" is required to be attached.

Agrimony [Bergamot mint Bergamot] Cascara Betel Cascarilla Ajowan Akavajio betony Cashew nut Akebia Birch Cassie Alfalfa Biwa (Loquat) Castoreum Black caraway (Nigella)] Alkanet Catechu Allspice Black tea Catnip Almond Blackberry Cedar Aloe Blessed thistle Celery Amacha Blueberry Centaury Century plant] Amachazuru Boldo Chinese bayberry Amber Borage

Boronia Cereals Ambergris Ambrette Bran Champac Amigasayuri Breadfruit Cheese Amyris Brown sugar Cherimoya Angelica Bryonia Cherry Angola weed Buchu Cherry laurel Angostura Buckbeans Cherry tree Anise Buffaloberry Chervil Annatto Bugle Chestnut Anzutake (Chanterelle) Bunaharitake Chichitake Burdock Apple Chicory Apple mint Burnet bran Chigaya

Apricot Butter Chinese bayberry
Areca nut (Betel nut)] Butter milk Chinese olive
Aritaso Butter oil Chinese quince
Arnica Cacao Chirata
Artemisia Cactus Chive

Artichoke Cade Chlorella
Asafetida Cajeput (Cajuput) Chokeberry
Avens (Herb bennet) Calabash nutmeg Chosengomishi
Avocado Calamint Chrysanthemum

Bamboo shoot Calamondin Cinchona Banana Calamus Cinnamon Barberry Camellia Citronella Basikurumon Camomile Citrus Basil Camphor tree Civet Bay Caper Clary sage Capsicum Clove Beans Bearberry Caraway Clover Beech Cardamon Cnidium fruit

Bees waxCarissa (Karanda)CocaBenzoinCarnationCoconutBetonyCarob (Locust bean)CoffeeBlessed thistleCarrotCola

Colombo Fenugreek Hay Coltsfoot Fermented alcoholic beverages Hazelnut Comfrey Fermented milk Heather Common nasturtium solution Fermented seasoning solution Hemp Common pomegranate Fig Henna Common popsissewa Fir Hiba

Copaiba Fish Hibiscus (Roselle)

Coriander Flax Hickory
Corn-mint (Japanese mint) Forger me not (Mouse ears) Hikiokoshi
Costmary Fruit vegetables Himehagi
Costus Fujibakama Hinoki
Crab Fujimodoki Hiratake

Cranberry Fumitory Hishi (Water chestnut)

CreamFusel oilHoarhoundCubebGalangaHoneyCucumberGalbanumHoneysuckleCultured lactic acid bacteriaGambirHonokiCultured Moniliaceae solutionGarden rhubarb (EdibleHop

Horseradish Cumin rhubarb) Currant Gardenia Horsemint Curry leaf Garlic Houkitake Curry powder Genet Houshou Cypress Gennoshoko Hyacinth Damiana Iceland moss Gentian Dandelion Geranium Ikariso

Date palm Germander Immortelle (Everlasting flower)

Davana Getto Iwaohgi Imperatoria

DeertongueGiboshiInokozuchiDillGingerItadoriDittanyGinkgo (Gingko)IvyDittany of CreteGinsengJaborandi

Dog grass (Couch grass)

Gishigishi (Dock)

Janohige

Dokudami Golden rod Japanese pepper Doragon's blood Goldthread Japanese persimmon

Dried bonito Gooseberry Jasmin Jew's mallow Durian Goshuyu Ebisugusa Grains of paradise Job's tears Grape Joioba Egg Egoma Grapefruit Jujube Juniper berry Elder Green tea Elecampane Ground ivy Kaininso Elemi Guaiacum Kamala

Eleutherococcus Guarana Karasubishaku (Dragon root)

Elm Guava Karasuuri
Elm-mushroom Gumi (Oleaster) Katakuri
Endive Gymnema sylvestre Kawamidori
Engosaku Hakobe (Common chickweed) Kencur

Enju (Japanese-pagoda-tree) Hamabofu Kenponashi (Japanese raisin

Enokidake Hamago tree)
Erigeron Hamanasu (Rugosa rose) Kibanaohgi
Eucalyptus Hamasuge, Kidachi aloe
Eupatorium Hanasuga Kihada

EyebrightHatsutakeKikaigaratakeFeijoa (Pineapple guava)HawKikurage (Jew's-ear)FennelHawthornKikyo (Baloon flower)

Kisasage Marjoram Octopus Kiwifruit Marshmallow Oil and fats Knotgrass Massoi Okera Kobushi Mastic Olibanum Matatabi (Silver vine) Koganebana Olive Kohone Mate tea Ominaeshi Koji Matico Onion Kombu kelp Matusbusa Oolong tea Kondurango Matsuhodo Opoponax Koutake Orange Matsuoii Krill Matsutake Orange flower Kuko Meadowsweet Origanum Kurara Meat Orris Kuromoii Mehaiiki Osmanthus Melilot Kusaboke (Dwarf Japanese Palmarosa Melissa (Balm) quince) Pandanus Melon Papaw

Kusasugikazura Kuzu (Thunberg kudzu vine) Mesquite Papaya Labdanum (Ciste) Mikan Parsnip Laurel Milfoil Pepino Lavender Milk Para cress Leaf vegetables Milk thistle Parsley Leek Mimosa Parsnip Mishimasaiko Passion fruit Lemon Miso (Soybean paste) Patchouli Lemongrass Licorice Mistletoe Peach. Life-everlasting flower Mitsumata Peanut Lilac Molasses Pear

Lily Moutan bark Pellitory Lime Mugwort Pennyroyal Linaloe Mulberry Pepper Linden Mullein Peppermint Murasaki (Gromwell) Lindera root Peptone Lion's foot Mushroom Perilla Liqueur Musk Peru balsam Litch Mustard Petitgrain

Litsea Myoga Pickled products pine

Lobster (Prawn, Shrimp) Mvrobalan Pineapple Long-leaved podocarp Myrrh Pistachio Myrtle Plantain Longan Longose Nadeshiko Plum Naginatakoju Poplar Lotus Lovage Nameko Poppy

Lungmoss Nanten Pressed sake cake
Lungwort Naratake Pressed soy sauce cake

Maidenhair fern Narcissus Prickly ash
Maitake Natto Primrose
Maize Nemunoki (Silk tree) Proteins Re

MaizeNemunoki (Silk tree)Proteins ResedaMallowNettlePrunella (Self-heal)MaltNezumimochiPurging cassiaMangoNori (Laver)QuassiaMangosteenNutQuebracho

Manna ash Nutmeg (Mace) Quillaja (Quillaja)

Maple Oak Quince
Marigold Oak moss Radish

Rakanka (Lo han kuo) Shiitake Ukogi

Ramboutan Shimeji Ume (apanese apricot)

Raspberry Shoro Usubasaishin Red beans Shukusha Valerian Red sandalwood Silver weed Vanilla

Renge [Simarouba Shimeji Verbena (Vervain)

Rengyo Skirret Veronica
Rhatany Sloe berry Vetiver
Rhubarb Snake Vinegar
Roasted barley Snakeroot, Serpentary Violet
Rooibos Soy sauce Walnut

Rose Soybeans Warabi (Eagle fern)

Rose apple Spearmint Waremoko, (Garden burnet)

Rosemary Spignel Wasabi Rosewood Spikenard Watafujiutsugi

Rowan tree(European Spirits
mountain ash) Spruce
Royal agaric, Squid
Rue St.John's wort

Rue St.John's wort Wine lees
Rush Star anise Winter bloomWintergreen
Root and tuber vegetables Starfruit (Carambora) Woodruff

Ryofunso Strawberry Wormseed
Safflower Strawberry tree Wormwood
Saffron Styrax Yakuchi

Saffron Styrax Yakuchi
Sage Suberihiyu (Pigweed) Yamabushi take

Sagiomodaka Sugar apple, Sweet sop Yeasts
Salsify Sugi (Peacock pine) Yl ang-ylang
Sandalwood Sundew Yoroigusa

Sandalwood Sundew Yoroigusa
Sandarac Sunflower Yucca
Sanshuyu Suppon (Snapping turtle) Yukinoshita

Santa herb Suppontake Yuzu Sapodilla Tade (Water pepper) Zdravetz

Saposhinikovia root Tamarind
Sarashinashoma Tamogitake

Sarsaparilla Tangerine (Mandarin)

Sarunokoshikake Tansy

Sasa, Bamboo grass] Tara (Angelica tree)

Sasakusa Tarragon Sassafras Tenma Tenryocha Sauces Savory Thistle Schinus molle Thyme Sea buckthorn Ti-tree Tochu Sea squirt Sea urchi n Toki

Seaweed Tolu balsam
Sekisho Tomato
Sendan Tonka beans
Senega Truffle

Senkyu Tsukushi (Fern-ally)
Senna Tsuriganeninjin
Sesame Tsurudokudami
Shakuyaku (Chinese peony) Tsuyukusa
Shallot Tuberose
Shellfish Turmeric

Water cressWatermelon

Wax jambu (Mankil)

WheyWild cherry

Zedoary

Table FA06 Substances which are generally provided as Food and which are used as Food Additives

Abbreviations in parentheses indicate the main purpose of usage.

COL: color SW: sweetener BE: bitterness enhancer E: enzyme FT: flavor/taste enhancer (*chomiryou*) TH: thickener/stabilizer PA: processing aid

Agar (PA) Amacha extract (SW) American red raspberry colour Beefsteak plant colour Black berry colour

Black currant colour Black huckleberry colour

Blueberry colour Boysenberry colour Casein(PA) Cherry colour Chicory colour

Chlorella extract (FT,PA)

Cocoa (COL)
Collagen (PA)
Corn cellulose (PA)
Cowberry colour
Cranberry colour
Daidai extract (BE)
Dark sweet cherry colour

Egg white (PA)
Elderberry colour
Ethanol (PA)

European dewberry colour Fermentation-derived cellulose(PA.TH)

Fruit juice (COL)

Berry juice
Black currant juice
Blackberry juice
Blueberry juice
Boysenberry juice
Cherry juice
Cowberry juice
Cranberry juice

Dark sweet cherry juice

Dewberry juice

Elderberry juice Gooseberry juice Grape juice Huckleberry juice Lemon juice Loganberry juice Morello cherry juice Mulberry juice Orange juice Pineapple juice Plum juice Raspberry juice Red currant juice Salmonberry juice Strawberry juice Thimbleberry juice

Whortleberry juice Gelatin(PA) Gluten(TH)

Gluten decomposites (TH)

Uguisukagura juice

Gooseberry colour Grape juice colour Hibiscus colour Hop extract(BE)

Hydrangea leaves extract

Kelp extract (TH)

Konnyaku extract (PA)

Lactic acid bacteria
concentrate(TH)

Laver colour

Loganberry colour

Malt extract (COL)

Mannan (TH)

Morello cherry colour Mugwort extract (BE)

Mulberry colour

Okra extract (TH)
Olive Tea (COL,BE)
Paprika(COL)
Perilla colour
Plum colour

Powdered licorice (SW)
Raspberry colour
Red cabbage colour
Red currant colour
Red radish colour
Red rice colour
Rennet casein (TH)
Saffron (COL)
Saffron colour
Salmonberry colour
Seaweed cellulose (TH)

Sepia colour Soybean

polysaccharides(PA,TH) Strawberry colour

Sweet potato cellulose (PA)

Tea (BE)

Thimbleberry colour Turmeric (COL) Uguisukagura colour Vegetable juice (COL) Beefsteak plant juice

Beet red juice
Carrot juice
Onion juice
Red cabbage juice
Tomato juice
Wheat extract (PA)

Wheat flour (PA)

Whey salt (Whey mineral) (FT)

Whortleberry colour

IV. Apparatus and Containers/ Packages

Table AP01 Standards on Materials in General

Materials (used for areas that contact with food)	Туре	Standards
Metal	1. Implements	shall be so designed that copper, lead, or their alloys
		will not be scraped off.
	2. Tin for plating	Lead content: less than 0.1%
	3 .Metals used to make or	Lead content: less than 0.1%
	to repair implements or	Antimony content: less than 5%
	containers/ packages	
	4. Solder used to make or	Lead content: less than 0.2%
	to repair implements or	
	containers/ packages	
	5. Electrodes to electrify	Limited to Iron, aluminum, platinum, and titanium.
	foods directly of	(In case weak current is used, stainless steel may be
	implements	used.)
Implements and	6. Colors	Synthetic coloring agents other than those listed in
containers/		the "Table 1" of the Enforcement Regulations shall
packages, in		not be used, (Excepting the cases where the colors
general		are used in such a way that they will have no
		possibility of mixing with foods.)
Polyvinyl chloride	7. Implements or	Materials made from polyvinylchloride,which
	containers/packages that	contain Bis (2-ethylhexyl) phthalate, as a main raw
	contact with food fats	material shall not be used. (This does not apply to
	and oils or fat-rich foods	cases where the phthalate has been used so as not to
		dissolve or leach into foods.)

Table AP02 Specifications and standards by Material

Material: Gla	uss, Ceramic a	and Enan	neled				
Type					Test item	* a	Standards
Glass	filled or the	s than 2.5cm deep after liquid is se not capable to be filled in.		Cadmium Lead		not more than 0.7 μg/cm² not more than 8 μg/cm²	
	Samples	Implement other th	nan	Capacity less than 600ml	Cadmium Lead		not more than 0.5 µg/ml not more than1.5 µg/ml
	than 2.5cm when	for cook by heat		Cap. between 600ml and 3L	Cadmium Lead		not more than 0.25 µg/ml not more than 0.75 µg/ml
	filled			Cap. not less than 3L	Cadmium Lead		not more than 0.25 µg/ml not more than 0.5 µg/ml
		heating	ments used for cooking by		Cadmium Lead		not more than 0.05 µg/ml not more than 0.5 µg/ml
Ceramic	filled or the	se not ca	pable t	eep after liquid is to be filled in.	Cadmium Lead		not more than 0.7 µg/cm ² not more than 8 µg/cm ²
	Samples deeper than	Implements other than for cooking		Capacity less than 1.1 L Cap. between	Cadmium Lead Cadmium		not more than 0.5 µg/ml not more than 2 µg/ml not more than 0.25 µg/ml
	2.5cm when filled	by heat		1L and 3L Cap. not less than 3L	Lead Cadmium Lead		not more than 1 μg/ml not more than 0.25 μg/ml not more than 0.5 μg/ml
		Implem heating		sed for cooking by	Cadmium Lead		not more than 0.05 µg/ml not more than 0.5 µg/ml
Enameled	Samples les 2.5cm deep Liquid is fil	after		ements other than oking by heating	Cadmium Lead		not more than 0.7 μg/cm ² not more than 8 μg/cm ²
	not capable filled in.	to be Imple		ements used for ng by heating	Cadmium Lead		not more than 0.5 μg/cm ² not more than 1 μg/cm ²
	Samples deeper	Capacity not l			Cadmium Lead		not more than 0.5 μg/cm ² not more than 1 μg/cm ²
	than 2.5cm when	Cap. less than	for co	ements other than ooking by heating ements used for	Cadmium Lead Cadmium		not more than 0.07 µg/ml not more than 0.8 µg/ml not more than 0.07 µg/ml
	filled	3L	cooki	ng by heating	Lead		not more than 0.4 µg/ml

^{*} a) Leaching condition/solution: at room temperature (dark place) for 24 hours by 4 % acetic cid.

		Elution test					
Type	Material test	Test item	Leaching condition	Leaching solution	Standards		
Synth. resin, in general	Cadmium, Lead: not	Heavy metal	at 60°C for 30min.	4% acetic acid	not more than 1 µg/ml (as PB)		
(General Standard)	more than 100µg/ml each	Quantity *1 of KMnO4 Consumed	*7	Water	not more than 10 μg/ml		
Phenolic,resin Melamine,		Phenol	at 60°C for 30min.	Water	not more than 5 µg/ml		
and Urea		Formaldehyde	*7		negative		
resins (Specific Standard)		Evaporation residue	at 25°C, for 1 hr.	Heptane	not more than 30 μg/ml		
Standard)			at 60°C, for 30min. at 60°C	20% Ethanol*4 Water			
			for 30min.	4% acetic acid			
Synth. resin		Phenol	at 60℃,	water	negative		
made from formaldehyde (Sp.Stand.)	Formaldehyde	for 30min.		negative			
		Evaporation residue] '	4% acetic acid	not more than 30 μg/ml		
Polyvinyl chloride*2	•Dibutyl tin compound.	Evaporation residue	st 25℃, for1 hr.	Heptane *3	not more than 150 μg/ml		
(PVC) (Sp.Stand.)	not more than 50µg/ g (as		at 60°C, for 30min.	20% ethanol*4	not more than 30 μg/ml		
	dibutyl tin chloride) •Cresyl phosphates: not more than lµg/gs •Vinyl cholorides: not more than lµg/g		at 60℃, for 30min.	Water *5 4% acetic acid *6			
Polyethylen (PE) and		Evaporation residue	at 25°C, for1 hr.	Heptane *3	not more than 30 µg/ml *a		
Polypropylene (PP) (Sp.Standard)			at 60°C, for 30min. at 60°C,	20% ethanol*4 Water *5	not more than 30 μg/ml		
			for 30min.	4% acetic Acid *6	1		

2.24001141· OJ 11011	etic Resin (Page 2	-/					
		Elution test					
Type	Material test	Test item	Leaching condition	Leaching solution	Standards		
Polystyrene (PS) (Sp.Stand.)	Volatile substance as a total of	Evaporation residue	at 25°C, for 1 hr. at 60°C,	Heptane *3 20%	not more than 240 µg/ml		
Sp.Stanu.)	styrene + toluene +		for 30min.	ethanol*4 Water *5	not more than 30 μg/ml		
	ethylbenzene + isopropyl- benzene + n-propyl benzene: not more than 5 mg/g. But in case of polystyrene foam (limited to that using hot water), this shall be not more than 2 mg/g, and styrene and ethyl benzene are not more than 1 mg/g, respectively.		for 30min. *7	4 % acetic acid*6			
Polyvinylidene Chloride (PVDC) (Sp.Stand.)	· Barium: not more than 100µg/g	Evaporation residue	at 25°C, for 1 hr. at 60°C, for 30min.	Heptane *3 20 % ethanol*4	not more than 30 μg/ml		
*	· Vinylidene chloride: not		at 60°C,	Water*5	-		
	more than 6 µg/g		for 30min. *7	4 %acetic acid*6			
Polyethylene Ferephthalate		Antimony	at 60°C, for 30min.	4 % acetic acid	not more than 0.05 μg/ml		
(PET) (Sp.Stand.)		Germanium	*7		not more than 0.1 μg/ml		
ор.очани./		Evaporation residue	at 25°C, for 1 hr. at 60°C, for 30min. at 60°C,	Heptane *3 20 % ethanol*4 Water*5	not more than 30 μg/ml		
			for 30min. *7	4 % acetic acid*6	1		

m.		Elution test						
Type	Material test	Test item	Leaching condition	Leaching solution	Standards			
Polymethyl Metha-		Methyl methacrylate	at 60°C, for 30min.	20% ethanol	not more than 15 μg/ml			
crylate (PMMA) (Sp.Stand.)		Evaporation residue	at 25°C, for 1 hr. at 60°C, for 30min. at 60°C, for 30min. *7	Heptane *3 20 % ethanol*4 Water*5 4 % acetic acid *6	not more than 30 μg/ml			
Nylon (PA) (Sp.Stan.)		Capro-lactam	at 60°C, for 30min.	20 % ethanol	not more than 15 μg/ml			
		Evaporation residue	at 25°C, for 1 hr. at 60°C, for 30min. *7 at 60°C, for 30min.	Heptane *3 20 % ethanol*4 Water*5 4 % acetic acid *6	not more than 30 μg/ml			
Polymethyl pentene		Evaporation residue	at 25°C, for 1 hr.	Heptane*3	not more than 120 μg/ml			
(PMP) (Sp.Stan.)			at 60°C for 30mi. *7 at 60°C, for 30min.	20 % ethanol *4 Water*5 4 %acetic acid*6	not more than 30 μg/ml			
Polycarbonate (PC) (Sp,Stand.)	· Bis-phenol A *b: not more than 500µg/g · Diphenyl Carbonate: not more than 500µg/g · Amines (Triethylamine	Bisphenol A (Phenol & p-t- butylphenol) Evaporation residue	at 25°C, for 1 hr. at 60°C, for 30min. at 60°C, for 30min. *7 at 25°C, for 1 hr.	Heptane *3 20 % ethanol*4 Water*5 4 %acetic acid*6	not more than 2.5 μg/ml			
		Evaporation residue	at 25°C, for 1 hr. at 60°C, for 30min. at 60°C, for 30min. *7	Heptane *3 20 % ethanol*4 Water *5	not more than 30 μg/ml			

Material: Synthet	tic Resin (Page 4)							
Type	Material test		Elution test					
13 pc	material test	Test item	Leaching condition	Leaching solution	Standards			
Polylactic Acid		Total of lactic acid	at 60°C, for 30min.	Water	not more than 30 μg/ml			
		Evaporation residue	at 60°C, for 30min.	20 % ethanol*4 Water*5 4 %acetic acid*6	not more than 30 μg/ml			
Polyvinyl alcohol (PVA) (Sp.Stan.)		Evaporation residue	at 25°C, for 1 hr. at 60°C,	Heptane *3	not more than 30 μg/ml			
			for 30min.	ethanol*4 Water*5				
			for 30min. *7	4 %acetic acid*6				

Material: Rubber								
		Elution test						
Type	Material test	Test item	Leaching condition	Leaching solution	Standards			
Rubber utensils (except nursing utensils)	· Cadmium: not more than 100 µg/g	Phenol Formaldehyde	at 60°C, for 30min. *7	Water	not more than 5 µg/ml negative			
	· Lead: not	Zinc		4 % acetic acid	not more than 15 μg/m			
	μg/g • 2-Mercapto imidazoline (in rubber containing chlorine): negative	Heavy metals			not more than 1 µg/ml (as Pb)			
		Evaporation residue		Water*5*8 4 % acetic acid*6	not more than 60 μg/ml			
			at 60°C, for 30min.	20 % ethanol *3*4				
Nursing utensils	· Cadmium: not more than 10 µg/g	Phenol	at 40°C, for 24hrs.	Water	not more than 5 μg/ml			
	· Lead: not	Formaldehyde			negative			
	more than 10 µg/g	Zinc		4 % acetic acid	not more than 1µg/ml			
		Heavy metals		4 % acetic acid	not more than 1 µg/ml (as Pb)			
		Evaporation residue	at 60°C, for 30min.	Water	not more than 40 μg/ml			

		Elution test						
Type	Material test	Test item	Leaching condition	Leaching solution	Standards			
		Arsenic	at 60°C, for 30min. *7	Water*5	not more than 0.2µg/ml (as As203)			
			at 60°C, for 30min.	0.5 % solution of citric acid*6				
		Cadmium	*7 at 60°C, for 30min.	Water*5	not more than 0. µg/ml			
			at 60°C, for 30min	0.5 %solution of citric acid*6				
		Lead	*7 at 60°C, for 30min.	Water*5	not more than 0.4µg/ml			
			at 60°C, for 30min.	0.5 %solution of citric acid*6				
		Phenol	at 60°C, for 30min.	Water	not more than 5µg/ml *11			
		Formaldehyde	*7		negative *11			
		Evaporation residue	at 25°C, for 1 hr.	Neptane *3 *9	not more than 30 µg/ml *11			
			at 60°C, for 30min.	20 % ethanol*4				
			at 60°C, for 30min. *7	Water*5*10 4 % acetic acid*6				
		Epichlorohydrin	at 25°C, for 2 hrs.	Pentane	not more than 0.5µg/ml*11 *12			
		Vinylchloride	at not more than 5°C, for 24 hrs.	Ethanol	not more than 0.05µg/ml*11			

Notes:

- *1 Except phenolic resin, melamine resin and urea resin.
- *2 Materials tests do not apply to implements other than tableware and cooking utensil.
- *3 Fats and oils and fatty foods.
- *4 Alcoholic beverages.
- *5 Food whose pH value exceeds 5.
- *6 Food whose pH value is 5 or less.
- *7 However, 95°C for 30 minutes when used at the temperature exceeding 100°C.
- *8 Limited to implements.
- *9 Not more than 90µg/ml when the sample is a can whose inside is coated with a paint composed mostly of natural fats and oils and whose coatings contain zinc oxide more than 3 %.
- *10 Quantity of a chloroform-soluble substance (limited to 30µg/ml or less) is to be determined when a sample can similar to *9 is used and such quantity exceeds 30µg/ml.
- *11 Limited to those coated with synthetic resins.
- *12 The eluted solution is considered to have been concentrated by 5 times although the concentration in the eluted solution is not more than 25µg/ml.
- *a) not more than $150\mu\text{g/m}$ for a sample used at the temp. of 100°C or less.
- *b) inclg. Phenol,pt butyl-phenol:

Table AP03 Specifications and standards by Use

Kinds of food	Kinds of implements and containers/ packages	Standards
Pressure- and	Containers/	1. Containers/packages shall be light-blocking and impermeable to gas
Heat-Sterilized	packages, in general	(except when products have no risk of quality degradation due to
Packaged Food		deterioration of fats and oils).
(except canned		2. They shall not be broken, deformed, colored, or discolored when filled
and bottled		up with water, sealed, and heated under pressure in the same
foods)		conditions as in actual manufacture.
		3. Compression proof test: Contents or water shall not leak out.
		4. Heat sealing strength test: Not less than 23 N (Except metal cans
		sealed by seaming). However, this does not apply to rectangular
		containers which show value of higher than 20kPa by inner pressure
		strength test.
		5. Dropping test: Contents or water shall not leak out.
Soft drinks	(1) Made of glass	1. Glass containers that are to be reused shall be transparent.
(except Fruit		2. They shall pass the following tests
juice as		a. Sustained pressure-resistance test: Gas shall not leak out
material)		(This only applies to those for filling a carbonic acid-containing soft
		drinks, and this does not apply to those capped with paper lids.)
		b. Reduced pressure-resistance test: Air shall not leak out
		(This applies only to those containers filled with soft drinks with
		carbonic acid excepting those capped with paper lids).
		c. Liquid leak test: Contents shall not leak out (This applies only to those
		containers filled with soft drinks without carbonic acid by a method
		other than hot filling excepting those capped with paper lids).
	(2) Made of metal	1. Metal containers shall pass the following tests
		a. Pressure resistance test: Air shall not leak out (This only applies to
		those whose inside pressure exceeds atmospheric pressure at normal temperature.)
		b. Reduced pressure-resistance test: Air shall not leak out (This only
		applies to those whose inside pressure is the same as or lower than atmospheric pressure at room temperature.)
		2. They shall pass the following tests
		a. Pinhole test: No pinhole shall be found (This only applies to those
		containers/packages using sealing materials (other than metal) at their opening.
		b. Bursting strength test: Not less than 490.3 kPa (same as above).
		c. Piercing strength test: Not less than 15 N (same as above).
		5

Kinds of food	Kinds of implements and containers/ packages	Standards
	(3) Made of synthetic resins, synthetic resin-processed paper, and synthetic resin-processed aluminum foil	 Synthetic resins to be used for the parts in direct contact with food contents are limited to those whose standards have been set forth in the Section of "Standards by Materials" (except synthetic resin-processed aluminum foil which is used for sealing). They shall pass the following tests Dropping test: Contents or water shall not leak out. Pinhole test: No pinhole shall be found. Sealing test: Air shall not leak out (This applies only to heat-sealed container-packages made of synthetic resins and synthetic resin-processed paper). Compression proof test: Contents or water shall not leak out. (This only applies to heat-sealed containers/packages made of synthetic resins or synthetic resin-processed aluminum foil.) Sustained pressure-resistance test: Gas shall not leak out. (this only applies to those which are sealed by crown caps and filled with carbonic acid-containing refreshing drinks). Sustained reduced pressure resistance test: Coloring with methylene blue shall not be observed. (This only applies to those which are sealed by crown caps and hot-filled with soft drinks). Liquid leak test: Contents shall not leak out. (This only applies to those which are sealed by crown caps and filled with soft drinks without carbonic acid by a method other than hot-filling.)
	Combination	1. Metals are limited to those conforming to the standard for metal cans set forth in Section 4 "Standards by Materials," and for synthetic resins, synthetic resin-processed paper, and synthetic resin-processed aluminum foil, synthetic resins used for parts in direct contact with contents are limited to those conforming to the standards set forth in (3) -1 above. (However, this does not apply to synthetic resin-processed aluminum foil which is used for hermetic sealing purpose.) 2. They shall pass the following tests a. Dropping test: Contents or water shall not leak out. b. Pinhole test: No pinhole shall be found. Sealing test: Air shall not leak out (This applies only to those containers/packages sealed by hermetic heat-sealing). c. Reduced pressure resistance test: Air shall not leak out. (This applies only to those hot-filled with soft drinks.) d. Liquid leak test: Contents shall not leak out. (This only applies to those which are filled with soft drinks by a method other than hot-filling, and sealed by a method other than hot-filling.)

Kinds of food	Kinds of implements and containers/	Standards
	packages	
Flavored ice		 Implements for manufacture shall have such a structure as easily cleanable and having smooth inside and contact surfaces which are made of rust-proof materials or treated to prevent rust. Both distributing and capping shall be performed by the machines. Machines shall be cleaned and sterilized easily and capable of preventing any contamination. Containers/packages for storage or transport purposes shall have such structures as to prevent dust and insects from entering, and also such a structure that prevents melt water from contacting with flavored ice directly.
Foods in	(1)Automatic	1. Materials used for parts in direct contact with food shall be stainless
general	vending machine,	steel or others which have not the risk of dissolving out toxic or
	main body (limited	hazardous substances, and shall be acid-resistant, heat-resistant,
	to those whose	water -proof, and impermeable. (Those for filtering food need not be
	part is in direct	impermeable.)
	contact with food)	2. (Description of mechanical structures: omitted.)
	(2)Cartridge-type	1. The same as above, except what is described in the parentheses
	feed tank of an	2. (Description of mechanical structures: omitted.)
	automatic vending	
	machine (same as above)	
	(3) Containers used	1. Containers for offering food (except soft drinks) shall be cleaned and
	for selling food	sterilized. (Except those made of new unused paper, synthetic resins,
	from an automatic	synthetic resin-processed paper or aluminum foil, or in combination,
	vending machine	which have been sterilized or manufactured by a method with
	(same as above)	sterilizing effect and handled with care so as not to be contaminated before use.).
		2. Containers for offering soft drinks shall be made of unused paper,
		synthetic resins, synthetic resin-processed paper or aluminum foil, or
		in combination, which have been sterilized or manufactured by a
		method with sterilizing effect and handled with care so as not to be
Ct. 1 1 ···	/D 4: 1 :	contaminated before use.
Stock solution of soft drinks	Transporting devices or containers/	1. Metal containers shall be constructed in such a way that they are
or som armks	packages of soft	easily cleaned with screw-in type lids or stoppers, and have a smooth inside surface, and made of rustproof materials or treated to prevent
	drink stock solution	rust.
	which is kept in a	2. For synthetic resin containers/packages, the standard
	cup-filling type or in	containers/packages for soft drinks (except material fruit juices) made
	a full-automatic	of synthetic resins, synthetic resin-processed paper and synthetic
	machine.	resin-processed aluminum foil set forth in E-2-(3) above "Standards by
		Applications" shall apply mutatis-mutandis.

Table AP04 Standards for Manufacturing

Standards for manufacturing Apparatus or Containers/Packages

Materials	Standards
Apparatus and containers / packages made of copper or copper alloy	The areas in contact with food shall be totally tin- or silver-plated, or otherwise treated not to cause any sanitary hazards (except those with characteristic gloss and rust-free).
2. Apparatus and containers / packages in general	Synthetic coloring agents other than those listed in Table 1 of the Enforcement Regulations shall not be used, (excepting the cases where the colors are used by way of melting them into glaze, glass or enamel or by other methods which shall prevent the possibility of their mixing with food).
3. Containers/packages made of paper, shaved wood or metal foil for flavored ice	They shall be sterilized after the manufacture.
4. Apparatus and containers / packages in general	The spine of the Specified Cattle shall not be used as raw material. However, this shall not apply to fat and oil intended to be used as raw material and derived from the Specified Cattle but have been hydrolyzed, saponified or ineteresterified under the condition of high temperature and high pressure.
5. Apparatus and containers / packages in general	Polylactic acid with a content of higher than 6% of D-lactic acid shall not be used to manufacture implements or containers/packages which are used at a temperature higher than 40 degree C. (However, this does not apply to those which are used for less than 30 minutes at lower than 100 degree C or for less than 2 hours at lower than 66 degree C.)

Table AP05 Specifications and Standards for Milk and Milk Products

	Types of				Eluti	on test		
Kinds of milk, etc.	container- packages (for use in sales)	Classification by materials	Materials test	Test items	Leaching conditions	Leaching solution	Standard	Strength test
Cow's milk, special cow's milk, pasteurized goat's milk,	Glass bottle		Transparent uncolored one with a mouth inside diameter of 26 mm or above	TY .	- 000 C 00		N. d	
partly skimmed milk, skimmed milk, processed	Synthetic resin container- packages synthetic resin processed paper container-	Synthetic resin (PE, Ethylene 1-alkene copolymerized resin, or polyethelene	· n-Hexane extract: Not more than 2.6 % · Xylene-soluble sub-stance: Not	Evaporation residue	at 60°C for 30 minutes	4 % acetic acid	Not more than 1 ppm (as Pb) Not more than 15 ppm (F=5, for milk, etc. except cream)	• Bursting strength *8: Not less than 196.1 kPa for contents of 300 ml or less (392.3 kPa for container/ packages for contents which can be kept at normal temperature). Not less than 490.3 kPa for contents above 300 ml (784.5 kPa for
milk, and cream	packages *1, *2	terephthalate) to be used for parts in direct contact	more than 11.3 % • Arsenic: Not more than 2 ppm (as		at 25°C for 60 minutes	n-Heptane	Not more than 15 ppm (F=5, for cream only)	container-packages for contents which can be kept at normal temperature)
		with contents *3	than 2 ppm (as As ₂ O ₃) · Heavy metal: Not more than 20 ppm (as Pb)	Quantity of KMnO ₄ consumed	at 60°C for 30 minutes	Water 4 % acetic	Nor more than 5 ppm	which can be kept at normal
(Continued)			Cadmium: Not more than 100ppm Lead: Not more than 100 ppm	Antimony Germanium	at 60°C for 30 minutes	4 % acetic acid	Not more than 0.025 ppm Not more than 0.05 ppm	These tests only apply to PET.

	Types of				Eluti	ion test		
Kinds of milk, etc.	container- packages (for use in sales)	Classification by materials	Materials test	Test items	Leaching conditions	Leaching solution	Standard	Strength test
	Metal cans (limited to containers for cream)	Metals	Same as the standard for metal cans set forth for Fermented Milk etc.	Same as left	Same as left	Same as left	Same as left	
	Combined container- packages (those made of synthetic resins or synthetic resin-processed paper. Those made of two or	Synthetic resin (PE, LLDPE or PET) to be used for direct contact with contents *3	Same as the standard for synthetic resin -container-packages and synthetic resin processed paper containers-packages set forth for Cow's milk etc.	Same as left	Same as left	Same as left	Same as left	Same as left (Bursting strength test and pin hole test shall be performed for both synthetic resin and synthetic resin processed paper.)
	more materials, among above materials and metals) *1	Metals	Same as the standard for metal cans set forth for Fermented Milk etc.	Same as left	Same as left	Same as left	Same as left	
Fermented milk, fermented milk drink, and milk drink	Glass bottle Container- packages made of synthetic resins, synthetic resin-processed paper, and	Synthetic resin(PE or LLDP) to be used for direct contact with contents	Transparent one Same as the standard applied to Milk, etc.	Same as left (Evaporation residue for 4 % acetic acid only)	Same as left	Same as left	Same as left	Shall comply one of the following tests: bursting strength or penetrating strength (not less than 9.8N) (same methods as for cow's milk, etc.)
	synthetic resin-processed aluminium foil *2, *4	Synthetic resin (Polystyrene(PS)) to be used for direct contact with contents	· Volatile substances (a total of styrene, toluene, ethylbenzene, isopropyl-benzene and n-propyl-benzene): Not more than 1,500 ppm · Arsenic: Not more than 2 ppm (as As ₂ O ₃) · Heavy metal: Not more than 20 ppm (as Pb)	Evaporation residue Quantity of KMnO ₄ consumed	at 60°C for 30 minutes	4 % acetic acid Water	Not more than 1 ppm (as Pb) Not more than 15 ppm Not more than 5 ppm	
(Continued)	(Continued)							

	Types of				Eluti	on test		
Kinds of milk, etc.	container- packages (for use in sales)	Classification by materials	Materials test	Test items	Leaching conditions	Leaching solution	Standard	Strength test
	in sales)	Synthetic resin (PP) to be used for direct contact with contents	· n-Hexane extract: Not more than 5.5 % · Xylene-soluble sub-stance: Not more than 30 % · Arsenic: Not more than 2 ppm (as As ₂ O ₃) · Heavy metal: Not	Heavy metal Evaporation residue Quantity of KMnO ₄ consumed	at 60°C for 30 minutes	4 % acetic acid Water	Not more than 1 ppm (as Pb) Not more than 15 ppm Not more than 5 ppm	
		Synthetic resin (PET) to be used for direct contact with contents	more than 20 ppm (as Pb) Cadmium: Not more than 100 ppm Lead: Not more than 100 ppm	Heavy metal Evaporation residue Quantity of KMnO ₄ consumed	at 60°C for 30 minutes	4 % acetic acid	Not more than 1 ppm (as Pb) Not more than 15 ppm Not more than 5 ppm	
				Antimony Germanium		4 % acetic acid	Not more than 0.025 ppm Not more than 0.05 ppm	
	Metal cans			Heavy metal Evaporation residue *7	at 60°C for 30 minutes	4 % acetic acid	Not more than $0.1 \text{ ppm (as } As_2O_3)$ Not more than 1 ppm (as Pb) Not more than $15 \text{ ppm (for those using synthetic resins for parts in direct contact with the contents)}$	
(Continued)	(Continued)			Quantity of KMnO ₄ consumed *7 Phenol *7 Formaldehyde *7		Water	Not more than 5 ppm (Same as above) Negative (Same as above) Negative (Same as above)	

(Continued)

(Continued)	Types of				Eluti	on test		
Kinds of milk, etc.	container- packages (for use in sales)	Classification by materials	Materials test	Test items	Leaching conditions	Leaching solution	Standard	Strength test
		Synthetic resins to be used for parts in direct contact with contents	Cadmium: Not more than 100 ppm Lead: Not more than 100 ppm Lead: Not more than 100 ppm Dibutyl tin compound (Iimited to PVC): Not more than 50 ppm (as dibutyl tin chloride) Cresol phosphoric ester (Iimited to PVC): Not more than 1,000 ppm Vinyl chloride (Iimited to PVC): Not more than 1 ppm					
	Combined container-packages (those made of two or more materials, among synthetic resin-processed paper, synthetic resin-processed aluminium foil, and metals) *5	Synthetic resins, synthetic resin-processed paper, and synthetic resin-processed aluminium foil	Same as standard set forth in synthetic resins, etc. for fermented milk, etc.	Same as left	Same as left	Same as left	Same as left	Sealing strength: same for milks, etc. Burst strength: Not less than 196.1 kPa
(Continued)	(Continued)	Metal	Same as standards set forth in metal cans for fermented milk	Same as left	Same as left	Same as left	Same as left	

(Continued)

	Types of container- packages (for use in sales)	Classification by materials	Materials test		Eluti			
Kinds of milk, etc.				Test items	Leaching conditions	Leaching solution	Standard	Strength test
	Synthetic resin-processed aluminium foil for hermetic	resin-processed aluminium foil for hermetic		Heavy metal Evaporation residue	at 60°C for 30 minutes	4 % acetic acid	Not more than 1 ppm (as Pb) Not more than 15 ppm	than 490.3 kPa
		sealing		Quantity of KMnO ₄ consumed Phenol		Water	Not more than 5 ppm Negative	
		Synthetic resins of synthetic resin-processed aluminium foil for hermetic sealing which is used for parts in direct contact with contents.	· Arsenic: Not more than 2 ppm (as As ₂ O ₃) · Cadmium: Not more than 100 ppm · Lead: Not more than 100 ppm · Dibutyl tin compound (limited to PVC): Not more than 50 ppm (as dibutyl tin dichloride) · Cresol phosphoric ester (limited to PVC): Not more than 1,000 ppm · Vinyl chloride (limited to PVC): Not more than 1 ppm	Formaldehyde			Negative	

	Types of container- packages (for use in sales)	Classification by materials	Materials test	Elution test				
Kinds of milk, etc.				Test items	Leaching conditions	Leaching solution	Standard	Strength test
Prepared milk powder	Metal cans (including those using synthetic resins for hermetic sealing of the opening part) *5	PE, ethylene 1-alkene copolymerized or polyethylene terephthalate (PET) used for parts in direct contact with contents	Same as the standard set forth in container-packages laminated synthetic resin for prepared milk powder	Same as left	Same as left	Same as left	Same as left	· Sealing strength: Same as that of milk
	Container- packages of laminated synthetic resins (container- packages with aluminium foil laminated on synthetic resins or those with cellophane or paper laminated further) *6	packages using PE, ethylene 1-alkene copolymerized resin *3 PET used for parts in direct contact with contents set etc syr etc	Same as standard set forth in synthetic resins, etc. for fermented milk, etc.	Same as left	Same as left	Same as left	Same as left	• Bursting strength: Not less than 196.1 kPa for contents 300 g or less Not less than 490.3 kPa for contents above 300 g (196.1 kPa in case that an outer packaging i.e. package made
			· Cadmium: Not more than 100 ppm · Lead: Not more than 100 ppm	Heavy metal	at 60°C for 30 minutes	4 % acetic acid	Not more than 1ppm (as Pb)	over a container-package for retailing, is done and maximum bursting strengths of the outer and container-packages added together is not less than 980.7 kPa) • Sealing strength: Same as that of milk
				Evaporation residue			Not more than 15ppm	
				Quantity of KMn04 consumed		Water	Not more than 5ppm	
				Antimony		4 % acetic acid	Not more than 0.025 ppm (Limited to container-packag es using PET)	
				Germanium			Not more than 0.05 ppm (same as above)	
	Combined container-packages (those made of metal cans and laminated synthetic resins)	Metal cans	Same as the standard for metal cans set forth for Prepared milk powder	Same as left	Same as left	Same as left	Same as left	Same as left
		Laminated synthetic resins	Same as the standard for laminated synthetic resins set forth for Prepared milk powder	Same as left	Same as left	Same as left	Same as left	Same as left (Bursting strength: Not less than 490.3 kPa)

Note

- *1) Container-packages made of "synthetic resins" are restricted to polyethylene (PE), ethylene 1-alkene copolymerized resin (LLDPE), Nylon, polypropylene (PP) or polyethylene terepthalate (PET)]. Combined container-packages of paper laminated with "synthetic resins" are restricted to PE laminated paper, LLDPE laminated paper or PET laminated paper. Materials for parts in direct contact with products are restricted to PE, LLDPE, or PET.
- *2) Container-packages for products storable at room temperature shall shield the product from light and shall not be gas-permeable.
- *3) Additives shall not be used. Provided that, for PE and LLDPE, the following can be used: Not more than 2.5 g of calcium stearate (spec. of Japanese Pharmacopoeia) per 1 kg of synthetic resin; Not more than 0.3 g of glycerine fatty acid ester (spc. of Specifications and Standards of Food, Additives, etc.) per 1 kg of synthetic resin; or Titanium dioxide (spec. of Specifications and Standards of Food, Additives, etc.)
- *4) Materials for parts in direct contact with products are restricted to PE, LLDPE, PS, PP or PET.
- *5) Opening parts shall be of a structure which ensures hermetic closing and materials for that part are restricted to PE, LLDPE or PET.
- *6) Limited to PE, LLDPE or PET for parts in direct contact with contents.
- *7) Limited to those metal cans coated with synthetic resins for parts in direct contact with food content.
- *8) As to the bursting strength test and the sealing strength test for PET containers or processed paper container-packages, one of the two tests will suffice.

An English translation of the Ordinance (Ministerial Ordinance on Milk and Milk Products Concerning Compositional Standards, etc." (MHLW Ordinance No.52, 1951: Latest Revision

No.132, October 30, 2007) can be found on the website at: http://www.mhlw.go.jp/english/topics/foodsafety/index.html

Caution on use of this document, escape clauses/disclaimer

JETRO shall not be held liable for any direct, indirect, derivative, special, attendant, or punitive damages or loss of income arising in connection with the content of this document, whether due to contracts, unlawful action, negligence, or any other cause. This applies even if JETRO is made aware of the possibility of such loss.

While this document has been prepared based on information considered reliable, no guarantee is made concerning its accuracy or completeness. JETRO may have issued or issue in the future documents that are not in agreement with the main points of this document.

Title: Specifications and Standards for Foods, Food Additives, etc. Under the Food Sanitation Act (Abstracts) 2010

Date of publication: April 2011

Published by: Japan External Trade Organization (JETRO)